

CIBA-GEIGY CORP FURANE PRODUCTS DIV -- FPC2126 EPIBOND 1534 B -- 8040-01-078-9273
===== Product Identification =====

Product ID:FPC2126 EPIBOND 1534 B

MSDS Date:03/04/1992

FSC:8040

NIIN:01-078-9273

MSDS Number: CDRVL

=== Responsible Party ===

Company Name:CIBA-GEIGY CORP FURANE PRODUCTS DIV

Address:5121 SAN FERNANDO RD W

City:LOS ANGELES

State:CA

ZIP:90039-1011

Country:US

Info Phone Num:818-247-6

210/800-888-8372

Emergency Phone Num:818-247-6210/800-888-8372

Preparer's Name:RAJESH S PATEL

CAGE:0267X

=== Contractor Identification ===

Company Name:CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE
POLYMERS

Address:5121 SAN FERNANDO RD WEST

Box:City:LOS ANGELES

State:CA

ZIP:90039-1011

Country:US

Phone:818-247-6210/800-873-1138

CAGE:99384

Company Name:CIBA-GEIGY CORP

Address:4917 DAWN AVE

Box:18300

City:EAST LANSING

State:MI

ZIP:48823-5605

Country:US

Phone:517-351-5900

CAGE:0267X

=====

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIETHYLENETETRAMINE, EPOXY HARDNER

CAS:112-24-3

RTECS #:YE6650000

Ingred Name:VOLATILE ORGANIC CONTENT: 10 MG/L

RTECS #:9999999VO

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RATS): 2500 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: IRRITATION. CONSIDER
ED TO

BE DERMALLY TOXIC. CAN BE IRRITATING TO EYES, SKIN & RESPIRATORY
TRACT AS WELL AS CORROSIVE TO BIOLOGICAL TISSUES. MAY INDUCE SKIN &
EFFECTS TO THE LIVER, KIDNEY & BRAIN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, SENSITIZATION, ALLERGIC REACTIONS

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/WATER FOR AT LEAST 15 MINS. SKIN: WASH W/MILD
SOAP & WATER. INGESTION: IF CONSCIOUS, GIVE LARGE QUANTITIE
S OF

WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN
ALL CASE S. NOTE TO PHYSICIAN: ALLERGIC DERMATITIS/RESPIRATORY
RESPONSE IN SUSCEPTABLE INDIVIDUALS MAY BE DELAYED. IT MAY APPEAR
WEEKS/EVEN MONTHS OF FREQUENT & PROLONGED CONTACT.

=====
Fire Fighting Measures
=====

Flash Point Method:COC

Flash Point:559.4F

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER SPRAY

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA/EQUIVA
LENT &

FULL PROTECTIVE GEAR.

=====
Accidental Release Measures
=====

Spill Release Procedures:EVACUATE AREA. WEAR FULL PROTECTIVE CLOTHING.
DIKE & ABSORB ON INERT MATERIAL SUCH AS SAND, EARTH, ETC. TRANSFER
TO CONTAINERS FOR DISPOSAL. KEEP RUNOFFS OUT OF MUNICIPAL SEWERS &
OPEN BODIES OF WATER .

=====
Handling and Storage
=====

Handling and Storage Precautions:FOR INDUSTRIAL USE ONLY. DON'T STORE
>95F.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH/MSHA APPROVED RESPIRATOR SUITABLE FOR CONCENTRATIONS & TYPES OF AIR CONTAMINANTS ENCOUNTERED.

Ventilation:MECHANICAL LOCAL EXHAUST VENTILATION AT POINT OF CONTAMINANT RELEASE.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER & EYEWASH FACILITY.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:1

Spec Gravity:1

Evaporation Rate & Reference:(BU AC=1):