View NSN Online: https://aerobasegroup.com/nsn/5350-00-543-3600

SANCAP ABRASIVES -- COATED ABRASIVES-ALUMINUM OXIDE -- 5350-00-543-3600

Product ID:COATED ABRASIVES-ALUMINUM OXIDE MSDS Date:04/30/1986 FSC:5350 NIIN:00-543-3600 MSDS Number: CDVKF === Responsible Party === Company Name: SANCAP ABRASIVES Address:16123 ARMOUR ST, NE City:ALLIANCE, State:OH ZIP:44601 Country:US Info Phone Num:216-821-3510 Emergency Phone Num:216-82 1-3510 Preparer's Name:KITTLESON CAGE:SANCA === Contractor Identification === Company Name: SANCAP ABRASIVES/ALLIANCE, OH 44601 CAGE:SANCA

Ingred Name:ALUMINUM OXIDE, TITANIUM DIOXIDE, SILICON DIOXIDE IN A CHEMICALLY COMBINED INERT MATERIAL Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 ACGIH TLV:15 MPPCF

Routes of Entry: Inhalation:YES Skin:YES I ngestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: IMPAIRED BREATHING SKIN/EYES/NASAL/RESPIRATORY IRRIT. CHRONIC: PROLONGED INHALATION MAY CAUSE DAMAGE TO PULMONARY SYSTEM, COUGH. Medical Cond Aggravated by Exposure:PULMONARY DISORDERS.

First Aid:REMOVE TO DUST FREE AREA. IRRIGATE EYES/SKIN W/COPIOUS AMOUNTS OF WATER.

================== Fire Fighting Measu

Flash Point:NA Extinguishing Media:WATER, CO2 OR OTHER MEDIA APPROVED FOR ORDINARY COMBUSTIBLE MATERIALS "CLASS A FIRE". Fire Fighting Procedures:NA Unusual Fire/Explosion Hazard:NA Spill Release Procedures: ORDINARY PRECAUTIONS FOR DUSTS & PARTICLES. Handling and Storage Precautions:NA Other Precautions:NA ====== Expo sure Controls/Personal Protection ========= Respiratory Protection: IF DUST LIMITS EXCEEDED, USE DUST FILTER RESPIRATOR. Ventilation: LOCAL EXHAUST TO CONTROL EXPOSURE TO AIRBORNE DUST. MECH/GENERAL HOOD CONNECTED TO EXHAUST DUCT/APPROPRIATE DUST COLLECT Protective Gloves:REQUIRED. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NA Work Hygienic Practices: ORDINARY WASHING & CLEANLINESS PRACTICES. Supplemental Safety and Health NK ========= Physical/Chemical P roperties ============== Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Vapor Density:NA Evaporation Rate & amp; Reference:NA Solubility in Water:NA Appearance and Odor: GRANULAR, LIGHT BROWN TO WHITE, NO ODOR. Stability Indicator/Materials to Avoid:YES NA Stability Condition to Avoid:NA Hazardous Decomposition Products:NA 

Waste Dis

posal Methods:DISPOSE IN COMPLIANCE W/FEDERAL/STATE/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respons ibility for the suitability of this information to their

particular situation.