View NSN Online: https://aerobasegroup.ae/nsn/5610-01-019-7843

RANDUSTRIAL CORP. -- F-181 BOLT ANCHOR SULFASET -- 5610-01-019-7843

Product ID:F-181 BOLT ANCHOR SULFASET MSDS Date:02/01/1989 FSC:5610 NIIN:01-019-7843 MSDS Number: CDVNW === Responsible Party === Company Name: RANDUSTRIAL CORP. Address:5273 BROADVIEW ROAD City:CLEVELAND State:OH ZIP:44134 Country:US Info Phone Num:216-749-3100 Emergency Phone Num:216-749-3100 CA GE:HO267 === Contractor Identification === Company Name: RANDUSTRIAL Address:4529 INDUSTRIAL PARKWAY Box:City:CLEVELAND State:OH ZIP:44135 Country:US Phone:216-641-7500 CAGE:52190 Company Name: RANDUSTRIAL CORPORATION CAGE:HO267 Ingred Name: PORTLAND CEMENT \*1.8-55.0

CAS:65997-15-1 RTECS #:VV8770000 Fraction by Wt: \* Other REC Limits:NONE RECOMMENDED ACGIH TLV:5 MG/M3

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: IRRIT. SKIN: BURN.

	First Aid Measures	
--	--------------------	--

First Aid:EYE: FLOOD IMMED FOR 15 MINUTES W/WATER. SKIN: WASH, CALL DR. INGEST: HARDENS WHEN WETTED. IF INGESTED MAY RESULT IN OBSTRUCTION. CALL DR.

Flash Point:NONE Extinguis hing Media:NOT COMBUSTIBLE Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:SWEEP UP, AVOID CREATING EXCESSIVE DUST. SLURRY MAY PLUG DRAINS.
======================================
Handling and Storage Precautions:STORE AWAY FROM MOISTURE.
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:NIOSH APPROVED NUISSAN CE DUST RESPIRATOR IF >TLV.
Ventilation:GENERAL MECHANICAL. LOCAL EXHAUST IF >TLV. Protective Gloves:RECOMMENDED. Eye Protection:GOGGLES OR SAFETY GLASSES. Supplemental Safety and Health NK
======================================
Melt/Freeze Pt:M.P/F.P Text:2642F,1450C Spec Gravity:2.7 Solubility in Water:0.2% Appearance and Odor:YELLOW POWDER W/LOW ODOR.
======================================

Stability Indicator/Materials to Avoi

## d:YES NK Hazardous Decomposition Products:SO2 & CAO >1450C

Waste Disposal Methods: IN ACCORDANCE W/LOCAL/STATE/FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabi

lity for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.