

DEXTER CORP. DEXTER ELECTRON -- HYSOL EA 956 SYSTEM, AS9112000

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 01-126-6271  
MSDS Date: 11/01/1995  
MSDS Num: CDVQL  
Product ID: HYSOL EA 956 SYSTEM, AS9112000  
MFN: 10  
Kit Part: Y  
Responsible Party  
Cage: DO846  
Name: THE DEXTER CORP. DEXTER ELECTRONIC MATERIALS DIV.  
Address: 211 FRANKLIN ST.  
City: OLEAN NY 14760-1297  
Info Phone Number: 716-372-6300  
Emergency Phone Number: 716-372-6309  
Proprietary Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 04347  
Name: DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV  
Address: 211 FRANKLIN ST.  
City: OLEAN NY 14760-1297  
Phone: 716-372-6300/6309  
Cage: DO846  
Name: THE DEXTER CORP. WATER MANAGEMENT SYSTEMS DIVISION  
Address : UNKNOWN  
Box: 200  
City: CHAGRIN FALLS OH 44022  
Phone: 216-247-5000

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: ADHESIVE  
Unit of Issue: KT  
UI Container Qty: 0

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: MAY BE CORROSIVE TO EYES & SKIN. MAY CAUSE CHEMICAL BURNS. VAPORS & MISTS WILL IRRITATE NOSE & THROAT. SKIN CONTACT MAY RESULT IN BURNS, POSSIBLE ALLERGIC SENSITIZATION. CHEST DISCOMFORT.

Medical Cond Aggravated By Exposure: SKIN SENSITIZATION.

First

Aid: EYE: FLUSH W/WATER FOR 15 MINS. GET MED ATTN. SKIN: WASH THOROUGHLY W/SOAP & WATER. GET MED ATTN. INHAL: REMOVE TO FRESH AIR. GET MED ATTN. INGEST: DRINK PLENTY OF WATER. GET MED ATTN IMMED.

=====

Handling and Disposal

=====

Spill Release Procedures: WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. ABSORB SPILL W/ABSORBENT MATERIAL. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINERS.

Neutralizing Agent: NA

Waste Disposal Methods: NOT RCRA HAZ WASTE. HOWEVER, INCINERATION IN EPA APPROVED WASTE INCINERATOR IS PREFERRED. CHEM ADDITIONS/PROCESSING/OTHERWISE ALTERING MATERIAL MAY MAKE WASTE MANAGEMENT INFO HEREIN INCOMPLETE/INACCURATE/INAPPROPRIATE. CONSULT STATE/LOC REGULATIONS.

Handling And Storage Precautions: PRODUCT MAY BE STORED AT ROOM TEMPERATURE FOR UP TO 12 MONTHS. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions: FOLLOW CURING SCHEDULE/MIXING RATIOS AS RECOMMENDED IN

PRODUCT LITERATURE. EMPTY CONTAINERS RETAIN PRODUCT RESIDUE SO OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINERS AS IF THEY WERE FULL. DON'T CUT, GRIND, WELD OR DRILL ON/NEAR CONTAINER.

=====

Fire and Explosion Hazard Information

=====

Flash Point Text: NOT TESTED

Lower Limits: NOT TESTED

Upper Limits: NOT TESTED

Extinguishing Media: DRY CHEMICAL, HALO

N FIRE EXTINGUISHER, WATER SPRAY, FOAM  
OR FOG.

Fire Fighting Procedures: WEAR SCBA & FULL PROTECTIVE CLOTHING, SUCH AS  
TURN-OUT GEAR. CARTRIDGE RESP DO NOT PROVIDE ADEQUATE PROTECTION FOR  
FIREFIGHTERS OR EXOTHERM MITIGATION.

Unusual Fire/Explosion Hazard: MAY LIBERATE LARGE QUANTITIES OF DENSE  
FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

=====  
Control Measures  
=====

Respiratory Protection: IF LOCAL EXHAUST VENTILATION INADEQUATE, A RESPIRATOR  
EQUIPPED W/ORGANIC VAPOR CARTRIDGES MAY BE APPROPRIATE.

Ventilation: LOCAL EXHAUST VENTILATION AT THE POINT OF USE.

Protective Gloves: BUTYL RUBBER, PVC, NITRILE RUBBER GLOVES

Eye Protection: SAFETY GLASSES W/SIDE SHIELD;CHEM GOGGLE

Other Protective Equipment: LONG SLEEVED SHIRT/PANTS. AN EYEWASH AND SAFETY  
SHOWER SHOULD BE NEARBY AND READY FOR USE.

Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING MAT  
ERIALS.

Supplemental Safety and Health: FAILURE TO OBSERVE PRECAUTIONS IN  
MIXING/HEATING MAY RESULT IN EXCESSIVE HEAT BUILD-UP CAUSING AN EXOTHERM. THE  
EXOTHERM HAS POTENTIAL FOR RELEASE OF TOXIC GASES.

=====  
Physical/Chemical Properties  
=====

B.P. Text: 405F,207C

Vapor Pres: NIL

Vapor Density: >1.0

Spec Gravity: 0.96

VOC Grams/Liter: 10

Viscosity: \*

Solubility in Water: 100%

Appearance an

d Odor: AMBER COLORED LIQUID, AMMONIACAL ODOR

Corrosion Rate: NA

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: AVOID MIXING PARTS A&B IN BATCHES >1LB UNLESS  
USING IMMED. DONT HEAT MIXTURE >125F UNLESS CURING SURFACES TO BE BONDED.

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.

Hazardous Decomposition Products: CO, NOX, ALDEHYDES,

ACIDS & UNDETERMINED  
ORGANICS.

Hazardous Polymerization Indicator: YES

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

Other Information: VOC = <10 G/L (ESTIMATED)  
=====

=====  
Transportation Information  
=====

Responsible Party Code: DO846

Trans ID NO: 109372

Product

ID: HYSOL EA 956 SYSTEM, AS9112000

MSDS Prepared Date: 11/01/1995

Review Date: 05/17/1997

MFN: 10

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: KT

Container QTY: 0

Additional Data: \*VISCOSITY: 10-30 BROOKFIELD SPDL 1  
=====

=====  
Detail DOT Information  
=====

DOT PSN Code: AJH

Symbols: G

DOT Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. OR POLYAMINES,  
LIQUID, CORROSIVE

, N.O.S.  
Hazard Class: 8  
UN ID Num: UN2735  
DOT Packaging Group: II  
Label: CORROSIVE  
Special Provision: B2,T8  
Non Bulk Pack: 202  
Bulk Pack: 242  
Max Qty Pass: 1 L  
Max Qty Cargo: 30 L  
Vessel Stow Req: A

=====  
Detail IMO Information  
=====

IMO PSN Code: AQA  
IMO Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. o  
IMDG Page Number: 8109-2  
UN Number: 2735  
UN Hazard Class: 8  
IMO Packaging Group: I/I  
I/III  
Subsidiary Risk Label: -  
EMS Number: 8-05  
MED First Aid Guide NUM: 320

=====  
Detail IATA Information  
=====

IATA PSN Code: BGY  
IATA UN ID Num: 2735  
IATA Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. \*  
IATA UN Class: 8  
IATA Label: CORROSIVE  
UN Packing Group: II  
Packing Note Passenger: 808  
Max Quant Pass: 1L  
Max Quant Cargo: 30L  
Packaging Note Cargo: 812

=====  
Detail AFI Information  
=====

AFI PSN Code: XXX  
=====

HAZCOM Label  
=====

Product ID: HYSOL EA 956 SYSTEM, AS9112000  
Cage: DO846  
Assigned IND: Y  
Company Name: THE DEXTER CORP. WATER MANAGEMENT SYSTEMS DIVISION  
Street: UNKNOWN  
PO Box: 200  
City: CHAGRIN FALLS OH  
Zipcode: 44022  
Health Emergency Phone: 716-372-6309  
Label Requ

ired IND: Y

Date Of Label Review: 10/12/1999

Status Code: A

Origination Code: G

Hazard And Precautions: MAY BE CORROSIVE TO EYES & SKIN. MAY CAUSE CHEMICAL BURNS. VAPORS & MISTS WILL IRRITATE NOSE & THROAT. SKIN CONTACT MAY RESULT IN BURNS, POSSIBLE ALLERGIC SENSITIZATION. CHEST DISCOMFORT.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of

America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.