

POLY RESEARCH CORP -- DIOCTYPHTHALATE (DOP PLASTICIZER) -- 6810-01-014-1537

=====
Product Identification
=====

Product ID:DIOCTYPHTHALATE (DOP PLASTICIZER)

MSDS Date:04/10/1992

FSC:6810

NIIN:01-014-1537

MSDS Number: CDXBQ

=== Responsible Party ===

Company Name:POLY RESEARCH CORP

Address:125 CORPORATE DR

City:HOLTSVILLE

State:NY

ZIP:11742

Country:US

Info Phone Num:516-758-0460

Emergency Phone Num:5

16-758-0460

CAGE:6G250

=== Contractor Identification ===

Company Name:POLY RESEARCH CORP

Address:125 CORPORATE DR

Box:City:HOLTSVILLE

State:NY

ZIP:11742

Country:US

CAGE:6G250

=====
Composition/Information on Ingredients
=====

Ingred Name:PHTHALIC ACID, BIS(2-ETHYLHEXYL) ESTER;
(DI(2-ETHYLHEXYL)PHTHALATE) (SARA 313) (CERCLA)

CAS:117-81-7

RTECS #:TI0350000

Fraction by Wt: 100%

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:SUPDAT:DI

CHARGES TO SANIT SEWERS/PUBLICALLY OWNED
TREATMENT WORKS. ENVIRON IMPACT PROPERTIES:LOW BIOCHEM OXYG (ING 3)
RTECS #:9999999ZZ

Ingred Name:ING 2:DEMAN & LITTLE POTNTL TO CAUSE OXYG DEPLETION IN AQ
SYS, LOW POTNTL TO AFFECT AQUATIC ORGANISMS, LOW POTNTL(ING 4)
RTECS #:9999999ZZ

Ingred Name:ING 3:TO AFFECT SECONDARY WASTE TREATMENT MICROBIAL
RESPIRATION. EXPECTED TO BIODEGRADE & IS NOT EXPECTED TO (ING 5)
RTECS #:9999999ZZ

Ingred Name:ING 4:PERSIST FOR LONG PERIODS IN AQUATIC ENVIR
ON. DIRECT
INSTANTANEOUS DISCHARGE TO RECEIVING BODY OF WATER IS (ING 6)
RTECS #:9999999ZZ

Ingred Name:ING 5:NOT EXPECTED TO CAUSE ADVERSE ENVIRONMENTAL EFFECTS.
RTECS #:9999999ZZ

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50:(ORAL,RAT) 30.6 G/KG.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:INHAL/SKIN:HARMFUL. BECAUSE MATL DOES
NOT EVAP R
EASILY & IS NOT EASILY ABSORBED THRU SKIN, IT IS NOT
EXPECTED TO PRDCE SUCH EFTS IN HUMANS THRU INHAL/SKIN EXPOS WHEN
HNDLD IN A MANNER CONSISTENT W/PRE CAUTIONARY MEASURES CNTND IN
THIS MSDS.EYES:LOW HAZ FOR USUAL INDUS HNDLG/COMMERCIAL HNDLG BY
TRAINED (EFTS OF OVEREXP)
Explanation of Carcinogenicity:PHTHALIC ACID,
BIS(2-ETHYLHEXYL)ESTER:IARC MONO, SUPP, VOL 7, PG 56, 1987:GRP 2B.
NTP 7TH ANNUAL RPT ON CARCINS,(SUPDAT)
Effects of Overexposure:HLTH HAZ:PERS. INGEST:HARMF
UL. ORAL DOSES HIGH
ENOUGH TO CAUSE TOX IN PREGNANT ANIMALS PRDCD BIRTH DEFECTS IN
THEIR OFFSPRING. HIGH ORAL DOSES GIVEN TO MALE ANIMALS PRDCD
REDUCED FERTILITY. HIGH ORAL DOSES TO HUMAN ARE NOT EXPECTED. MATL
KNOWN TO STATE OF CALIFORNIA TO CAUSE
CANCER:DI(2-ETHYLHEXYL)PHTHALATE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY.

GET MED ATTN

IF SYMPS PERSIST. EYES:IMMED FLUSH W/PLENTY OF WATER FOR AT LST 15 MIN. GET MED ATTN IF SYMPS PERSIST. SKIN:IMMED REMOVE CONTAM CLTHG & SHO ES. WASH SKIN W/SOAP & PLENTY OF WATER.GET MED ATTN IF SYMPS OCCUR. WASH CONTAM CLTHG BEFORE REUSE. DESTROY/THORO CLEAN CONTAM SHOES. INGEST:SEEK MEDICAL ADVICE.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:420F,216C

Lower Limits:0.31% @ 256C

Extinguishing Media:WA

TER SPRAY, DRY CHEMICAL, CARBON DIOXIDE (CO*2),
FOAM.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:SENSITIVITY TO MECHANICAL IMPACT:
INSENSITIVE AT 100 KG-CM.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILL W/VERMICULITE/OTHER INERT MATL,
THEN PLACE IN CNTNR FOR CHEM WASTE. FOR LG SPILLS:FLUSH SPILL AREA
W/WATER SPRAY. PVNT RUNOFF FROM ENTERING DRAINS, S
EWERS/STREAMS.

ENVIRON EFTS TO ASSIST IN ADDRESSING EMERS CREATED BY ACCIDENTAL
(SUPDAT)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID BREATHING MIST OR VAPOR AT
CONCENTRATIONS GREATER THAN EXPOSURE LIMITS. USE W/ADEQUATE
VENTILATION. AVOID CONTACT W/EYES, SKIN & CLOTHING.

Other Precautions:KEEP CONTAINER CLOSED. CAUTION:FOR MANUFACTURING,
PROCESSING OR REPACKING
BY TRAINED PERSONNEL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE
CONCS BELOW RELS, A NIOSH APPRVD HIGH EFFICIENCY PARTICULATE
AEROSOL (HEPA), ORGANIC VAP RESP MUST BE WORN. IF RESPS ARE USED, A
PROGRAM SHOULD BE INST ITUTED TO ASSURE COMPLIANCE W/ (SUPDAT)

Ventilation:GOOD GEN VENT (TYPICALLY 10 AIR CHANGES PER HR) SHOULD BE
USED. VENT RATES SHOULD BE MATCHED TO CNDTNS. USE (SUPP D

ATA)
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .
Other Protective Equipment:ANSI APPRVD EYE WASH FOUNTAIN & DELUGE
SHOWER . WEAR BOOTS & PROTECTIVE CLOTHING APPROPRIATE FOR RISK OF
EXPOSURE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

VP:0.0000001 MBAR @ 20C. % VOLAT:NEGLIG (WT). EXPLAN OF
CARCIN:1994:ANTIC TO BE CARCIN. ANIMAL:LIVER, TESTES. RESP
PROT:OSHA STD 29 CFR 1910.134. VENT:PROCESS ENCL

OSURES, LOC EXHST

VENT/OTHER ENGINEER ING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW
RELS. SPILL PROC:SPILL DURING SHIPMENT. IT IS NOT MEANT TO
ADDRESS(ING 2)

===== Physical/Chemical Properties =====

HCC:T6

Boiling Pt:B.P. Text:723F,384C

Melt/Freeze Pt:M.P/F.P Text:-58F,-50C

Vapor Pres:SUPP DATA

Vapor Density:13.5

Spec Gravity:0.985 (H*2O=1)

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:0.34 MG/L @ 25C

Appearance and Odor:COLORLESS LIQU

ID; SLIGHT ODOR.

Percent Volatiles by Volume:SUPDAT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MATERIAL CAN REACT W/STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:HAZARDOUS COMBUSTION PRODUCTS: CARBON
DIOXIDE, CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL M

AY BE SUBJECT

TO NATIONAL, STATE OR LOCAL LAWS. INCINERATE. SINCE EMPTIED
CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER
CONTAINER IS EMPTIED. RE PORTABLE QUANTITY:100 LBS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all

liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.