View NSN Online: https://aerobasegroup.ae/nsn/5805-01-017-5697

MINNESOTA MINING & MFG CO TELCOMM PRODUCTS DIV -- 8981 RIGID BODY SPLICE KITS

W/HIGH GEL 4442, PART A (SUPPLE) -- 5805-01-017-5697

=========== Product Identification ==============

Product ID:8981 RIGID BODY SPLICE KITS W/HIGH GEL 4442, PART A (SUPPLE)

MSDS Date:03/26/1997

FSC:5805

NIIN:01-017-5697

Kit Part:Y

MSDS Number: CDZWR === Responsible Party ===

Company Name: MINNESOTA MINING & MFG CO TELCOMM PRODUCTS DIV

Address:3M AUSTIN CTR

Box:2963 City:AUSTIN State:TX

ZIP:78769-2963 Country:US

Info Phone Num:512-834-1800

Emergency Phone Num:512-834-1800

CAGE:55203

=== Contractor Identification ===

Company Name: 3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name: MINNESOTA MINING AND MFG CO TELCOMM MARKETS DIV

Address:3M AUSTIN CTR

Box:City:AUSTIN

State:TX

ZIP:79769-2963

Cou ntry:US

Phone:800-426-8688

CAGE:55203

======= Composition/Information on Ingredients ========

Ingred Name: PART A, INCLUDES INGREDIENTS #1-3

Fraction by Wt: 50%

Other REC Limits: NONE RECOMMENDED

Ingred Name: VEGETABLE OIL

CAS:8001-22-7

RTECS #:WG4862000 Fraction by Wt: 50-70%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POLYBUTADIENE POLYMER

CAS:25655-35-0

Fraction by Wt: 30-50%

Other REC Limits: NONE RECOMMENDED

DISTILLATE, PETROLEUM; (HYDROTREATED NAPHTHENIC DISTILLATES) CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 5-10% Other REC Limits: NONE RECOMMENDED ========== Hazards Identification =============== LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:MILD IRRIT.SKIN:MODERATE TO SEVERE SKIN IRRIT.INHAL:NO ADVERSE HEALTH EFFECTS AR E EXPECTED FROM INHAL EXPOSURE.INGEST:NOT A LIKELY ROUTE OF EXPOSURE TO THIS PRODUCT. Effects of Overexposure:EYE:REDNESS,SWELLING,PAIN,TEARING.SKIN:REDNESS,SWELLIN G,ITCHING,CRACKING,BLISTERING,PAIN. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:EYE:IMMED FLUSH W/LG AMTS OF WATER.GET IMEMD MED ATTN.SKIN:IMMED FLUSH W/LG AMTS OF WATER.REMOVE CONTAMIN CLOTH.IRRIT PERSIST CALL DR.INHAL:SIGNS/SYMPT OCCUR REMOVE TO FRESH AIR.SIGNS/SYMPT CONT CALL DR.INGEST:DRINK 2 GLASSES OF WATER.CALLDR. Flash Point Method: PMCC Flash Point:>230F,>110C Autoignition Temp: Autoignition Temp Text: ND Lower Limits:ND **Upper Limits:ND** Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM. Unusual Fire/Explosion Hazard: NO UNUSUAL FIRE OR EXPLOSION HAZARDS ARE ANTICIPATED. ======= Accid

ental Release Measures =========

Spill Release Procedures:OBSERVE PRECAUT FROM MSDS.COVER W/INORG ABSORBENT AMTL.COLLECT MATL.CLEAN UP RESIDUE W/APPROPR ORG SOLVT.READ/FOLLOW SAF PRECAUT ON SOLVT LABEL/MSDS.PLACE IN CLSD CNTNR.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

========== Handling and Storage =============================

Handling and Storage Precautions: AVOID EYE/SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: NONE SPECIFIED BY M ANUFACTURER.

===== Exposure Controls/Personal Protection ========

Ventilation: USE IN WELL-VENTILATED AREA. Protective Gloves: APPROPRIATE GLOVES.

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH CONTAMIN CLOTH BEF REUSE.WASH HANDS AFTER HNDLG & BEFORE EATING.

Supplemental Safety and Health

4442 HIGH GEL REENTERABLE ENCAPSULANT. DISPO:COMM FACI IN PRESENCE OF COMBUST MATL.SINCE REGS VARY CO

NSULT APPLIC REGS/AUTHOR BEF

DISPO.NO EPA HAZ#. PNIND:F FOR PART B.

======== Physical/Chemical Properties ==========

HCC:N1
Boiling Pt:B.P. Text:ND
Melt/Freeze Pt:M.P/F.P Text:ND
Decomp Temp:Decomp Text:NP
Vapor Pres:400F.

======= Disposal Considerations ============

Waste Disposal Methods:INCINERATE UNCURED WASTE IN INDUST/COMM INCINERATOR.DISPO OF EMPTY CNS IN SANITARY LANDFILL.DISPO ALTER:DISPO IN FACILI PERMITTED TO ACCEPT CHEM W

