View NSN Online: https://aerobasegroup.ae/nsn/8040-01-387-4774

## CREST INDUSTRIAL CHEMICALS INC -- CREST 1110 A EPOXY RESIN -- 8040-01-387-4774

Product ID:CREST 1110 A EPOXY RESIN

MSDS Date:08/12/1994

FSC:8040

NIIN:01-387-4774

Kit Part:Y

MSDS Number: CFBBF === Responsible Party ===

Company Name: CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242 City:HOUSTON

State:TX ZIP:77242 Country:US

Info Phone Num:713-780-8

169

Emergency Phone Num:800-255-3924

CAGE:77513

=== Contractor Identification ===

Company Name: CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242 City:HOUSTON

State:TX

ZIP:77057-6500 Country:US

Phone:713-780-1828

CAGE:77513

======= Composition/Information on Ingredients ========

Ingred Name: VINYL CYCLOHEXENE DIOXIDE

CAS:25036-25-3 Fraction by Wt: 30.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: GLYCEROL POLYGLYCIDYL ETHER

CAS:25038-04-4 Fraction by Wt: 10.0%

Ot

Fraction by Wt: 25.0% Other REC Limits: NONE RECOMMENDED =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: SEVERE IRRITATION, CONJUNCTIVITIS, CORNEAL INJURY. SKIN: ABSORPTION, SENSITIZATION, DERMATITIS, IRRITATION, INHAL: RESPIRATORY TRACT IRRITAT ION. INGEST: HARMFUL. CHRONIC: SKIN: DERMATITIS. First Aid:EYE: FLUSH W/LARGE AMOUNTS WATER FOR >15 MINUTES, LIFT LIDS, GET MED AID. SKIN: FLUSH W/LARGE AMOUNTS WATER, REMOVE CONTAM CLOTHES. WASH W/SOAP & WATER, GET MED AID. INHAL: GET FRESH AIR. RESTORE/SUPP ORT BREATHING. IF BREATHING DIFFICULT, GIVE OXYGEN. GET IMMED MED AID. INGEST: DONT INDUCE VOMIT, GIVE 1-2 GLASSES WATER/MILK CALL DR/POISON CONT ROL IMMED. NOTHING BY MOUTH IF UNCONSCIOUS. ============== Fire Fighting Measures ======================= Flash Point Method:SCC Flash Point:>200F,>93C Autoignition Temp: Autoignition Temp Text: NE Lower Limits:NA **Upper Limits:NA** Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures: USE FULL PROTECTIVE CLOTHING INCLUDING SCBA. IF WATER USED, FOG NOZZLES PREFERABLE. DECOMP PRODUCTS TOXIC. Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY EXPLODE W/HEAT. **USE** WATER SPRAY TO KEEP FIRE EXPOSED CONTAINERS COOL. ======== Accidental Release Measures ============= Spill Release Procedures: NOTIFY AUTHORITIES IF NECESSARY. USE RESPIRATORY PROTECTION. EVAC AREA. SCOOP MATL INTO APROPRIATE CONTAINER FOR PROPER DISPOSAL. ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP CONTAINERS UPRIGHT & CLOSED. READ ALL SAFETY PRECAUTIONS. DONT REUSE EMPTY CONTAINERS. USE W/ADE

her REC Limits: NONE RECOMMENDED

Ingred Name: EPOXY RESIN TRADESECRET #06-027

QUATE VENT. STORE IN WELL VENTED AREA. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH/MSHA APPROVED AIR PURIFYING VAPOR RESPIRATOR. IN EMERGENCY/CONFINED SPACE, USE APPROVED AIR SUPPLIED RESPIRATOR. Ventilation:SUFFICIENT. Protective Gloves: NEOPRENE, NITRILE, RUBBER. Eye Protection: CHEMICAL GOGGLES. Other Protective Equipment: DISPOSABLE OR IMPERVIOUS CLOTHING. Work Hygienic Practices: WASH BEFORE EATING/SMOKING/USING TOILET. DONT EAT/DRINK NEAR PRODUCT. Supplemental Safety and Health NK ======== Physical/Chemical Properties ============ Boiling Pt:B.P. Text:440F,227C Melt/Freeze Pt:M.P/F.P Text:NE Vapor Pres:NE Vapor Density:>AIR Spec Gravity:0.65 pH:NA Evaporation Rate & Deference: SLOWER THAN ETHER Solubility in Water: INSOLUBLE. Appearance and Odor: VISCOUS, WHITE PASTE W/CHARACTERISTIC ODOR. Percent Volatiles by Volume:0.0 ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES AMINES, ACIDS, WATER, HYDROXYL, & ACTIVE HYDROGEN COMPOUNDS. Stability Condition to Avoid:HIGH TEMPERATURES. Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, & ALDEHYDES.

======= Disposal Considerations ============

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL/STATE/LOCAL ENVIRONMENTAL CONTROL REGULATIONS. USE LICENSED HAZARDOUS WASTE TRANSPORTER & DISPOSAL FACILITY IF MATERIAL HAZARDOUS.

Discla

imer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.