View NSN Online: https://aerobasegroup.ae/nsn/6850-01-443-0893

Product ID:LEKSOL MSDS Date:07/23/1997 FSC:6850 NIIN:01-443-0893 **MSDS Number: CFCYX** === Responsible Party === Company Name: ADVANCED CHEMICAL DESIGN INC Address:498 SOUTH BELVOIR BLVD City:CLEVELAND State:OH ZIP:44121 Country:US Info Phone Num:216-382-2032 FAX # 216-291-5949 Emergency Phone Num:216-382-203 2/800-255-3924(CHEM-TEL) Preparer's Name: RICH HENRY CAGE:ADVCI === Contractor Identification === Company Name: ADVANCED CHEMICAL DESIGN INC **Box:UNKNOW** CAGE:05HH6 Company Name: ADVANCED CHEMICAL INDUSTRIES Address: HWY 2 AND 52 WEST City:MINOT State:ND ZIP:58701-5000 Country:US Phone:701-852-5130 CAGE:ADVCI

======= Composition/Information on Ingredients ==========

Ingred Name:HALOGENATED HYDROCARBON-TRADE SECRET PENDING Fraction by Wt: 100% Other REC Limits:8-HR TWA - 100 PPM

LD50 LC50 Mixture:RECOMMEDED TWA 8-HR: 100 PPM.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION OF HIGH CONCENTRATIONS ARE
IRRITATING TO THE RESPIRATORY TRACT; MAY CAUSE CNS EFFECTS. CONTACT MAY CAUSE SKIN & EYE IRRITATION. INGESTION MAY CAUSE IRRITATION OF MOUTH & GI TRACT; CNS EFFEC TS.
Explanation of Carcinogenicity:
NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:INHALED-RESPIRATORY IRRITATION, HEADACHE, NAUSEA, VOMITING, DIZZINESS, NARCOSIS. SKIN-IRRITATION, DERMATITIS. EYES-IRRITATION, PAIN. INGESTED-IRRITATION OF MOUTH/GI TRACT, ABDOMINAL PAIN, VOMITING, HE ADACHE, DIZZINESS, NARCOSIS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRAT ION AS NEEDED. INGESTED-IF CONSCIOUS, DRINK LARGE AMOUNTS OF WATER. DO NOT INDUCE VOMITING! NOTHING BY MOUTH IF UNCONSCIOUS!

Flash Point:NON-FLAMMABLE Lower Limits:NONE Upper Limits:NONE Ext inguishing Media:MATERIAL IS NON-FLAMMABLE. DLA-HMIS: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:PRODUCT WILL DECOMPOSE AT TEMPERATURES ABOVE 400F RELEASING TOXIC FUMES OF CARBON DIOXIDE, CARBON MONOXIDE AND HYDROGEN BROMIDE.

Spill Release Procedures: EVACUATE AREA. STOP LEAK I

F CAN BE DONE WITHOUT RISK. CONTAIN SPILL AND COVER WITH VERMICULITE. PLACE IN A CONTAINER FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. PROTECT FROM EXTREME TEMPERATURES. ISOLATE INCOMPATIBLE MATERIALS.

Other Precautions: KEEP THIS MATERIAL OUT OF REACH OF CHILDREN. MINIMIZE BODY CONTACT WITH THIS PRODUCT. AVO

ID INHALAING FUMES OR VAPORS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.
Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO KEEP VAPOR AND MISTS LEVELS AS LOW AS POSSIBLE.
Protective Gloves: VITON, POLYETHYLENE, NITRILE.
Eye Protection: CHEMICAL SPL
ASH GOGGLES OR FACESHIELD.
Other Protective Equipment: DO NOT WEAR CONTACT LENSES. CLEAN, BODY-COVERING CLOTHING, APRON, BOOTS NOT MADE OF NATURAL RUBBER. EYE WASH/SHOWER.
Work Hygienic Practices: ELIMINATE BODY CONTACT WITH THIS CHEMICAL. DO NOT EAT, DRINK OR SMOKE UNTIL AFTER WORK OR WASHING.
Supplemental Safety and Health

HCC:N1

Boiling Pt:B.P. Text:156F,69C Melt/Freeze Pt:M.P/F.P Text:-166F,-110C Vapor Pres:143 Vapor Density:4.3 Spec Gravity:1.32 Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR, COLORLESS LIQUID; SWEET ODOR.

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG ACIDS. MAY ATTACK SOME PLASTICS, RUBBER AND COATINGS.

Stability Condition to Avoid:AVOID TEMPERATURES AABOVE 400F (204.4C). Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE AND CARBON DIOXIDE

, HYDROGEN BROMIDE. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS. DO NOT FLUSH TO SANITARY SEWER OR WATERWAY. REFER TO RCRA REGULATIONS 40 CFR 260-281 FOR WASTE DISPOSAL INTRUCTIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.