

COURTAULDS COATINGS, INC. INTERNATIONAL -- 5347 TPD-24607 SOFT WHITE CHLOR/ALKYD F124 -- 8010-01-344-5100

===== Product Identification =====

Product ID:5347 TPD-24607 SOFT WHITE CHLOR/ALKYD F124

MSDS Date:12/18/1995

FSC:8010

NIIN:01-344-5100

Kit Part:Y

MSDS Number: CFDGT

=== Responsible Party ===

Company Name:COURTAULDS COATINGS, INC. INTERNATIONAL

Address:6001 ANTOINE DRIVE

City:HOUSTON

State:TX

ZIP:77091

Country:US

Info Phone Num:800-854-6813

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:50411

=== Contractor Identification ===

Company Name:COURTAULDS COATINGS INC

Address:400 S 13TH STREET

Box:City:LOUISVILLE

State:KY

ZIP:40203-1714

Country:US

Phone:502-588-9651

CAGE:50411

Company Name:INTERNATIONAL PAINT INC

Address:6001 ANTOINE DRIVE

Box:City:HOUSTON

State:TX

ZIP:77091

Country:US

Phone:713-684-1244

CAGE:028S6

===== Composition/Information on Ingredients =====

I

ingred Name:TRIMETHYL BENZENE (SARA 313)  
CAS:25551-13-7  
RTECS #:DC3220000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:25 PPM  
ACGIH TLV:25 PPM

Ingred Name:METHYL-BENZENE (VP = 22.0)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 0-1.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:LIGROINE (VP = 7.0)  
CAS:8032-32-4  
RTECS #:OI6180000  
Fraction by Wt: 1-5.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10  
0 PPM  
ACGIH TLV:100 PPM

Ingred Name:LIGROINE (VP = 2.0)  
CAS:64742-88-7  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM

Ingred Name:ALUMINA TRIHYDRATE  
CAS:21645-51-2  
RTECS #:BD0940000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EY

E: IRRITATION, RED, TEAR, BLURRED  
VISION. SKIN: DERMATITIS. INHAL: IRRITATION, HEADACHE, DIZZINESS,  
UNCONSCIOUSNESS. INGEST: GI IRRITATION, NAUSEA, VOMIT, DIARRHEA.  
Medical Cond Aggravated by Exposure:SKIN & RESPIRATORY CONDITIONS.

=====  
===== First Aid Measures =====

First Aid:EYE: FLUSH IMMED W/LARGE AMOUNTS WATER FOR 15 MINUTES. GET  
MED AID. SKIN: REMOVE CONTAM CLOTHES. WASH BEFORE REUSE. WASH  
W/PLENTY SOAP & WATER. GET IMMED MED AID. INHAL: M  
OVE TO FRESH AIR.  
GIVE ARTIF RESP. INGEST: CALL DR.

=====  
===== Fire Fighting Measures =====

Flash Point:105F,41C  
Lower Limits:1.0  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL.  
Fire Fighting Procedures:SMOTHER FLAMES. USE WATER TO COOL UNOPENED  
CONTAINERS. CLOSED CONTAINERS MAY EXPLODE W/EXTREME HEAT.  
Unusual Fire/Explosion Hazard:KEEP AWAY FROM IGNITS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNIT  
S. VENT AREA. CLEAN UP  
W/ABOSRBENT.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN BUILDINGS DESIGNED FOR  
PRODUCT.  
Other Precautions:CHRONIC OVEREXPOSURE & MISUSE OF SOLVENTS HAS BEEN  
LINKED TO PERMANENT BRAIN/NERVOUS SYSTEM DAMAGE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:OUTDOORS: NIOSH/APPROVED FILTER RESPIRATOR. IN  
RESTRICTED VENT AREA: NIOSH APPROVED RESPIRATO  
R.  
Ventilation:SUFFICIENT.  
Protective Gloves:CHEMICAL RESISTANT.  
Eye Protection:CHEMICAL GOGGLES &/OR FACE SHIELD.  
Other Protective Equipment:IMPERVIOUS PROTECTIVE CLOTHING.  
Work Hygienic Practices:WASH HANDS BEFORE EATING/SMOKING.  
Supplemental Safety and Health  
NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:300F,149C  
Vapor Density:>AIR  
VOC Grams/Liter:2.8  
Evaporation Rate & Reference: