

MCGEAN-ROHCO INC -- CEE BEE A-883 CLEANER -- 6850-01-390-9530

===== Product Identification =====

Product ID:CEE BEE A-883 CLEANER

MSDS Date:05/01/1997

FSC:6850

NIIN:01-390-9530

MSDS Number: CFKLL

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Info Phone Num:216-441-4900

Emergency Phone Num:800-424-9300 CHEMTR

EC

Preparer's Name:TSCA COORDINATOR

CAGE:8U841

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

Company Name:MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE S.W.

Box:City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Phone:216-441-4900

CAGE:8U841

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by

Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN. ACUTE-EYE CONTACT MAY CAUSE SLIGHT IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE MILD IRRITATION. INHALATION MAY CAUSE DIZZINESS FROM EXTREME EXPOSURE. INGESTI

ON MAY CAUSE ABD OMINAL DISCOMFORT, NAUSEA.

CHRONIC-NONEKNOWN.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:EYES-IRRITATION. SKIN-MILD IRRITATION.

INHALATION-DIZZINESS. INGESTION-ABDOMIANL DISCOMFORT, NAUSEA.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====

First Aid:CALL PHYSICIAN IF SYMPTOMS PERSIST. E

YE-FLUSH WITH WATER FOR

15 MINUTES. HOLD EYELIDS OPEN. SKIN-WASH WITH SOAP & WATER.

INHALED-REMOVE TO FRESH AIR. INGESTED-IF CONSCIOUS, DRINK SEVERAL GLASSES OF WA TER & INDUCE VOMITING. CALL A PHYSICIAN. NEVER GIVE FLUID OR INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR HAS CONVULSIONS.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:RECOVER AS MUCH MATERIAL AS POSSIBLE. ABSORB REMAINING OF SPILL WITH VERMICULITE. TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL. FLUSH REMAINING TRACES OF SPILL AWAY WITH WATER.

Neutralizing Agent:WEAK A

