

LOCTITE CORPORATION -- SUPERFLEX (TM) H TEMP SILICONE ADH/SLNT (RED)

=====  
MSDS Safety Information  
=====

FSC: 8030  
NIIN: 01-358-3510  
MSDS Date: 04/12/1995  
MSDS Num: CFNDZ  
Product ID: SUPERFLEX (TM) H TEMP SILICONE ADH/SLNT (RED), #59675  
MFN: 02  
Responsible Party  
Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 705 NORTH MOUN  
TAIN ROAD  
City: NEWINGTON CT 06111-1411  
Info Phone Number: 203-278-1280 TELEX: 275207  
Emergency Phone Number: 203-278-1280  
Preparer's Name: STEPHEN REPETTO  
Review Ind: Y  
Published: Y

=====  
Preparer Co. when other than Responsible Party Co.  
=====

Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910

=====  
Contractor Summary  
=====

Cage: 05972  
Name: LOCTITE CORPORATION  
Address: 1001 TROUT BROOK CROSSING  
City: ROCKY HILL CT 06067-3910  
Phone: 860-571-5100

=====  
Item Description Information  
=====

Item Manager: GSA  
Item Name: SEALING COMPOUND  
Unit of Issue: CA  
Quantitative Expression: 10000000108OZ  
UI Container Qty: 0  
=====

=====  
Ingredients  
=====

Cas: 9016-00-6

RTECS #: TQ2690000

Name: POLYDIMETHYL SILOXANE

% Wt: 80-85

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED  
-----

Cas: 112945-52-5

Name: SILICA AMORPHOUS FUMED CRYSTALLINE FREE

% Wt: 10-15

Other REC Limits: 3 MG/M3

OSHA PEL: 6 MG/M3

ACGIH TLV: 10 MG/M3  
-----

Cas: 17689-77-9

Name: ETHYLTRIACETOXYSI  
LANE

% Wt: 1-3

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED  
-----

Cas: 1309-37-1

RTECS #: NO7400000

Name: IRON OXIDE

% Wt: 1-3

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 10 MG/M3

ACGIH TLV: 5MG/M3  
-----

Cas: 4253-34-3

RTECS #: VV4500000

Name: METHYLTRIACETOXYSILANE

% Wt: 1-3

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED  
-----

Cas: 64-19

RTECS #: AF1225000

Name: ACETIC ACID (CERCLA)

% Wt: 3-5

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: 15 PPM

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS

-----  
RTECS #: 9999999VO

Name: VOC = 35.7 G/L

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT RELEVANT

ACGIH TLV: NOT RELEVANT  
=====

Health Hazards Data  
=====

Route Of Entry Inds - Inhalation

: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE: IRRITATION. SKIN: IRRITATION. INHAL: IRRITATION.

INGEST: MODERATELY TOXIC.

Medical Cond Aggravated By Exposure: EYES, SKIN & PULMONARY DISORDERS.

First Aid: INGEST: DONT INDUCE VOMIT, KEEP CALM. GET MED AID. INHAL: REMOVE TO

FRESH AIR, TREAT SYMPTOMS. SKIN: WIPE OFF PASTE W/PAPER TOWEL OR CLOTH. WASH  
W/SOAP & WATER. EYE: FLUSH >15 MINUTES W/WATER, GET MED AID.  
=====

-----  
Handling and Disposal  
=====

Spill Release Procedures: WIPE/SCRAPE UP SPILL. MAINTAIN GOOD VENTILATION.

PLACE SCRAP MATERIAL IN WELL VENTED PLACE & ALLOW TO CURE.

Waste Disposal Methods: INCINERATE IN ACCORDANCE W/EPA & LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN DRY AREA. KEEP CONTAINER CLOSED WHEN  
NOT IN USE.  
=====

Fire and

Explosion Hazard Information

Flash Point Method: TCC  
Flash Point Text: >200F,>93C  
Lower Limits: 4.0  
Upper Limits: 19.9  
Extinguishing Media: CO2, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures: NONE  
Unusual Fire/Explosion Hazard: NONE

Control Measures

Ventilation: LOCAL EXHAUST.  
Protective Gloves: RUBBER OR PLASTIC.  
Eye Protection: SAFETY GLASSES OR GOGGLES.

Physical/Chemical Properties

B.P. Text: NA  
Vapor Pres: <5.0  
Vapor Density: NA  
Spec Gravity: 1.05  
PH: NA  
Evaporation Rate & Reference: NA  
Solubility in Water: POLYMERIZED.  
Appearance and Odor: RED PASTE W/ACETIC ACID ODOR.

Reactivity Data

Stability Indicator: YES  
Materials To Avoid: MOISTURE.  
Hazardous Decomposition Products: ACETIC ACID, FORMALDEHYDES, SILICA FUME.  
Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

====

MSDS Transport Information

=====  
=====

Regulatory Information

=====  
=====

Other Information

=====  
=====

Transportation Information

=====

Resp

onsible Party Cage: 05972  
Trans ID NO: 129040  
Product ID: SUPERFLEX (TM) H TEMP SILICONE ADH/SLNT (RED), #59675  
MSDS Prepared Date: 04/12/1995  
Review Date: 10/02/1997  
MFN: 2  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: CA  
Container QTY: 0

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====  
=====

Detail IMO Information

=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Informat

ion

=====  
AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

HAZCOM Label

=====  
Product ID: SUPERFLEX (TM) H TEMP SILICONE ADH/SLNT (RED), #59675

Cage: 05972

Company Name: LOCTITE CORPORATION

Street: 1001 TROUT BROOK CROSSING

City: ROCKY HILL CT

Zipcode: 06067-3910

Health Emergency Phone: 203-278-1280

L

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A

Origination Code: G

Hazard And Precautions: EYE: IRRITATION. SKIN: IRRITATION. INHAL: IRRITATION.  
INGEST: MODERATELY TOXIC.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.