

COURTAULDS AEROSPACE -- PR1422 A-2 ACCELERATOR PART 2, 1422A123 -- 8030-01-406-3936
===== Product Identification =====

Product ID:PR1422 A-2 ACCELERATOR PART 2, 1422A123

MSDS Date:12/19/1996

FSC:8030

NIIN:01-406-3936

MSDS Number: CFTBS

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-2

40-2060

Emergency Phone Num:800-228-5635;800-424-9300(CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:DICHROMIC ACID, CALCIUM SALT (1:1); (CALCIUM DICHROMATE)

CAS:14307-33-6

RTECS #:HX7630000

Fraction by Wt: 25%

OSHA PEL:0.5 MG C

R/M3
ACGIH TLV:0.05 MG CR/M3

Ingred Name:ACETAMIDE, N,N-DIMETHYL-; (DIMETHYL ACETAMIDE). VP: 2
CAS:127-19-5
RTECS #:AB7700000
Fraction by Wt: 30%
OSHA PEL:S, 10 PPM
ACGIH TLV:S, 10 PPM; 9495

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 200F,>93C
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE
EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental
Release Measures =====

Spill Release Procedures:DIKE AND COVER THE SPILL WITH A NON-OXIDIZABLE
ABSORBANT. SCOOP INTO CONTAINER. SPRINKLE SODIUM THIOSULFATE ON
RESIDUE. WORK INTO RESIDUE. SCOOP INTO DISPOSAL CONTAINER. CLEAN
AREA WITH WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DUE TO TOXICITY BY SKIN ABSORPTION,
AVOID ALL SKIN CONTACT.
Other Precautions:NONE KNOWN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO
PRODUCE AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV,
USE A NIOSH APPROVED ORGANIC VAPOR CARTRIDGE OR NIOSH APPROVED
AIR-SUPPLIED RESPIRATOR.
Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.
Protective Gloves:NITRILE, BUTYL OR NATURAL RUBBER GLOVES.
Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS(ING 10)
Oth

er Protective Equipment:ANSI APPRVD EMER EYE WASH & DELUGE SHOWER .
GLOVES ARE NOT ADEQ PROT FOR IMMERSION. SKIN AREAS SUBJECTED (ING
11)

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
SMOKING OR EATING.

Supplemental Safety and Health

EFTS OF OVEREXP:SHOWN THAT DERMAL APPLICATION OF DMAC TO PREGNANT RATS
PRODUCED FETAL ABNORMALITIES. INHAL:MAY CAUSE LIVER/KIDNEY DMG. ING
3:CONTNS SMALL AMTS OF TIGHTLY ADSORBED POLYAROMATIC HYDROCARBONS,
WHICH HAVE BEEN
CLASSIFIED BY IARCAS CARCINOGENIC. THE POLYAROMATIC
HYDROCARBONS ARE NOT NORMALLY (ING 7)

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C
Vapor Pres:SEE ING 2.
Vapor Density:HVR/AIR
Spec Gravity:1.393
Evaporation Rate & Reference:UNAVAILABLE
Appearance and Odor:BLACK PASTE
Percent Volatiles by Volume:74.4

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
EASILY OXIDIZABLE
MATERIALS.
Stability Condition to Avoid:NOT KNOWN.
Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN,
CHROMIUM COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:EPA NO. D-007 HAZARDOUS WASTE. DISPOSE OF IN
COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The Un

ited States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.