

COURTAULDS AEROSPACE, INC -- 02CX456 MIL-T-81772B THINNER -- 8010-01-200-2637  
===== Product Identification =====

Product ID:02CX456 MIL-T-81772B THINNER

MSDS Date:01/05/1997

FSC:8010

NIIN:01-200-2637

MSDS Number: CFXBV

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emer

gency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)  
(VP = 70)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 30%

Other REC Limits:NONE RECOMM

ENDED

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300 STEL

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:PM ACETATE (VP = 1.8)

CAS:108-65-6

RTECS #:AI8925000

Fraction by Wt: 45%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 PPM

ACGIH TLV:1 PPM

Ingred Name:N-BUTYL ACETATE (CERCLA) (VP = 10)

CAS:123-86-4

RTECS #:AF7350000

Fraction by Wt: 10%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:150 PPM/200 STEL

ACGIH TLV:150 PPM/200 STEL

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE

(SARA 313) (CERCLA) (VP = 23)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 10%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:XYLENE (SARA 313) (CERCLA) (VP = 6.6)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150 STEL

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:PENTANE-2,4-DIONE (VP = 7)

CAS:123-54-6

RTECS #:SA19250

00

Fraction by Wt: 120F.

Other Precautions:CONTAINERS RETAIN RESIDUE. DONT CUT/WELD ON/NEAR DRUMS. DONT PUNCTURE DRUMS. USE RESPIRATORY PROTECTION IN LOW/CONFINED AREA.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL

Protective Gloves:SOLVENT RESISTANT

Eye Protection:GOGGLES OR FULL FACE SHIELD

Other Protective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER, EYEWASH STATION.

Supplemental Safety and Health

NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:175 TO 292F

Vapor Density:> AIR

Spec Gravity:0.892

Evaporation Rate & Reference:UNAVAILABLE

Appearance and Odor:CLEAR LIQUID, SOLVENT ODOR

Percent Volatiles by Volume:99.9

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:CO2, CO

=====  
===== Disposal Considerations =====

Waste Disposal Methods:PACKAGE, STORE & TRANSPORT IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

t should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.