View NSN Online: https://aerobasegroup.ae/nsn/6685-00-076-1954

Product ID:TETRAFLUOROMETHANE IN THERMOMETER, 31 GP-Y 00 U-A 20 Y MSDS Date:11/01/1988 FSC:6685 NIIN:00-076-1954 MSDS Number: CFYCL === Responsible Party === Company Name: UNION CARBIDE CORP LINDE DIV Address:39 OLD RIDGEBURY RD City:DANBURY State:CT ZIP:06817-0001 Country:US Info Phone Num:203-744-3487 Emergency Phone Num:203-744-3487/800-822-4357 CAGE:36346 === Contractor Identification === Company Name: DRESSER INDUSTRIES, INSTRUMENT DIV. Address:250 E MAINT ST Box:City:STRATFORD State:CT ZIP:06497-5145 Country:US Phone:203-385-0472 CAGE:38056 Company Name: DRESSER INDUTRIES INC, WEKSLER INSTRUMENTS OPN Address:250 E MAIN ST Box:City:STRATFORD State:CT ZIP:06497-5145 Country:US Phone:203-385-0490 CAGE:049X3 Company Name: UNION CARBIDE CORP LINDE DIV

Address:39 OLD RIDGEBURY RD Box:City:DANBURY State:CT ZIP:06817-0001 Country:US Phone:800-822-4357; 304-744-3487 CAGE:36346 Company Name:YORK INTERNATIONAL CORP Address:631 S RICHLAND AVE Box:City:YORK State:PA ZIP:17403 Country:US Phone:717-771-7890 CAGE:66935

Ingred Name:TETRAFLUOROMETHANE CAS:75-73-0 RTECS #:FG4920000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NOT RELEVANT Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NONE Effects of Overexposure:NONE. IF BROKEN/IN FIRE: DIZZINESS, HEADACHE, FATIGUE, NAUSEA, VOMITING, CONFUSION, FROSTBITE Medical Cond Aggravated by Exposure:NONE

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:IMMEDIATELY

FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN. INHALED:MOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. SKIN:TREAT FOR POSSIBLE FROSTBITE USING WARM WATER (105F), THEN FLUSH SKINWITH PLENTY OF WATER. ORAL:UNLIKELY TO OCCUR. NOTE TO PHYSICIAN:CATECHOLAMINE DRUGS (ADRENALINE) SHOULD NOT BE USED DUE TO SENSITIZING EFFECT OF FLUOROCARBONS.

Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVA NT Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED. Unusual Fire/Explosion Hazard: CONTAINER MAY RUPTURE DUE TO HEAT OF FIRE. Spill Release Procedures: VENTILATE AREA. REMOVE LEAKING THERMOMETER TO EXHAUST HOOD OR OUTDOOR AREA. Neutralizing Agent:NOT RELEVANT Handling and Storage Precautions: STORE AWAY FROM INCOMPATIBLES. KEEP OUT OF REACH OF SMALL CHILDREN. Other Precautions: WASH HANDS AFTER HANDLING. Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:ADEQUATE Protective Gloves:NONE SHOULD BE NEEDED. Eye Protection: SAFETY GLASSES RECOMMENDED

Other Protect

ive Equipment:NONE SHOULD BE NEEDED. Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health THIS IS A THERMOMETER WHICH HAS SMALL AMOUNTS OF TETRAFLUOROMETHANE GAS (3-4 OZ). FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE PNI A, SAME NSN. HCC:G3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:-198F,-128C Melt/Freeze Pt:M.P/F.P Text:-299F,-184 С Vapor Pres:GAS Vapor Density:3.038 Spec Gravity:GAS Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference: NOT RELEVANT Solubility in Water:NEGLIGIBLE Appearance and Odor: COLORLESS, ODORLESS GAS AT NORMAL TEMPERATURE AND PRESSURE Percent Volatiles by Volume:100 Stability Indicator/Materials to Avoid:YES ALUMINUM, CARBON DIOXIDE ABOVE 1000C, ALLOYS OF MORE THAN 2% MAGNESIUM IN PRESENCE OF WATER Stability Condition to Avoid: EXCESSIVE HEAT Hazardous Decomposition Products: MAY FORM FLUORINE/CARBONYL FLUORIDE. Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants t

FEDERAL REGULATIONS

his information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.