

P-T TECHNOLOGIES INC -- PF-200IF -- 6850-01-446-8632

=====  
Product Identification  
=====

Product ID:PF-200IF  
MSDS Date:11/13/1995  
FSC:6850  
NIIN:01-446-8632  
MSDS Number: CFYJZ  
=== Responsible Party ===  
Company Name:P-T TECHNOLOGIES INC  
Address:108 4TH AVENUE, SOUTH  
City:SAFETY HARBOR  
State:FL  
ZIP:34695  
Country:US  
Info Phone Num:800-441-7874/813-726-4644  
Emergency Phone Num:813-726-4644  
CAGE:0JVH6

=  
== Contractor Identification ==  
Company Name:P-T TECHNOLOGIES INC  
Address:108 4TH AVENUE, SOUTH  
Box:City:SAFETY HARBOR  
State:FL  
ZIP:34695  
Country:US  
Phone:813-726-4644  
CAGE:0JVH6

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TRADE SECRET COMPONENT  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:EXPOSURE LIMITS: 300 PPM RECOMMENDED  
Routes of Entry: Inhalation:NO Sk

in:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE-MAY CAUSE IRRITATION. SKIN-MAY CAUSE DEFATTING OR DRYNESS OF SKIN. CONTINUED DRYNESS MAY CAUSE DERMATITIS. INHALATION-CAN CAUSE IRRITATION OF THE RESPIRATORY TRACT. INGESTION-MAY CAUSE GASTROINTESTINAL IRRITATION.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:EYE-TEARING AND REDNESS. INHALATION-NAUSEA, DIZZINESS OR HEADACHE. INGESTION-NAUSEA AND VOMITING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYE-FLUSH WITH WATER FOR 15 MIN. IF IRRITATION PERSISTS, CONTACT PHYSICIAN. SKIN-WASH THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. INHALATION-IF AFFECTED BY VAPOR, GET TO FRESH AIR. IF BREATHING IS DIFFICULT, SEE PHYSICIAN. INGESTION-DO NOT INDUCE VOMITING. PRODUCT CONTAINS HYDROCARBONS. CONSULT PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:200F,93C

Autoignition Temp:Autoignition Temp Text:410F

Extinguishing Media:EXTINGUISH WITH CARBON DIOXIDE, FOAM OR DRY CHEMICAL.

Fire Fighting Procedures:COMBUSTIBLE LIQUID. CAN FORM COMBUSTIBLE MIXTURES AT OR ABOVE FLASH POINT.

Unusual Fire/Explosion Hazard:NONE KNOWN.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. CONTAIN THE SPILL.

RECOVER FREE PRODUCT. ABSORB WITH SUITABLE CHEMICAL ABSORBENT FOR DISPOSAL VIA INCINERATION OR BURIAL IN APPROVED LANDFILL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:AMBIENT.

Other Precautions:KEEP AWAY FROM HEAT SOURCES, OPEN FLAMES, AND OTHER IGNITION SOURCES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory

Protection:NONE SPECIFIED BY MANUFACTURER.  
Ventilation:NORMAL ROOM VENTILATION IS USUALLY ADEQUATE. USE FANS OR OTHER MECHANICAL VENTILATION IN ENCLOSED AREAS.  
Protective Gloves:SOLVENT RESISTANT GLOVES RECOMMENDED.  
Eye Protection:SAFETY GLASSES RECOMMENDED.  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.  
Supplemental Safety and Health  
RCRA HAZARD CLASS: NOT HAZARDOUS. KEEP OUT OF REACH OF CHILDREN.

===== Phys  
ical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:380-470F  
Vapor Pres:1  
Spec Gravity:0.79  
Evaporation Rate & Reference: