View NSN Online: https://aerobasegroup.ae/nsn/6520-01-125-6595

Product ID:COE-SOFT POWDER MSDS Date:03/26/1993 FSC:6520 NIIN:01-125-6595 **MSDS Number: CFYPC** === Responsible Party === Company Name: COE LABORATORIES INC Address:3737 W 127TH ST City:CHICAGO State:IL ZIP:60658-1532 Country:US Info Phone Num:708-597-0900 Emergency Phone Num:708-597-0900/800-424-9300(CHEMTR EC) Preparer's Name: T. JORITZ CAGE:13373 === Contractor Identification === Company Name: G C AMERICA (FORMERLY COE LABORATORIES, INC) Address:3737 W 127TH ST Box:72076 City:CHICAGO State:IL ZIP:60678-2076 Country:US Phone:708-597-0900 CAGE:13373

Ingred Name:ZINC UNDECYLENATE CAS:112-38-9 RTECS #:YQ2975000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INGESTION MAY CAUSE NAUSEA AND VOMITING.MAY CAUSE EYE IRRITATION. Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:NO. Effects of Overexposure:NOT ESTABLISHED.

=

First Aid:INHAL:REMOVE VICTIM TO FRESH AIR.INGEST:GIVE ONE OR TW O

GLASSES OF WATER TO DRINK.IF GASTROINTESTINAL SYMPTOMS DEVELOP SEEK MED ATTN.SKIN:WASH W/SOAP/WATER.EYE:FLUSH W/WATER FOR 15MINS.IF REDNESS,ITCH ING OR BURNIGN SENSATION DEVELOPS SEEK MED ATTN.

Flash Point:NA Autoignition Temp:Autoignition Temp Text:NP Lower Limits:NE Upper Limits:NE Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS W/F ULL FACE PIECE AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:DUST EXPLOSION HAZARD.

Spill Release Procedures:SWEEP UP AND RECOVER OR MIX MATL W/MOIST ABSORBENT & SHOVEL INTO WASTE CNTNR.WASH SPILL AREA W/HOT WATER & DETERGENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL DRY PLACE;KEEP

AWAY FROM HEAT OR OPEN FLAME.

Other Precautions:SHELF LIFE OF PROD IS 36MONTHS FRM DATE OF MFG OF LIQ COMPO OF THIS LIQ/POWDER SYST.THE DATE OF MFG IS DETERMINED BY BATCH#.WHILE MANY BATCHES OF MATL WILL CONT TO PERFORM AS CLAIMED BEYOND RECOMMENDE D SHELF LIFT THIS CANT BE GAURANTEED.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:MINIMIZE EXPOSURE IN ACCORDANCE WITH GOOD HYGIENE PRACTICE.USE MSHA-NIOSH APPROVED RESPIRATOR FOR

DUSTS/MISTS/FUMES. Ventilation:LOC EXHAUST/MECHANCIAL/SPECIAL/OTHER:NE. Protective Gloves:DISPOSABLE VINYL GLOVES Eye Protection:SAFTY GLASSES Other Protective Equipment:EYEWASH STATION Work Hygienic Practices:FOLLOW SAFE HYGIENE PRACTICE. Supplemental Safety and Health KEY1:HCC=N1, 2-PART SYSTEM SEE NSN PNIND:C.

HCC:N1 Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NE Decomp Temp:Decomp Text:NP Vapor Pres:NA Vapor De nsity:NA Spec Gravity:NA pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NE Solubility in Water:NE Appearance and Odor:PINK ODORLESS POWDER Percent Volatiles by Volume:NP Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG ACIDS OR ALKALIES. Stability Condition to Avoid:HIGH HEAT; STRONG ACIDS OR ALKALIES. Hazardous Decomposition Products:NE. HAZ COMBUST PROD:CARBON MONOXIDE AND CARBON DIOXID, METHYL ME

## THACRYLATE.

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utili zing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.