

PRESTONE PRODUCTS CORPORATION -- RE4MFTH-55 BE SERIES REINHIBITOR FOR MIL-A-46153,
PART 1 -- 6850-01-397-1960

===== Product Identification =====

Product ID:RE4MFTH-55 BE SERIES REINHIBITOR FOR MIL-A-46153, PART 1

MSDS Date:05/01/1995

FSC:6850

NIIN:01-397-1960

MSDS Number: CFYSP

=== Responsible Party ===

Company Name:PRESTONE PRODUCTS CORPORATION

Address:83 WOOSTER HEIGHTS ROAD

City:DANBURY

State:C

T

ZIP:06810-1925

Country:US

Info Phone Num:203-731-3686

Emergency Phone Num:800-424-9300(CHEMTREC)

CAGE:EO340

=== Contractor Identification ===

Company Name:FINISH THOMPSON INC

Address:921 GREENGARDEN RD

Box:City:ERIE

State:PA

ZIP:16501-1591

Country:US

Phone:814-455-4478/800-942-5969

CAGE:30255

Company Name:PRESTONE PRODUCTS CORPORATION

Address:55 FEDERAL ROAD

City:DANBURY

State:CT

ZIP:06810

Country:US

Phone:203-830-7865

CAGE:EO340

Company Name:PRESTONE PRODUCTS CORPORATION

Box:UNKNOW

CAGE:PRESP

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL (SARA 313) (CERCLA) CONTAINS INGRED #2.
CAS:107-21-1
RTECS #:KW2975000
Fraction by Wt: 15-25%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:C STEL39PPM,A4,VAP96
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:DIETHYLENE GLYCOL IN INGRED #1.
CAS:111-46-6
RTECS #:ID5950000
Fraction by Wt: 0-8%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)
CAS:1310-58-3
RTECS #:TT2100000
Fr
action by Wt: 15-25%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM HYDROXIDE (CERCLA)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM TOLYLTRIAZOLE
CAS:64665-57-2
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:BENZOTRIAZOLE
CAS:95-14-7
RTE

CS #:DM1225000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SILICATE
CAS:1344-09-8
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 25-60%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO O

SHA:NO

Health Hazards Acute and Chronic:INGEST:MAY RESULT IN IMMEDIATE/SEVERE
BURNS TO LIPS/TONGUE/ORAL MUCOSA/ESOPHAGUS W/POSSIBLE GI
HEMORRHOIDAGE/PERFORATION.CNS EFFECTS.CARDIAC FAILURE,PULM
EDEMA.SEVERE KIDNEY DMG W/LG VOL OF ETHYLENE GLYCOL -FATAL.SKIN
ABSORPTION:NO EVIDENCE OF ADVERSE EFFECTS FROM AVAIL INFO.INHAL:EXT
LUNG IRRIT,DMG/DESTRUCTION OF LUNG (SUPP)

Explanation of Carcinogenicity:PER MSDS:NONE OF INGREDIENTS IS LISTED AS
CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA/NTP
/IARC.

Effects of Overexposure:INGEST:DROOLING,DIFF
W/SWALLOWING,BREATH,SPEAKING,CHEST PAIN,NAUSEA,VOMIT,DIZZINESS,MALaise,BLUR
VISION,IRRITABILITY,LUMBAR PAIN,OLIGURIA,UREMIA,IRREGULAR EYE
MOVEMENTS,CONVULSIONS,COMA.WEAK FACIAL MUSCLES,DIMINISH HEARING,DIFF
W/SWALLOW,LIVER INJURY.INHAL:HORSENESS,DIFFICULT BREATH,RESP
DISTRESS,DIZZINESS,NYSTAGMUS.SKIN SENS,DERM.

Medical Cond Aggravated by Exposure:MAY AGGRAVATE EXISTING KIDNEY
DISEASE.

===== First Aid Measures =====

=====

First Aid:INGEST:DONT INDUCE VOMIT.RINSE MOUTH.DRINK GLASSFUL OF MILK/H2O.GET IMMED MED ATTN;EMERG ADVICE N/AVAI TAKE TO EMERG MED FACI.SKIN:REMOVE CONTAM CLOTH/SHOE.IMMED WASH W/SOAP/COPIOUS AMTS OF H2O.IRRIT/ RED DVLP/PERS GET MED ATTN.INHAL:SYMPT MOVE TO FRESH AIR.BREATH DIFF GIVE OXY;STOP BREATH ART RESP.GET IMMED MED ATTN.EYE:IMMED FLUSH W/LOTS OF H2O 15MINS MIN.IRRIT,PAIN,ETC GET MED ATTN.(OTHER PRECA)

===== Fire Fighting Measures =====
=====

Flash Point:NONE THRU BOILIN
Autoignition Temp:Autoignition Temp Text:N/DETR
Lower Limits:N/DETERMINED
Upper Limits:N/DETERMINED
Extinguishing Media:APPLY ALCOHOL TYP OR ALL-PURPOSE FOAMS BY MFG'S RECOMMENDED TECHNIQUES FOR LG FIRES.SM FIRES USE H2O FOG,CO2,DRY CHEM.
Fire Fighting Procedures:COOL FIRE EXPO CNTNRS/STRUCTURES W/H2O.WEAR POSITIVE PRESSURE SELF-CONTAIN BREATH APPARATUS & FULL PROT CLOTH.DONT SPRAY POOL FIRES DIRECTLY.SOLID STREAM(SUPPL)
Unusual Fire/Explosion Hazard:NONE EXPECTED.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPILL FRM MIX W/OTHER MATL.WEAR SPLASHPROOF CHEM GOG/RUBB/NEOPRENE GLOVES.CONTAIN W/RING OF NONCOMBUST ABSORBANT MATL(SPEEDYDRY,VERMICULITE).DIL W/EQUAL ATM OF H2O.POUR MORE ABSORBENT.COLLECT INT O CNTNR.REPORT AS REQUIRE BY CERCLA/LOCAUTHORITIE
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====
=====

Handling and Storage Precautions:USE ONLY W/ADEQU VENTI.AVOID BREATH VAP/MIST FRM CHEMS.KEPE TIGHTLY CLSD.DONT STORE IN OPN/UNLABEL CNTNR.STORE IN COOL DRY AREA AWAY FROM INCOMPAT.
Other Precautions:DONT MIX CHEM DIRECTLY W/OTHER CHEM.USE ONLY AS DIRECTED.NOTE TO DR:INGEST INDUCTION OF EMESIS SHOULD BE AVOIDED-FURTHER CAUSTIC INJURY TO ESOPHAGUS MAY OCCUR.NO SPEC ANTIDOTE FOR ALKALINE CORR INGEST .ETHANOL ANTIDOTAL FOR ETHYLENE GLYCOL.

===== Exposur

e Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED UNDER NORMAL USE
CONDITIONS.OPERATIONS WHERE TLV EXCEEDED NIOSH/MSHA APPROV ORG VAP
RESP W/DUST/MIST PRE-FILT OR SUPP AIR RESP RECOMMENDED.EPMT SELECT
DEPENDS ON CONTAM TYP/CONCEN SELECT I AW 29CFR1910.134/GOOD INDUST
HGY PRAC.

Ventilation:GEN VENTI SHOULD BE ADEQUATE FOR NORMAL USE.MTL HEAT/MISTED
& TLV EXCEEDED FORCED VENTI(LOC EXHUAST)MAY BE NEEDED.

Protective Gloves:CHEM RESIST-NEOPRENE,PVC
COATED

Eye Protection:SPLASH PROOF CHEM SAF GOGG,FCHSIELD

Other Protective Equipment:DONT WEAR CONTACT LENSES.PROT
CLOTH-APRON,COVERALL,BOOTS-PREVENT SKIN CONTACT.SUITABLE WASH/EYE
FLUSH FACI IN WORKAREA.

Work Hygienic Practices:CONT CLOTH SHOULD BE IMMED REMOVE;LAUNDER BEF
REUSE.WEAR PPE WHEN HNDLG.PREVENT EYE/SKIN/CLOTH CONTACT.WASH WELL
AFT HND

Supplemental Safety and Health

FIREFIGHT:OF H2O/FOAM DIRECTED INTO HOT BURN LIQ CAN CAUSE FROTH.

HEALTH:TISSUE,PNEUITIS/PULM EDEMA

.HI VAP(FRM HEAT MATL IN

ENCLSD/POOR VENTI AREA)NAU,VOMIT,HEAD,DIZZ,IRREG EYE

MOVEMENTS.SKIN:SEVERE I RRRIT &/OR CHEM BURNS RESULTS IN TISSUE

DESTRUCT.EYE:RAPID,SEVERE IRRIT &/OR CHEM BURNS RESULTS IN TISSUE

DESTRUCT,BLIND.

===== Physical/Chemical Properties =====

HCC:B1

Boiling Pt:=107.8C, 226.F

Melt/Freeze Pt:=-28.9C, -20.F

Vapor Pres:N/DETERMIN

Vapor Density:N/DETERMIN

Spec Gravity:10.5-11.3 DENS

pH:14.0

Viscosity:N/DETERMINED

Evaporation Rate & amp

; Reference:N/DETERMINED

Solubility in Water:100%, COMPLETE

Appearance and Odor:ORANGE-YELLOW COLOR

Percent Volatiles by Volume:N/DETR

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG ACIDS,STRONG OXIDIZING AGENTS,MATLS REACTIVE W/HYDROXYL
COMPOUNDS.

Stability Condition to Avoid:NONE KNOWN

Hazardous Decomposition Products:COMBUSTION PRODUCTS MAY INCLUDE CARBON
MONOXIDE & CARBON DIOXIDE.

=====

===== Disposal Considerations =====

Waste Disposal Methods:WASTE MATL RCRA HAZ WASTE-CORRO.DISPO IAW ALL
LOC/STATE/FED REGS.EMTPY CNTNR RETAIN PROD RESIDUE & MAY BE
DANGEROUS.DONT REUSE EMTPY CNTNRS.IMMED REPLACE CNTNR LID & DISPO
PROPERLY.FOLLOW ALL RECOMMEN DED PRECAUT IN HNDLG EMPTY
CNTNRS.SARA,CERCLA CHEM

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of

Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.