View NSN Online: https://aerobasegroup.ae/nsn/6520-00-140-7663

DEN-TAL-EZ DENTAL PRODUCTS INC, STAR DENTAL DIV -- DENTALUBE (#5476) -- 6520-00-140-7663

Product ID:DENTALUBE (#5476)

MSDS Date:11/11/1997

FSC:6520

NIIN:00-140-7663

Kit Part:Y

MSDS Number: CFYWK === Responsible Party ===

Company Name: DEN-TAL-EZ DENTAL PRODUCTS INC, STAR DENTAL DIV

Address:1816 COLONIAL VILLAGE LANE

City:LANCASTER

State:PA ZIP:17601 Country:US

Info

Phone Num:717-291-1161

Emergency Phone Num:717-291-1161

CAGE:57078

=== Contractor Identification === Company Name:A-DEC INC Address:2601 CRESTVIEW DR

Box:City:NEWBURG

State:OR ZIP:97132 Country:US

Phone:503-537-2710

CAGE:51840

Company Name: DEN-TAL-EZ DENTAL PRODUCTS INC, STAR DENTAL DIV

Address:1816 COLONIAL VILLAGE LANE

Box:City:LANCASTER

State:PA ZIP:17601 Country:US

Phone:717-291-1161

CAGE:57078

======= Composition/Information on Ingredients ========

Ingred Name:1,1,2-TRICHLORO-

1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III)

CAS:76-13-1

RTECS #:KJ4000000 Fraction by Wt: 61-75%

Other REC Limits:NONE SPECIFIED OSHA PEL:1000PPM/1250STEL

ACGIH TLV:1000PPM/1250STEL9192

Ozone Depleting Chemical:1

Ingred Name:LUBRICATING OIL PETROLEUM BASE 10.5 TO 13.5%

Fraction by Wt: 10-13.5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS)PROPANE/ISOBUTANE (PROPELLANT)

CAS:68476-85-7 RTECS #:SE7545000

Fracti

on by Wt: 18-22%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

========== Hazards Identification ================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYE:CAN CAUSES


IRRITATION, REDNESS, TEARING. SKIN: PROLONGED/REPEATED CONTACT CAN CAUSE IRRITATION, DEFATTING, DERMATITIS. INHALED: CAN CAUSE SHORTNESS OF BREATH, LIGHT HEADINESS, POSSI

BLE NARCOSIS, GIDD INESS, DIZZINESS &

POSSIBLE CARDIAC ARRHYTHMIAS AT HIGH CONCENTRATIONS.ORAL:MAY CAUSE ILLNESS.CHRONIC-DERMATITIS.

Effects of Overexposure: CAN CAUSES EYE IRRITATION, REDNESS, TEARING. PROLONGED/REPEATED SKIN CONTACT CAN CAUSE IRRITATION, DEFATTING, DERMATITIS. INHALATION CAN CAUSE SHORTNESS OF BREATH, LIGHT HEADINESS, POSSIBLE NARCOSIS, GIDDINESS, DIZZINESS & POSSIBLE CARDIACARRHYTHMIAS AT HIGH CONCENTRATIONS. MAY CAUSE ILLNESS IF INGESTED.

Medical Co



Respiratory Protection:NOT REQUIRED UNDER NORMAL CONDITIONS. IF TLV IS EXCEEDED THEN USE NIOSH APPROVED SELF- CONTAINED BREATHING APPARATUS. AIR-SUPPLIED OR FILTERING TYPE WITH ORGANIC VAPOR CARTRIDGES ARE RECOMMENDED.

Ventilation:LOCAL AND MECHANICAL EXHAUST RECOMMENDED. AVOID OPEN ELECTRICAL SOURCES NEAR PRODUCT VAPOR AREAS.

Protective Gloves: RUBBER, NITRILE, OR POLYVINYL ALCOHOL

Eye Protection: USE CHEMICAL SAFETY GOGGLES & FACESHIELD

Other Protec

tive Equipment:EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK AREA.

Supplemental Safety and Health

THIS ITEM IS PART OF THE KIT 36-0099-00 SUPPPLIED BY A-DEC INC (CAGE 51840).

======== Physical/Chemical Properties ===========

HCC:V3

Boiling Pt:B.P. Text:118F,48C Vapor Pres:3691 PROPA

Vapor Density:1 Spec Gravity:1.467

Evaporation Rate & Description Rate & Reference: 1 (N-BUTYL ACETATE=1)

Solubility in

Water: NEGLIGIBLE

Appearance and Odor:CONCENTRATE: CLEAR, ORANGE LIQUID - SLIGHT

PETROLEUM HYDROCARBON ETHEREAL ODOR

Percent Volatiles by Volume: 88%

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, ALKALI OR ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC, BERYLLIUM, ETC...

Stability Condition to Avoid:DO NOT EXPOSE TO TEMPERATURES ABOVE 120F. Hazardous Decomposition Products:HYDROCHLORIC-HYDROFLUORIC ACIDS

POSSIBLY PHOSGENE, CARBON MONOXIDE, SULFUR OXIDES, ALDEHYDES & OTHER DECOMP. PRODUCTS

======= Disposal Considerations ===========

Waste Disposal Methods:ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. DO NOT INCINERATE CLOSED OR EMPTY CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements o

## f the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.