

TEXACO LUBRICANTS COMPANY -- 01854 ATF MERCON.DEXRON III -- 9150-00-657-4959

===== Product Identification =====

Product ID:01854 ATF MERCON.DEXRON III

MSDS Date:11/18/1996

FSC:9150

NIIN:00-657-4959

MSDS Number: CFYXM

=== Responsible Party ===

Company Name:TEXACO LUBRICANTS COMPANY

Box:4427

City:HOUSTON

State:TX

ZIP:77210-4427

Country:US

Info Phone Num:800-424-9300/914-831-3400

Emergency Phone Num

:800-424-9300/914-831-3400

CAGE:OTTJ3

=== Contractor Identification ===

Company Name:TEXACO LUBRICANTS

Address:4164 E INNSLAKE DR

Box:4427

City:GLEN ALLEN

State:VA

ZIP:23060

Country:US

Phone:804-527-4311

CAGE:OTTJ3

Company Name:TEXACO REFINING AND MARKETING INC

Address:1111 RUSK ST

Box:City:HOUSTON

State:TX

ZIP:77002-3310

Country:US

Phone:713-650-5206

CAGE:2R503

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT REFINES LIGHT PARAFFINIC PETROLEUM DISTILS

C

AS:64741-89-5
Fraction by Wt: 50-64.9%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SEVERELY SOLVENT REFINED SOLVENT-DEWAXED HEAVY PARAFFINIC
PETROLEUM DISTILLATES
CAS:64742-65-0
RTECS #:PY8038501
Fraction by Wt: 35-49.9%
Other REC Limits:NONE RECOMMENDED

Ingred Name:DISTILLATES (PETROLEUM) HYDROTREATED LIGHT NAPHTHC
CAS:64742-53-6
Fraction by Wt: 1-2.99%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYMETHACRYLATE
CAS:50867-55-5
Fraction by Wt: 1-2.99%
Other REC Limits:NONE RECOMMENDE
D

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5 G/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYE-MAY CAUSE MINIMAL
IRRITATION. SKIN-MAY CAUSE SLIGHT IRRITATION. INHALATION-MAY CAUSE
IRRITATION OF THE NOSE & THROAT. CHRONIC: NO ADVERSE EFFECTS HAVE
BEEN DOCUMENTED IN HUMANS.
Explanation of Carcinogenicity:NOT CARC
INOGENIC.
Effects of Overexposure:EYES-TEMPORARY DISCOMFORT. SKIN-SEVERE
IRRITATION & DISCOMFORT, SEEN AS LOCAL REDNESS AND SWELLING.
INHALATION-HEADACHE, NAUSEA AND DROWSINESS. INGESTION-ABDOMINAL
DISCOMFORT, NAUSEA AND DIARRHEA MAY OCCUR.
Medical Cond Aggravated by Exposure:BECAUSE OF ITS IRRITATING
PROPERTIES, REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING
DERMATITIS (SKIN CONDITION).

=====
===== First Aid Measures =====

First Aid:EYE-FL

WASH WITH PLENTY OF WATER FOR SEVERAL MIN. GET MEDICAL AID IF EYE IRRITATION PERSISTS. SKIN-WASH WITH PLENTY OF SOAP & WATER FOR SEVERAL MIN. GET MEDICAL AID IF SKIN IRRITATION DEVELOPS. INGESTION-GIVE 2 GLASSES OF WATER (16 OZ). GET MEDICAL AID. INHALATION-REMOVE TO FRESH AIR. GET MEDICAL AID IF BREATHING BECOMES DIFFICULT OR RESPIRATORY IRRITATION PERSISTS.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:395F,202C

Ex

Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE TO EXTINGUISH FLAMES. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND POSITIVE PRESSURE BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. AVOID BREATHING VAPOR. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. CONTAIN SPILL IF POSSIBLE.

WIPE UP OR ABSORB ON SUITABLE MATERIAL & SHOVEL UP.

PREVENT ENTRY INTO SEWERS & WATERWAYS. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED. AVOID WATER CONTAMINATION.

Other Precautions:IF MORE THAN 1,142,857 POUNDS

OF PRODUCT IS SPILLED,

THEN REPORT SPILL ACCORDING TO SARA 304 AND/OR CERCLA 102(A)

REQUIREMENTS, UNLESS PRODUCT QUALIFIES FOR THE PETROLEUM EXEMPTION (CERCLA SECTION 101 (14)).

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIRBORNE CONCENTRATIONS SHOULD BE KEPT TO LOWEST LEVELS POSSIBLE. IF VAPOR, MIST OR DUST IS GENERATED & THE OCCUPATIONAL EXPOSURE LIMIT IS EXCEEDED, USE APPROPRIATE NIOSH OR MSHA APPROVED AIR PURIFYING

OR AIR SUPPLIED RESPIRATOR.

Ventilation:ADEQUATE TO MEET COMPONENTS OCCUPATIONAL EXPOSURE LIMITS.

Protective Gloves:WORKERS SHOULD WASH SKIN SEVERAL TIMES.

Eye Protection:SAFETY GLASSES, CHEMICAL GOGGLES, FACE

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:SOILED WORKING CLOTHES SHOULD BE LAUNDERED OR DRY-CLEANED.

Supplemental Safety and Health

PROPER SHIPPING NAME: NOT REGULATED.

===== Physical/Chemical Properties =====

HCC:

V6

Spec Gravity:0.869

Viscosity:32.2 CST

Solubility in Water:NOT DETERMINED.

Appearance and Odor:RED LIQUID. SLIGHT ADDITIVE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:TOXIC LEVELS OF CARBON MONOXIDE, CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES.

===== Disposal Considerations =====

=====

Waste Disposal Methods:THIS PRODUCT HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS AND DOES NOT MEET THE CRITERIA FOR A HZARDOUS WASTE IF DISCARDED IN ITS PURCHASED FORM.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.