

DURANT PAINT -- ALKYD PRIMER -- 8010-01-285-1329

=====
Product Identification
=====

Product ID:ALKYD PRIMER
MSDS Date:02/27/1997
FSC:8010
NIIN:01-285-1329
MSDS Number: CGFDS
=== Responsible Party ===
Company Name:DURANT PAINT
Address:950 BROADWAY
City:REVERE
State:MA
ZIP:02051
Country:US
Info Phone Num:617-289-1400
Emergency Phone Num:617-289-1400
CAGE:NO367

=== Contractor Identification ===

Comp
any Name:DURANT PAINT
Address:950 BROADWAY
Box:City:REVERE
State:MA
ZIP:02051
Country:US
Phone:617-289-1400
CAGE:NO367

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL SPIRITS
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 43.20%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:100 PPM

Ingred Name:VOC = 2.81 LBS NONEXCEPT SOLVENT PER ADJUSTED GALLON
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: IRRITATION,
DEFATTING, DRYING, DERMATITIS. INHAL: IRRIT TO NOSE, THROAT &
RESPIRATORY TRACT. CNS DEPRESSION.
Medical Cond Aggravated by Exposure:PRE-EXISTING EYE, SKIN &
RESPIRATORY DISORDERS.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES, LIFT LIDS. SKIN: REMOVE
CONTAM CLOTHES/SHOES. WASH BEFORE REUSE. FLUSH W/WATER. THEN WASH
W/SOAP & WATER. INHAL: GET FRESH AIR, OXYGEN/ARTIF RESP IF NEEDED.
INGEST: DONT INDUCE VOMIT. IF VOMIT OCCURS SPONTANEOUSLY, KEEP
HEAD BELOW HIPS TO KEEP FROM ASPIRATING LIQUID INTO LUNGS. IN ALL
CASES, GET MED AID.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:103F,39C
Upper Limits
:6.0
Extinguishing Media:CO2.
Fire Fighting Procedures:IN CONFINED SPACES, USE FULL BUNKER
GEAR/POSITIVE PRESSURE SCBA. COOL CONTAINERS W/WATER.
Unusual Fire/Explosion Hazard:USE WATER TO COOL CONTAINERS. CONTAINER
EXPOSED TO DIRECT FLAME CONTACT SHOULD BE COOLED W/LARGE QUANTITIES
OF WATER TO PREVENT WEAKENING OF CONTAINER STRUCTURE.

=====
Accidental Release Measures
=====

Spill Release Procedures:LG SPILL: ELIMINATE IGNITS. USE RESPIRATOR &
PROT CLO
THES. STOP LEAK. DIKE/CONTAIN. REMOVE W/VACUUM/PUMP TO
SALVAGE VESSELS. SOAK UP RESIDUE W/ABSORBENT (CLAY/SAND/OTHER).
PLACE IN TIGHTLY SEALED CONTAINERS FOR DISPOSAL. FLUSH AREA
W/WATER.*

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA, AWAY FROM
IGNITS. EMPTY CONTAINERS RETAIN EXPLOSIVE VAPORS. GROUND EQUIPMENT.
GROUND/BOND WHEN TRANSFERRING.
Other Precautions:DONT CUT, DRILL, GRIND, WELD OR P

PERFORM SIMILAR

OPERATIONS ON OR NEAR CONTAINERS. STATIC ELECTRICITY MAY ACCUMULATE & CREATE FIRE HAZARD.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. USE ATMOSPHERE/SUPPLYING RESPIRATOR OR AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS.

Ventilation:MECHANICAL (GENERAL OR LOCAL EXHAUST).

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective E

quipment:CHEMICAL RESISTANT CLOTHING.

Work Hygienic Practices:WASH W/WOAP & WATER BEFORE EATING, SMOKING, USING WASHROOM. AIR DRY CONTAM CLOTHES IN A VENTILATED AREA BEFORE WASHING.

Supplemental Safety and Health

*DISPOSE OF FLUSH SOLUTION AS ABOVE. SM SPILL: TAKE UP W/ABSORBENT MATERIAL. PLACE IN SEALED CONTAINER FOR PROOPER DISPOSAL.

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:320 TO 357F

Vapor Density:>AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:NA

Appearance and Odor:YELLOW LIQUID.

Percent Volatiles by Volume:43.20

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:AVOID HEAT, FLAME & CONTACT W/STRONG OXIDIZING AGENTS.

=====
===== Disposal Considerations =====

Waste Disposal Methods:EPA-RCA (40CFR 261.21) IF THIS PRODUCT BECOMES A WASTE MATERI

AL, IT WILL BE AN IGNITABLE HAZARDOUS WASTE (DOO1).
REFER TO EPA OR STATE, FEDERAL & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional adv
ice to verify and
assume responsibility for the suitability of this information to their
particular situation.