View NSN Online: https://aerobasegroup.ae/nsn/5820-00-469-6690

US ARMY COMMUNICATIONS & ELECTRONICS MATL READINES -- MK1246GRC -- 5820-00-469-6690

Product ID:MK1246GRC MSDS Date:03/16/1998 FSC:5820 NIIN:00-469-6690 Kit Part:Y **MSDS Number: CGLCS** === Responsible Party === Company Name: US ARMY COMMUNICATIONS & ELECTRONICS MATL READINES Address:CMD LOGISTICS ENGINEERING DIRECTORATE **City:FORT MONMOUTH** State:NJ ZIP:07703 Country:U S Info Phone Num:908-532-5332 Emergency Phone Num:908-532-5332 Preparer's Name:DSCR-VBA CAGE:80063 === Contractor Identification === **Company Name: US ARMY COMMUNICATIONS & ELECTRONICS MATL READINES** Address:12 WD BLDG 601 MCAFEE CENTER Box:City:FT. MONMOUTH State:NJ ZIP:07703 Country:US Phone:732-532-5332 CAGE:80063

Ingred Name:ISOPROPYL ALCOHOL (SARA 313) CAS:67-63-0 RTECS #:NT8050000 Other REC Limits:NONE RECOMMENDED OSHA PEL LD50 LC50 Mixture:NOT KNOWN Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE AND CHRONIC- ONLY HAZMAT IN THIS KIT IS THE SEALING COMPOUND; SEE MSDS NSN 8030-00-252-3391 CAGE 05VH4 OR 73165. Explanation of Carcinogenicity:NONE Effects of Overexposure:SEE 8030-00-252-3391 Medical Co nd Aggravated by Exposure:SEE RELEVANT MSDS.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WIPE OFF EXCESS. WASH SKIN WITH SOAP & WATER . ORAL:DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. GET MEDICAL ATTENTION.

Flash Point Method:TCC Flash Point:45.0F,7.2C Lower Limits:2.5 Upper Limits:12.0 Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS IF NEEDED.

Unusual Fire/Explosion Hazard:NOT KNOWN

Spill Release Procedures:SEE 8030-00-252-3391 Neutralizing Agent:NONE

Handling and Storage Precautions:STORE WITH FLAMMABLES. Other Precautions: WASH HANDS BEFORE EATING OR DRINKING. Respiratory Protection: NONE SHOULD BE NEEDED. USE IN WELL VENTILATED AREA. Ventilation:NONE SHOULD BE NEEDED. Protective Gloves: PVC Eye Protection:GOGGLES 0 ther Protective Equipment:NOT RELEVANT Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health THE ONLY ITEM WHICH IS HAZARDOUS IN THIS KIT IS SEALING COMPOUND; FOR MSDS AND SAFETY INFORMATION SEE NSN 8030-00-252-3391 WITH CAGE 05VH4 AND 73165. HCC:F2 NRC/State Lic Num:NOT RELEVANT Boiling Pt:=82.C, 179.6F Spec Gravity:NOT RELEVANT **Evaporation Rate** & Reference:NOT RELEVANT Solubility in Water:NOT RELEVANT Appearance and Odor: FOR DETAILS OF PHYSICAL PROPERTIES SEE 8030-00-252-3391, CAGE 05VH4 & 73165. Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid: OPEN FLAMES Hazardous Decomposition Products:NOT RELEVANT

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE

WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.