

E M SCIENCE DIV OF E M INDUSTRIES INC --
1,2-DICHLOROETHANE,DX0794,DX0796,DX0797,DX0800,DX0805 -- 6810-00-838-5932

===== Product Identification =====

Product ID:1,2-DICHLOROETHANE,DX0794,DX0796,DX0797,DX0800,DX0805

MSDS Date:02/12/1997

FSC:6810

NIIN:00-838-5932

MSDS Number: CGLSS

=== Responsible Party ===

Company Name:E M SCIENCE DIV OF E M INDUSTRIES INC

Address:400 DEMOCRAT RDD

Box:70

City:GIBBS

TOWN

State:NJ

ZIP:08027-0070

Country:US

Info Phone Num:609-423-6300

Emergency Phone Num:609-423-6300/800-424-9300(CHEMTREC)

CAGE:63612

=== Contractor Identification ===

Company Name:E M SCIENCE DIV OF E M INDUSTRIES INC

Address:480 DEMOCRAT ROAD

Box:70

City:GIBBSTOWN

State:NJ

ZIP:08027

Country:US

Phone:800-222-0342/609-423-6300

CAGE:63612

Company Name:VWR SCIENTIFIC - DIV OF UNIVAR

Address:200 CENTER SQUARE RD

Box:626

City:BRIDGEPORT

State:NJ

ZIP:08014

Country:US

Phone:609-467-2600

CAGE:2E624

=

=====
Composition/Information on Ingredients
=====

Ingred Name:1,2-DICHLOROETHANE/ETHYLENE DICHLORIDE (SARA 313) (CERCLA)
CAS:107-06-2
RTECS #:KI0525000
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM; Z-2
ACGIH TLV:10 PPM; 9596
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

=====
Hazards Identification
=====

LD50 LC50 Mixture:LC50 (INHL, RAT) 1000 PPM/7 HRS
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Ca
rcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, CNS, LIVER,
KIDNEY, BLOOD. ACUTE & CHRONIC- MAY CAUSE SEVERE EYE IRRITATION &
POSSIBLY BURNS. MAY CAUSE SKIN IRRITATION. MAY BE TOXIC IF
INHALED/INGESTED/ABSORBED THROUGH SKI N. REPEATED/PROLONGED
EXPOSURE MAY CAUSE DAMGE TO LIVER, KIDNEYS, LUNGS & BLOOD. MAY
CAUSE CNS DEPRESSION & COMA.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:SEVERE IRRITATION, HEADACHE,
DIZZINESS, NAUSEA,
VOMITING, DROWSINESS, FATIGUE, BLURRED VISION, DIARRHEA, CHEST
PAIN, COUGHING, COMA
Medical Cond Aggravated by Exposure:ALCOHOLICS, DIABETES AND
INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN,
RESPIRATORY TRACT, CNS, HEART, BLOOD MAY HAVE INCREASED
SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

=====
First Aid Measures
=====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:IMMEDIATELY
FL
USH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH
SOAP & WATER. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF
NECESSARY. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, WASH OUT
MOUTH WITH WATER. CALL PHYSICIAN AT ONCE.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:56.0F,13.3C
Lower Limits:6.20
Upper Limits:15.90
Extinguishing Media:USE DRY CHEMICAL, CARBON DIOXIDE, FOAM. USE WATER
SPRAY TO COOL FIRE-EXPOSE

D CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES

OF IGNITION. VENTILATE AREA. CONTAIN AND PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND, EARTH, VERMICULITE. GROUND ALL HANDLING EQUIPMENTS. PREVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED AREA, AWAY FROM FLAMES, SPARKS & INCOMPATIBLES. CONTAINERS SHOULD BE GROUNDED WHEN CONTENTS ARE BEING TRANSFERRED.

Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT WELD, SOLDER OR DRILL SUCH CONTAINERS. THEY MAY EXPLODE AND CAUSE INJURY/DEATH. KEEP OUT OF REACH OF CHILDREN. DO NOT INGEST. DO NOT GET IN EYES OR ON SKIN. DO NOT BREATHE VAPOR

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED AIR-SUPPLIED RESPIRATOR. IN EMERGENCY,

WEAR A NIOSH-APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS. WORK UNDER THE HOOD.

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:NEOPRENE, BUTYL

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:WEAR PROTECTIVE CLOTHING IN CASE OF REPEATED OR PROLONGED CONTACT. PROVIDE EYE WASH & SAFETY SHOWER.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE

PRACTICES AND
RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING OR
DRINKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F5
NRC/State Lic Num:NOT RELEVANT
Boiling Pt:B.P. Text:182F,84C
Melt/Freeze Pt:M.P/F.P Text:-32F,-36C
Vapor Pres:67 @ 68F
Vapor Density:3.42
Spec Gravity:1.256
Evaporation Rate & Reference:6.46 (N-BUTYL ACETATE=1)
Solubility in Water:0.81%
Appearance and Odor:COLORLESS LIQUID - CHLOROFORM LI
KE ODOR
Percent Volatiles by Volume:>99

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS, ALKALIES, ALUMINUM, NITROGEN TETROXIDE, AMINES
Stability Condition to Avoid:HEAT, SPARKS, FLAMES, OTHER IGNITION
SOURCES
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
OXIDES OF NITROGEN, OTHER UNKNOWN COMPOUNDS, TRACE AMOUNTS OF
HYDROGEN CYANIDE

===== Disposal Considerations ====
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. RECOMMENDED PROCEDURE IS BY INCINERATION. EPA
HAZARDOUS WASTE NUMBER: U077, D001, D028

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all l

iability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.