

CHEMAX CORP -- PACESETTER EP-65 GREASE,G-(122,122 E,122 A,123,124,125,126) --  
9150-01-226-4315

=====  
===== Product Identification =====

Product ID:PACESETTER EP-65 GREASE,G-(122,122 E,122 A,123,124,125,126)

MSDS Date:03/24/1993

FSC:9150

NIIN:01-226-4315

MSDS Number: CGMJW

=== Responsible Party ===

Company Name:CHEMAX CORP

Address:HWY 90 W

Box:7453

City:BEAUMONT

State:TX

ZIP:77726-1453

Country:US

Info P

hone Num:800-346-0132

Emergency Phone Num:800-346-0132

CAGE:66968

=== Contractor Identification ===

Company Name:CHEMAX CORP

Address:HWY. 90 WEST

Box:7453

City:BEAUMONT

State:TX

ZIP:77726-1453

Country:US

Phone:800-346-0132/409-866-4232 (INFO)

CAGE:66968

=====  
===== Composition/Information on Ingredients =====

Ingred Name:BENTONITE CLAY 27/MONTMORILLONITE

CAS:68953-58-2

RTECS #:UZ2996400

Fraction by Wt: 6%

Other REC Limits:NONE RECOMMENDED

Ingred Name:PETROLEUM DISTILLATE/AROMATIC

PETROLEUM SOLVENT

CAS:8002-05-9

RTECS #:SE7449000

Fraction by Wt: 86%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:NON-HAZARDOUS INGREDIENTS (TRADE SECRET  
ADDITIVES);800967-5411-P

Fraction by Wt: 8%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NT

P:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN. ACUTE-  
EYE:MAY CAUSE EYE IRRITATION. SKIN:PROLONGED/REPEATED CONTACT MAY  
CAUSE DERMATITIS. INJECTION UNDER SKIN MAY CAUSE LOCAL NECROSIS.  
INHALE:NOT LIKELY AT ROOM TEMPERATURE S. ORAL:MAY CAUSE  
GASTROINTESTINAL TRACT IRRITATION. CHRONIC- MAY CAUSE DERMATITIS.

Explanation of Carcinogenicity:NONE.

Effects of Overexposure:IRRITATION, REDNESS, SWELLING, BURNING, NAUSEA,  
VOMITING, DERMATITIS, ITCHING

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN  
DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO  
THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:NOT LIKELY.  
EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WIPE  
OFF EXCESS & WASH SKIN WITH MILD SOAP & WATER OR WATERLESS CLEANER.  
IF INJE CTED UNDER SKIN, REGARDLESS OF ITS SIZE, CONTA

CT A  
PHYSICIAN IMMEDIATELY. DELAY MAY CAUSE LOSS OF AFFECTED PART OF  
BODY. ORAL: DO NOT INDUCE VOMITING. CALL PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:450F,232C

Extinguishing Media:CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. DO NOT USE  
WATER AS THIS TENDS TO SPREAD FIRE.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND  
NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explos

ion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP EXCESS GREASE. PICK-UP RESIDUE WITH NON-FLAMMABLE ABSORBENT MATERIAL SUCH AS DIATOMACEOUS EARTH, SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOSAL. CLEAN AREA WITH SOAPY WATER.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM OXIDIZERS.

KEEP OUT OF

REACH OF CHILDREN. DO NOT USE OR STORE NEAR HEAT OR FLAME. DO NOT SMOKE DURING APPLICATION.

Other Precautions:MINIMIZE SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING. MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED. READ AND FOLLOW THE DIRECTIONS ON THE PRODUCT LABEL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF VAPOR, MIST OR DUST

IS GENERATED, WEAR NIOSH-APPROVED RESPIRATORY PROTECTION.

Ventilation:LOCAL EXHAUST

Protective Gloves:RUBBER RECOMMENDED

Eye Protection:CHEMICAL GOGGLES IF DESIRED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

DIFFERENT FORMULA.

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Spec Gravity:0.930

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:INSOLUBLE

Appearance and Odor:BLUE SEMI-TRANSPARENT PASTE GREASE WITH PETROLEUM ODOR

Percent Volatiles by Volume:5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:FLAME

Hazardous Decomp

osition Products:SMOKE, CARBON MONOXIDE, CARBON  
DIOXIDE, NITROGEN DIOXIDE, LEAD OXIDE AND SULFUR DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE  
AND FEDERAL REGULATIONS. RECYCLE IF POSSIBLE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner w  
hatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.