View NSN Online: https://aerobasegroup.ae/nsn/6850-01-387-4446

Product ID:178 2911 COLOREDGE 1525 MAGENTA DEVELOPER MSDS Date:05/21/1997 FSC:6850 NIIN:01-387-4446 MSDS Number: CGMMG === Responsible Party === **Company Name: CANON IND** Address:30-2 SHIRMOMARUKO 3 CHOME OMTA-KU City:TOKYO Country: JA CAGE:EO160 === Contractor Identification === Company Name: CANON INC Address:30-2 SHIRMOMARUKO 3 CHOME OMTA-KU Box:City:TOKYO Country: JA CAGE:EO160 **Company Name: CANON INC** Address:30-2 SHIMOMARUKO 3-CHOME, OHTA-KU Box:City:TOKYO Country: JA Phone:03-3758-2111/516-328-5600(USA) CAGE:EO274 Company Name: DANKA OFFICE IMAGING CO Address:901 ELMGROVE RD Box:City:ROCHESTER State:NY ZIP:14653 Country:US CAGE:0ZW37 Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-51

51/(800) 242-2424 CAGE:19139 Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

Ingred Name:IRON OXIDE CAS:1309-37-1 RTECS #:NO7400000 Fraction by Wt: 85-95% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred Name:CUPRIC OXIDE CAS:1317-38-0 RTECS #:GL7900000 Fracti on by Wt: < 15% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG CU/M3 ACGIH TLV:1 MG CU/M3

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA) CAS:1314-13-2 RTECS #:ZH4810000 Fraction by Wt: < 15% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:BISPHENOL A PROPYLENE OXIDE FUMARATE CAS:39382-25-7 Fraction by Wt: 3-7% Other REC Limits:NONE RECOMMENDED

Ingred Name:PIGMENT Fraction by Wt: < 1% Other REC Limits:NONE RECOMMENDED

Ingred Name:SALICYLIC ACI

D CHELATE CAS:72869-85-3 Fraction by Wt: < 1% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NOT GIVEN

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. MAY CAUSE TRANSIENT EYE IRRITATION. LOW SKIN CONTACT HAZARD FOR RECOMMENDED HANDLING. EXPECTED TO BE A LOW

INGESTION HAZARD.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMEEDIATELY WITH W

ATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER . GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONCOMBUSTIBLE

Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN

Opper Limits.NOT GIVEN

Extinguishing Media:NONFLAMMABLE. USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE.

Fire Fightin

g Procedures:FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR EXPLOSION. SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON . AVOID GENERATION OF DU ST. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: AVOID BREATHING DUST. USE WITH ADEQUATE VENTILATION. KEEP CONTAINER CLOSED. Other Precautions: NONE SPECIFIED BY MANUFACTURER.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER

HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS. Protective Gloves: IMPERVIOUS Eye Protection: SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE. Work Hygiopic Practices: WASH HANDS THOPOLICHLY WITH SOAP AND WATER

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

HCC:N1 Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:212-302F Vapor Pres:NEGLIGIBLE Vapor Density:NOT GIVEN Spec Gravity:1.0-4.5 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:NEGLIGIBLE Appearance and Odor:MAGENTA POWDER, SLIGHT ODOR Percent Volatiles by Volume:NIL

Stability Indicator/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND CON

TAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES OF IRON

Waste Disposal Methods:CAN BE INCINERATED WHEN IN COMPLIANCE WITH LOCAL REGULATIONS. CONTRACT WITH A LICENSED CHEMICAL DISPOSAL AGENCY. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS.

Disclaimer (prov

ided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.