

SDB CONSULTANTS LTD -- VV-P-236 A -- 9150-00-250-0926

===== Product Identification =====

Product ID:VV-P-236 A

MSDS Date:08/01/1997

FSC:9150

NIIN:00-250-0926

MSDS Number: CGMTZ

=== Responsible Party ===

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 206

City:GRETNA

State:LA

ZIP:70056

Country:US

Info Phone Num:504-368-7900

Emergency Phone Num:504-366-9105

CAGE:0PGK2

=== Contractor

Identification ===

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105

CAGE:0PGK2

===== Composition/Information on Ingredients =====

Ingred Name:PETROLATUM

CAS:8009-03-8

RTECS #:SE6780000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestio

n:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT. ACUTE- PRACTICALLY NON-IRRITATING TO EYES OR SKIN. INHALATION OF VAPORS/OIL MIST MAY CAUSE IRRITATION. INGESTION OF LARGE AMOUNTS MAY BE HARMFUL. CHRONIC- U NKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION, DISCOMFORT

=====  
===== First Aid Measures =====

First Aid:CALL A DOCTOR IF SYMPTOMS OCCUR. EYE:IMMEDIATELY FLUSH WITH COLD WATER. HOLD EYELIDS OPEN. CALL PHYSICIAN. SKIN:WIPE EXCESS OFF. WASH SKIN WITH SOAP & WATER. INHALED:MOVE TO FRESH AIR. ORAL:CALL A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>400F,>204C  
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, SAND OR EARTH. DO NOT USE WATER SPRAY.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. PROVIDE ADEQUATE VENTILATION. AFTER COOLING AND SOLIDIFICATION, SCRAP AND/OR SHOVEL UP SPILL. FINALLY, CLEAN AREA WITH AN OIL ABSORBENT MATERIAL.  
Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:STORE AWAY FROM HIGH HEAT AND FLAMES. KEEP CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.  
Other Precautions:DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST. DISCARD LUBRICANT-SOAKED SHOES. REMOVE LUBRICANT-SOAKED CLOTHING AND LAUNDRER BEFORE RE-USE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.

IF WORKING IN CONFINED

AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS, WEAR NIOSH-APPROVED ORGANIC VAPOR AND MI ST RESPIRATOR (REFER TO 29 CFR 1910.134)

Ventilation:USE ADEQUATE VENTILATION TO KEEP OIL MISTS OF THIS MATERIAL BELOW APPLICABLE STANDARD(S).

Protective Gloves:NITRILE/NEOPRENE FOR REPEATED CONTACT

Eye Protection:SAFETY GLASSES, FACE SHIELD RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:110F - 180F

Solubility in Water:NIL

Appearance and Odor:OPAQUE COLOR, YELLOW OR BROWN, SEMI SOLID LIQUID - OIL LIKE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:FLAME, HEAT (200F MAX)

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN COMPLIANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS. INCINERATION IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for u

se by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.