

TRA-CON INC -- TRA-BOND 1137 HARDENER -- 8040-00-776-9603

=====
Product Identification
=====

Product ID:TRA-BOND 1137 HARDENER

MSDS Date:03/02/1995

FSC:8040

NIIN:00-776-9603

Kit Part:Y

MSDS Number: CGNGT

=== Responsible Party ===

Company Name:TRA-CON INC

Address:45 WIGGINS AVENUE

City:BEDFORD

State:MA

ZIP:01730

Country:US

Info Phone Num:617-275-6363

Emergency Phone Num:800-424-9300

CAGE:22835

===

Contractor Identification ===

Company Name:TRA-CON INC

Address:55 NORTH ST

Box:3933

City:MEDFORD

State:MA

ZIP:02155-4225

Country:US

Phone:617-391-5550

CAGE:22835

=====
Composition/Information on Ingredients
=====

Ingred Name:PHENOL, 4,4'-(1-METHYLETHYLIDENE) BIS-

CAS:80-05-7

RTECS #:SL6300000

Fraction by Wt: 200 MG/KG RABBIT EYE: IRRITATION,

BURNS. SKIN: SENSITIZATION, IRRITATION, ALLERGIC RESPONSES. INHAL:

RESPIRATORY TRACT IRRITATION. INGEST: DAMAGE TO MUCOUS MEMBR

ANES.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER. SKIN: WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES. INHAL: REMOVE TO FRESH AIR. OXYGEN IF NEEDED. INGEST: DRINK MILK/WATER. DONT INDUCE VOMIT. IN ALL CASES, GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:>280F,>138C
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:DR
Y CHEMICAL, CHEMICAL FOAM, CARBON DIOXIDE, WATER.
Fire Fighting Procedures:AVOID BREATHING SMOKE. USE SCBA.
Unusual Fire/Explosion Hazard:TOXIC GASES MAY BE LIBERATED; HANDLE AS COMBUSTIBLE; STORE IN A COOL PLACE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN ABORBENT MATERIAL AND TRANSFER TO DISPOSAL CONTAINER. WIPE UP REMAINING RESIDUE W/SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS OR USE DETERGENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL PLACE IN CLOSED CONTAINERS.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AIR SUPPLIED ORGANIC CANISTER MASK IN CONFINED AREAS.
Ventilation:LOCAL EXHAUST MECHANICAL (GENERAL) RECOMMENDED
Protective Gloves:RUBBER OR PLASTIC DISPOSABLE
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:AS REQUIRED TO PREVENT ALL BODY CONTACT. E

YE

BATH OR SAFETY SHOWER AVAILABLE.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:500F,260C

Vapor Pres:1 AIR =1

Spec Gravity:1.1 H2O =1

pH:>8.0

Viscosity:SYRUP

Evaporation Rate & Reference:LOW BUAC =1

Solubility in Water:PARTIAL

Appearance and Odor:MODERATE VISCOSITY, PALE YELLOW LIQUID.

Percent Volatiles by Volume: