

CREST INDUSTRIAL CHEMICALS INC -- PAINT STRIPPER #4 -- 8010-00-943-7128

=====
Product Identification
=====

Product ID:PAINT STRIPPER #4

MSDS Date:05/01/1991

FSC:8010

NIIN:00-943-7128

MSDS Number: CGNHM

=== Responsible Party ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77242

Country:US

Info Phone Num:713-780-8169

Emergency Phone Num:

800-255-3924

CAGE:77513

=== Contractor Identification ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77057-6500

Country:US

Phone:713-780-1828

CAGE:77513

=====
Composition/Information on Ingredients
=====

Ingred Name:METHLENE CHLORIDE

CAS:75-09-2

RTECS #:PA8050000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

C

AS:67-63-0
RTECS #:NT8050000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM
ACGIH TLV:500 PPM

Ingred Name:TOLUENE (SARA III) (CERCLA)
CAS:108-88-3
RTECS #:XS5250000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM
ACGIH TLV:200 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM CHROMATE (SARA 313) (CERCLA)
CAS:7775-11-3
RTECS #:GB2955000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.05 MG/M3
ACGIH TLV:0.05 PPM
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:AQUEOUS AMMONI
A (CERCLA)
CAS:1336-21-6
RTECS #:BQ9625000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:20 PPM
ACGIH TLV:25 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: DERMITITUS.
INHAL: IRRITATION TO NOSE, NARCOSIS, DIZZY, LIGHTHEADEDNESS.
Explanation of Carcinogenicity:SODIUM CHROMATE >1%. IS NOT BELIEVED TO
POSE A MEASURABL

P & WATER BEFORE
SMOKING OR EATING.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:108F,42C
Melt/Freeze Pt:M.P/F.P Text:NA
Vapor Pres:360 MM HG
Vapor Density:>1
Spec Gravity:1.02
Evaporation Rate & Reference:1
Solubility in Water:PARTIALLY
Appearance and Odor:VISCOUS YELLOW LIQUID, AMMONIA ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOI
D STRONG OXIDIZERS AND MINERAL ACIDS.
Hazardous Decomposition Products:CARBON DIOXIDE AND OXIDES OF CHLOINE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE,
AND FEDERAL REGULATIONS. APPROPRIATE DISPOSAL SHOULD BE DONE BY A
COMPETENT AND PROPERLY PERMITTED CONTRATOR.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the
Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.