

PCR INC DBA SCM SPECIALTY CHEM SUB OC SCM CORP -- THORO SYSTEM PRODUCTS --  
5610-01-339-8340

===== Product Identification =====

Product ID:THORO SYSTEM PRODUCTS

MSDS Date:06/26/1994

FSC:5610

NIIN:01-339-8340

MSDS Number: CGNKY

=== Responsible Party ===

Company Name:PCR INC DBA SCM SPECIALTY CHEM SUB OC SCM CORP

Address:AIRPORT INDUSTRIAL PARK

Box:1466

City:GAINESVILLE

State:FL

ZIP:32602

Country:US

Info Phone Num:904-376-8246

Emergency Phone Num:904-376-8246

Preparer's Name:LAWRENCE TEMPLIN

CAGE:52921

=== Contractor Identification ===

Company Name:PCR INC DBA SCM SPECIALTY CHEM SUB OC SCM CORP

Address:AIRPORT INDUSTRIAL PARK

Box:1466

City:GAINESVILLE

State:FL

ZIP:32602

Country:US

Phone:904-376-8246

CAGE:52921

===== Composition/Information on Ingredients =====

Ingred Name:SILICA, CRYSTALLINE QUARTZ

CAS:14808-60-7

RTECS #:VV7330000

Fraction by Wt: 70-80%

Other REC Limits

:NONE RECOMMENDED  
ACGIH TLV:0.1 MG/M3

Ingred Name:PORTLAND CEMENT  
CAS:65997-15-1  
RTECS #:VV8770000  
Fraction by Wt: 20-30%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3  
ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM HYDROXIDE  
CAS:1305-62-0  
RTECS #:EW2800000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: IRRITATION, BURN, CORNEAL  
ABRASIONS. SKIN: DRYNESS, ITCHING, RASH, BURNS, DERMATITIS,  
SENSITIZATION. INHAL: FIBROSIS OF THE LUNGS, RESPIRATORY TRACT  
IRRITATION, MUCOUS MEMBRANE DAMAGE. INGEST: DIGESTIVE TRACT  
IRRITATION.

=====  
===== First Aid Measures =====

First Aid:EYE: DONT RUB. FLUSH W/WATER FOR 15 MINUTES. SKIN: DONT RUB.  
WASH W/SOAP. FLUSH W/WATER FOR 15 MINUTES. INHAL:  
REMOVE TO FRESH  
AIR. OXYGEN IF NEEDED. INGEST: DRINK 1-2 GLASSES OF WATER. IN ALL  
CASES, GET MED AID.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:NA  
Fire Fighting Procedures:NA

=====  
===== Accidental Release Measures =====

Spill Release Procedures:COLLECT SPILLED POWDER BY DUSTLESS METHODS AND  
PLACE IN A CONTAINER. DIKE SPILL OF MIXED MATERIALS. MIX  
W/ABSORBENT



ER MORTAR ARE NON-HAZARDOUS UNDER RCRA.

EMPTY CONTAINERS MAY RETAIN SMALL AMOUNTS OF RESIDUE PRODUCT.  
DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person  
utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.