

PELMOR LABORATORIES INC -- PLV 2000

=====  
MSDS Safety Information  
=====

FSC: 8040  
NIIN: 01-043-9878  
MSDS Date: 06/02/1992  
MSDS Num: CGSXP  
Product ID: PLV 2000  
MFN: 04  
Responsible Party  
Cage: EO919  
Name: PELMOR LABORATORIES INC  
Address: 401 LAFAYETTE ST  
City: NEWTOWN PA 18940  
Info Phone Num  
ber: 800-424-9300(CHEMTREC)  
Emergency Phone Number: 800-424-9300(CHEMTREC)  
Proprietary Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 24802  
Name: PELMOR LAB/NEWTOWN, PA 18940  
Address: 401 LAFAYETTE STREET  
City: NEWTOWN PA 18940  
Phone: UNKNOWN  
Cage: EO919  
Name: PELMOR LABORATORIES INC  
Address: 401 LAFAYETTE ST  
City: NEWTOWN PA 18940-2151  
Phone: 215-968-3825

=====  
Item Description Information  
=====

Item Manager: S9I  
Item Name: ADHESIVE  
Unit of Issue: EA  
UI Container Qty: B

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

=====  
Health Hazards Data  
=====

==  
LD50 LC50 Mixture: LD50 (ORAL, RAT): 3.3 - 3.7 G/KG.  
Route Of Entry Inds - Inhalation: YES  
Skin: YES  
Ingestion: YES  
Carcinogenicity Inds - NTP: NO  
IARC: NO  
OSHA: NO

Effects of Exposure: ACUTE: EYES: IRRIT & BURNING SENSATION. SKIN: DRYING, IRRIT. INHAL: IRRITATES EYES, NOSE & RESPIRATORY TRACT. HEADACHE, DIZZINESS AND, IN EXTREME CASES, UNCONSCIOUSNESS. INGEST: IRRIT. INGEST OF SEVERAL OUNCES CAN CAUSE NARCOSIS & ACIDOSIS. CHRONIC: EYES: IRRIT. SKIN: PROLONGED/REPEATED CONTACT MAY CAUSE DERMATITIS.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: IMMEDIATELY WASH WITH PLENTY OF WATER, INCLUDING UNDER EYELIDS, FOR AT LEAST 15 MIN. SKIN: WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING IMMEDIATELY. INGEST: IF VICTIM IS CONSCIOUS & MEDICAL HELP IS NOT READILY AVAILABLE, GIVE HIM 3 GLASSES OF WATER/MILK TO DRINK & INDUCE VOMIT. GET MEDICAL HELP AS SOON AS

POSSIBLE, WITH SPECIAL ATTENTION TO ACIDOSIS. INHAL: REMOVE VICTIM TO FRESH AIR. IF REQUIRED, RESTORE BREATHING BY ARTIFICIAL RESPIRATION (SUPPORT DATA)

=====  
Handling and Disposal  
=====

Spill Release Procedures: AVOID ALL PERSONAL CONTACT. USE ALL SAFETY EQUIPMENT. CONTAIN THE SPILL. SOAK UP THE PRODUCT WITH ABSORBENT MATERIAL AND SHOVEL IT INTO EMPTY DRUMS. HOLD FOR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: UNDER THE RCRA REGS, IT IS THE RESPONSIBILITY OF THE USER OF PRODUCT TO DETERMINE, AT TIME OF DISPOSAL, WHETHER PRODUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE. THIS IS BECAUSE PRODUCT USES/CONTAMINATION MAY RESULT IN HAZARDOUS WASTE. THIS PRODUCT, IF (SUPPORT DATA)

Handling And Storage Precautions: STORE IN A COOL DRY AREA, AWAY FROM HEAT, SPARKS, AND OPEN FLAMES AND OXIDIZING AGENTS.

Other Precautions: DO NOT EXPOSE TO ANY SOURCE OF IGNITION. USE ONLY IN WELL-

VENTILATED AREAS. AVOID INHALATION OF SOLVENT FUMES OR SKIN CONTACT WITH SOLUTION. STORE AT ROOM TEMPERATURE (80F OR BELOW). DO NOT INGEST.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: TCC

Flash Point Text: 21.0F,-6.1C

Lower Limits: 1.8%

Upper Limits: 10.0%

Extinguishing Media: USE CARBON DIOXIDE, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM, WATER SPRAY.

Fire Fighting

Procedures: WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: VAPORS ARE HEAVIER THAN AIR AND CAN FLOW ALONG SURFACES TO A DISTANT SOURCE OF IGNITION AND FLASH BACK.

=====  
Control Measures  
=====

Respiratory Protection: FOR EMERGENCY OR NON ROUTINE USE ABOVE THE TLV, USE NIOSH APPROVED FULL FACEPIECE ORGANIC VAPOR CANISTER VAPOR MASK. FOR UNKNOWN

CONCENTRATIONS/THOSE ABOVE 3000 PPM, USE NIOSH APPROVED SCBA OR AIR SUP PLIED RESPIRATOR.

Ventilation: PROVIDE GENERAL & LOCAL EXHST FUME VENT TO MEET TLV REQUIREMENTS. ALL ELEC SERVICES MUST BE OF EXPLO-PROOF CONSTRUCTION.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment: ANSI APPROVED EMERGENCY EYEWASH & DELUGE SHOWER (FP N). IF SPLASHING MAY OCCUR, USE APRON & OTHER PROTECTIVE CLOTHING.

Work Hygienic Practices

: DO NOT USE CONTACT LENSES WHEN WORKING WITH THIS PRODUCT.

Supplemental Safety and Health: FIRST AID PROCEDURE: RESUSCITATION. KEEP VICTIM WARM AND AT REST. GET IMMEDIATE MEDICAL ATTENTION. WASTE DISPOSAL METHOD: DISCARDED AS RECEIVED, IS A HAZARDOUS WASTE AND BEARS EPA HAZARDOUS WASTE #F00 5. DISPOSE OF IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS (FP N).

=====  
Physical/Chemical Properties  
=====

=====  
B.P. Text: 176F,80C  
Vapor Pres: 72  
Vapor Density: HVR/AIR  
Spec Gravity: 0.910  
Solubility in Water: SLIGHT  
Appearance and Odor: BLACK LIQUID WITH SWEET SOLVENT ODOR.  
Percent Volatiles by Volume: 80(WT)  
=====

Reactivity Data

=====  
Stability Indicator: YES  
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.  
Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.  
Hazardous  
Decomposition Products: TOXIC & CORROSIVE DECOMPOSITION & OXIDATION  
PRODS CAN FORM WHEN PROD IS HEATED TO HIGH TEMPERATURES IN FIRE SITUATIONS.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NOT RELEVANT.  
=====

Toxicological Information

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

Regulatory Information  
=====

Other Information  
=====

HAZCOM Label  
=====

=====  
Product ID: PLV 2000  
Cage: EO919  
Assigned IND: Y  
Company Name: PELMOR LABORATORIES INC  
Street: 401 LAFAYETTE ST  
City: NEWTOWN PA  
Zipcode: 18940-2151  
Health Emergency Phone: 800-424-9300(CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 03/06/1998  
Status Code: C  
Label Date: 03/06/1998  
Origination Code: F  
Chronic Hazard IND: Y  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: DANGER  
Respiratory Protection IND: YES  
Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: Severe

Reactivity Hazard: Slight

Hazard And Precautions: FLAMMABLE. DECOMPOSITION PRODUCTS MAY BE TOXIC AND CORROSIVE. ACUTE: EYES: IRRITATION AND BURNING SENSATION. SKIN: DRYING, IRRITATION. INHALATION: IRRITATES EYES, NOSE & RESPIRATORY TRACT. HEADACHE, DIZZINESS AND, IN EXTREME CASES, UNCONSCIOUSNESS. INGESTION: IRRITATION. INGESTION OF SEVERAL OUNCES CAN CAUSE NARCOSIS AND ACIDOSIS. CHRONIC: EYES: IRRITATION. SKIN: PROLONGED OR REPEATED CONTACT MAY CAUSE DERMATITIS.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.