View NSN Online: https://aerobasegroup.ae/nsn/5970-01-015-2097

Product ID:CATALYST 24LV MSDS Date:01/17/1996 FSC:5970 NIIN:01-015-2097 Kit Part:Y MSDS Number: CHKYB === Responsible Party === Company Name: EMERSON CUMING INC. Address:55 HAYDEN AVE City:LEXINGTON State:MA ZIP:02173 Country:US Info Phone Num:617-402-9100/617-861-6600 Emergency Phone Num:800-424-9300(CHEMTR EC) Preparer's Name: DAVID HAAS CAGE:0B562 === Contractor Identification === **Company Name: EMERSON & CUMING** Address:55 HAYDEN AVE Box:City:LEXINGTON State:MA ZIP:02173 Country:US Phone:617-861-6600 CAGE:0B562 Company Name: GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM Address:869 WASHINGTON ST City:CANTON State:MA ZIP:02021-2513 Country:US Phone:617-935-4850 CAGE:04552

Ingred Name:POLYGLYCOL DIAMINE Fraction by Wt: 100% Othe LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:CORRO,BURNS,CORNEAL INJURY.PERM IMPAIRMENT OF VISION,BLINDNESS.SKIN:CORRO,SEVERE BURNS,BLISTERING.SKIN SENS/ALLERGIC RX-SEVERE IN CERTAIN PEOPLE.HARMFUL IF ABSORBED THRU SKIN.INHAL:VAP IRRIT, NAU,H EADACHE.INEST:HARMFUL,BURNS MOUTH/UPPERGASTROINTESTINAL

TRACT.CHRONIC:NONE KNOWN. Effects of Overexposure:EYE CORRO,BURNS,CORNEAL INJURY,PERM IMPAIRMENT OF VISION,BLINDNESS.SKIN CORR,SEVERE BURNS,BLISTERING.SKIN SENS/ALLERGIC RX.NAU,HEADCHE.HARMFUL IF INGEST,BURNS MOUTH/UPPER GI TRACT.

Medical Cond Aggravated by Exposure:EXPOSURE MAY AGGRAVATE PRE-EXISTING SKIN &/OR EYE DISORDERS.

First Aid:EYE:I

MMED FLUSH WELL W/H2O @LEAST 15MINS WHILE EYELIDS OPN.GET IMMED MED ATTN.SKIN:IMMED FLUSH W/LOTS OF H2O WHILE REMOVE CONTM CLOTH/SHOES.THEN WASH WELL W/SOAP/H2O.AVOID SCRUB-INCR ABSORPT/WORSEN EF FECT.GET MED ATTN.INHAL:MOVE TO FRESH AIR.CONSC/ALERT DIL BY GIVING H2O TO DRINK.NEVER GIVE ANYTHING BY MOUTH IF DROWSY/UNCONSC/CONVULS.GET IMMED MED ATTN.

Flash Point Method:PMCC Flash Point:260F,127C Lower Limit s:NE Upper Limits:NE Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures:FIREFIGHTERS/RESCUE PERSONNEL SHOULD WEAR +PRESSURE SCBA & FULL PROT EQPMT.COOL EXPO CNTNRS W/WATER-PREVENT PRESSURE BUILDUP.LG QUANT MATL INVOLVED (SUPPLEMENT) Unusual Fire/Explosion Hazard:DECOMPO/COMBUST PROD MAY BE TOXIC.CLOSED CONTAINERS MAY VIOLENTLY RUPTURE UNDER FIRE CONDITIONS.

Spill Release

Procedures: RESPONSE OPERATION MUST BE CONDUCTED IAW PROVISIONS OF 29CFR1910.120.REVIEW ENTIRE MSDS BEF PROCEEDING W/RESPONSE.ACTIVATE AVAI EXHAU VENTI IN IMMED AREA.WIPEUP/ABSORB W/VERMI/SIMILAR MATL.WASH AREA W /SOAPY H2O-REMOVES RESIDUE.COLLECT ABSORBED (SUPP) Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: STORE IN COOL DRY LOCATION W/ADEQU VENTI.KEEP CNTRN TIGHTLY SE AL WHEN NOT IN USE.KEEP AWAY FRM OPN FLAME/HEAT SOURCES. Other Precautions: CONSULT PROD TECHN BULLETIN FOR DETAIL STORAGE INFO. Respiratory Protection: USE APPROPRIATE PROPERLY FITTED RESPIRATOR IF EXPOSURES EXCEED PEL/TLV VALUES.TYPE OF PROTECTION SELECTED(SCBA, AIR-PURIFYING, ETC) WILL DEPEND UPON CONDITIONS OF USE.OBSERVE OSHA REGS FOR RESPIRATORY PR OTECTION (29CFR1910.134). Ventilation: PROVIDE SUFFI MECH EXHU **VENTI-DRAW VAP/MIST/FUME FRM** PROCESSES AWAY FRM WORKER, ESPEC HI TEMP WORK. Protective Gloves: APROPR PROTECTIVE GLOVES Eye Protection: FCSHLD W/SPLA PROOF CHEM GOG/CHEM SAF GL Other Protective Equipment: PROPER CHEM-RESIST APRON, ADDN IMPERV CLOTH.EMERG EYEWASH FACI, SAFETY SHOWER AVAI.WASH BEF EAT/DRINK/SMOKE. Work Hygienic Practices: DONT REUSE CONTAM CLOTH TIL PROPERLY CLEAN.CONTAM LEATHER ART/SHOES CANT BE DECONTAM-DESTROY.WASH HAND/FC WELL AFT HNDLG Supplemental Safety and Hea lth FIREFIGHT: EVACUATE AREA, FIGHT FIRE FROM SAFE DISTANCE. DECOMPO PRODS:WILL VARY DEPENDING ON COMBUST CONDITIONS. SPILL:MATL/WATER RINSES IN APPROP CNTNR. DISPO OF IAW CURRENT FED/STATE/LOC REGS.LG:LIMIT ACCESS.SHUT OFF W/O RISK.ACTIVATE VENTI.DIKE/PREVENT ENTRY SEWER/DRAIN/WATERWAYS.COLLECT/DISPO IAW CURRENT FED/STATE/LO

HCC:N1 Boiling Pt:B.P. Text:>480F,>249C Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Deco mp Text:NP Vapor Pres:AIR Spec Gravity:1.00 pH:NP Evaporation Rate & amp; Reference:NP Solubility in Water:SOLUBLE Appearance and Odor:AMBER LIQUID, AMINE ODOR Percent Volatiles by Volume:ND Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS,ACIDS,BASES,EPOXIDES.
Stability Condition to Avoid:AVOID STORAGE IN OPN CNTNR,EXPO TO OPN FLAMES,UNCNTRLD EXPO TO HEAT/UNCNTRLD MIX W/EPOXIES OR EXPO TO I
NCOMPAT SUBSTANCE
Hazardous Decomposition Products:CO,CO2,OXIDES OF NITROGEN,AMINES,OTHER ORG SUBST MAY BE FORM DURING COMBUST.CHEM NATURE/QUANT OF DECOMPO BYPRODS(SUPPLE)
Conditions to Avoid Polymerization:UNCONTROLLED MIXING W/AMINES,ANHYDRIDES,MERCAPTANS,IMIDAZOLES MAY CAUSE HAZ POLYMERIZATON.

Waste Disposal Methods:DOESNT CONTAIN ANY SUBSTANCES REG BY SARA SEC 313.DISPOSE OF IAW CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to th eir

particular situation.