

GENERAL ELECTRIC COMPANY -- SILICONE RUBBER -- 9320-00-995-3389  
===== Product Identification =====

Product ID:SILICONE RUBBER  
MSDS Date:06/09/1998  
FSC:9320  
NIIN:00-995-3389  
Kit Part:Y  
MSDS Number: CHMCZ  
=== Responsible Party ===  
Company Name:GENERAL ELECTRIC COMPANY  
Address:3135 EASTON TURNPIKE  
City:FAIRFIELD  
State:CT  
ZIP:06431  
Country:US  
Info Phone Num:203-254-5400  
Emergency Phone Num:203-254-540  
0  
Preparer's Name:C.E. HANNIGAN  
CAGE:0D426  
=== Contractor Identification ===  
Company Name:GENERAL ELECTRIC COMPANY  
Address:3135 EASTON TURNPIKE  
Box:City:FAIRFIELD  
State:CT  
ZIP:06431  
Country:US  
Phone:203-254-5400  
CAGE:0D426

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL SILICATE 40  
CAS:11099-06-2  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 TWA  
ACGIH TLV:10 TWA  
  
Ingred Name:DIATOMACEOUS EARTH  
CAS:68855-54-9  
Fraction by Wt: 10-30%  
Ot

her REC Limits:NONE RECOMMENDED  
OSHA PEL:0.05 TWA  
ACGIH TLV:0.05 TWA

Ingred Name:DIMETHYL POLYSILOXANE  
CAS:70131-67-8  
Fraction by Wt: 30-60%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE  
CAS:1309-37-1  
RTECS #:NO7400000  
Fraction by Wt: 30-60%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3 (FE)  
ACGIH TLV:5MG(FE)/M3FUME,B2;96

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:N  
O IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY BE HARMFUL IF SWALLOWED. SKIN CONTACT: UNCURED PRODUCT CONTACT MAY IRRITATE THE SKIN. INHALATION: MAY CAUSE MILD RESPIRATORY IRRITATION. EYE: MAY IRRITATE EYES. TARGET ORGANS: RESPIRATORY AILMENTS , LIVER AND KIDNEY DAMAGE.

Explanation of Carcinogenicity:THIS PRODUCT OR ONE OF ITS INGREDIENTS PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECT CARCINOGEN.

Effects of Overexposure:FORMALDEHYDE IS A SKIN AND RESPIRATORY

SENSITIZER, EYE AND THROAT IRRITANT, CUTaneous TOXICANT AND POTENTIAL CANCER HAZARD.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====  
===== First Aid Measures =====

First Aid:INGESTION-NONE KNOWN. SKIN-WASH WITH SOAP AND WATER. INHALATION-NONE KNOWN. EYES-IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MIN AND GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

=====  
===== Fire Fighting Measure

S =====

Flash Point Method:PMCC

Flash Point:228F,109C

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:NONE KNOWN.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOAL. WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUE SLIPPING HAZARD. WEAR PROPER PRO

TECTIVE EQUIPMENT AS SPECIFIED.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH EYES.

Other Precautions:NONE,

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE KNOWN.

Ventilation:NONE KNOWN.

Protective Gloves:CLOTH GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:EYEWASH STATION,

Work Hygienic Practices:WASH AFTER HANDLING.

Supplementa

I Safety and Health

KEY1:N1

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>334F,>168C

Vapor Density:>7

Spec Gravity:1.48

Solubility in Water:SLIGHT

Appearance and Odor:LIQUID. SLIGHT ODOR. RED COLOR.

Percent Volatiles by Volume: