

ANY COMPANY -- GASKET, NONHAZARDOUS -- 5330-01-099-4603

===== Product Identification =====

Product ID: GASKET, NONHAZARDOUS

MSDS Date: 08/03/1998

FSC: 5330

NIIN: 01-099-4603

MSDS Number: CHMDV

=== Responsible Party ===

Company Name: ANY COMPANY

Address: WHEREVER

City: WHEREVER

Country: US

Preparer's Name: DOD HMIS/DSCR-VBA

CAGE: MO915

=== Contractor Identification ===

Company Name: ANY COMPANY

Address: WHEREVER

Box: City: WHEREVER

Country: US

CAGE: MO915

===== Composition/Information on Ingredients =====

Ingred Name: THE GASKET MATERIAL DESCRIBED BY THE MSDS MAY CONTAIN ONE OR MORE OF THE FOLLOWING INGREDIENTS.

RTECS #: 9999999ZZ

Ingred Name: CORK

RTECS #: 9999999ZZ

Other REC Limits: NONE SPECIFIED

OSHA PEL: 5 MG/M3 RESP FRACT

ACGIH TLV: 10 MG/M3

Ingred Name: PARTICULATES NOT OTHERWISE CLASSIFIED (ANY NONHAZARDOUS MATERIALS)

Other REC Limits: NONE SPECIFIED

OSHA PEL: 5 MG/M3 RESP FRACT

ACGIH TLV:10 MG/M3

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT IS AN ARTICLE. MSDS COVERS
HAZARDOUS DUST PRODUCED WHEN ARTICLE IS CUT, SANDED, GROUND, SAWED,
ETC. INHALATION OF INERT DUST IS THE CHRONIC AND ACUTE HAZARD.
Explanation of Carcinogenicity:THE PRODUCT CONTAINS NO INGREDIENT THAT
IS LISTED BY IARC, NT
P OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYES: MECHANICAL IRRITATION BY DUST. SKIN:
POSSIBLE MECHANICAL IRRITATION BY DUST. INHALATION OF DUST:
TRANSIENT MECHANICAL IRRITATION OF RESPIRATORY TRACT AND PULMONARY
DAMAGE BY CHRONIC OVEREXPOSURE TO THE DUST. INGESTION: NON-TOXIC.
NO KNOWN SYMPTOMS.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SKIN: W
ASH WITH SOAP
AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DO NOT
INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER. OBSERVE FOR
SYMPTOMS AND GET MEDICAL CARE IF NEEDED. GIVE NOTHING BY MOUTH IF
UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL
ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:FIRE
FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
Accidental Release Measures
=====

Spill Release Procedures:SWEEP UP OR VACUUM. USE CARE TO KEEP
RESPIRABLE DUST TO A MINIMUM AND USE RESPIRATOR IF NECESSARY.
Neutralizing Agent:NONE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.