View NSN Online: https://aerobasegroup.ae/nsn/3655-01-220-2158 FISHER SCIENTIFIC, CHEMICAL DIV. -- SP236200 POTASSIUM HYDROXIDE SOLUTION 40-50% --3655-01-220-2158 ============= Product Identification ======================== Product ID:SP236200 POTASSIUM HYDROXIDE SOLUTION 40-50% MSDS Date:09/02/1997 FSC:3655 NIIN:01-220-2158 MSDS Number: CHMFF === Responsible Party === Company Name: FISHER SCIENTIFIC, CHEMICAL DIV. Address:1 REAGENT LANE City:FAIR LAWN State:NJ ZIP:07410 Country:US

In

fo Phone Num:201-796-7100 OR 201-796-7523

Emergency Phone Num:201-796-7100/800-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address: 1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802 Country:US

Phone:201-796-7100

CAGE:1B464

======= Composition/Information on Ingredients ========

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)

CAS:1310-58-3

RTECS #:TT2100000 Fraction by Wt: 40-50%

Other REC Limits: NONE RECOMMEND

ED

OSHA PEL:C 2 MG/M3

ACGIH TLV:C 2 MG/M3; 9596

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: BALANCE

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification ============

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:CAUSES SEVERE BURNS.MAY CAUSE

IRREVERS EYE INJURY.CONTACT MAY CAUSE ULCERATION OF CONJUNCTIVA/CORNEA.EYE DMG MAY BE DELAYED.SKIN:CAUSES BURNS.MAY CAUSE DEEP,PENETRATING ULCERS.INGEST:MAY CAUSE CIR CULATORY SYSTEM FAILURE.MAY CAUSE PERFORATION OF DIGESTIVE TRACT.CAUSES SEVERE DIGESTIVE TRACT BURNS W/ABD (SIGN/SYMPTO)

Explanation of Carcinogenicity: PER MSDS: INGREDS NOT LISTED BY ACGIH, IARC, NIOSH, NTP, OSHA AS CARCINOGENS.

Effects of Overexposure:HEALTH:PAIN,VOMITING,POSSIBLE DEATH.INHAL:IRRIT MAY LEAD TO

CHEM PNEUMONITIS, PULM EDEMA. CAUSES SEVERE IRRIT OF UPPER RESP TRACT W/COUGHING, BURNS, BREATHING DIFFICULTY, POSSIBLE COMA. CHRONIC: PROL/REP SKI N CONTACT MAY CAUSE DERM. PROL/REP EYE CONTACT MAY CAUSE CONJUNCTIVITIS.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:IMMED FLUSH W/PLENTY OF H2O @LEAST 15MINS,LIFT EYELIDS.GET MED AID IMMED.SKIN:GET MED AID IMMED.IMMED FLUSH W/PLE

NTY OF SOAP/H2O @LEAST 15MINS WHILE REMOVE CONTAM CLOTH/SHOES.INGEST:DONT INDUCE VO MIT.VICTIM CONSC/ALERT GIVE 2-4 CUPFULSOF MILK/H2O.NEVER GIVE ANYHTING BY MOUTH IF UNCONSC.GET MED AID IMMED.INHAL:GET MED AID IMMED.REMOVE TO FRESH AIR IMMED.NOT BREATH GIVE ART RESP;BREATH(SUPPLEM)

======= F	Fire Fighting	Measures	=======================================
-----------	---------------	----------	---

Flash Point: N/AVAILABLE

Autoignition Temp: Autoignition Temp Text: B/AVAI

Lower Limits:N/AVAI Upper Limits:N/AVAI Extinguishing Med

ia:SM FIRES:USE DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR ALCHOL-RESIST FOAM.

Fire Fighting Procedures:WEAR APPROP PROT CLOTH-PREVENT SKIN/EYE CONTACT.WEAR SCBA TO PREVENT THERM DECOMPO PROD CONTACT.USE H2O W/CAUT & IN FLOODING AMTS.CONTACT W/MOISTURE/H2O(SUPPLE) Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

	Accidental Release Measures	
--	-----------------------------	--

Spill Release Procedures:USE PROPER PPE AS INDICATED IN MSDS.ABSORB SPILL W/INERT MATL(

E.G. DRY SAND, EARTH), THEN PLACE INTO CHEM WASTE CNTNR.NEUTRALIZE SPILL WITH WEAK ACID SUCH AS VINEGAR OR ACETIC ACID. Neutralizing Agent:WEAK ACID SUCH AS VINEGAR OR ACETIC ACID. =========== Handling and Storage ============================ Handling and Storage Precautions: WASH THOROUGHLY AFAT HNDLG.REMOVE CONTAM CLOTH:WASH BEF REUSE.USE W/ADEQU VENTI.DONT GET IN EYE/SKIN/CLOTH.DONT INGEST/INHAL.STORE IN TIGHTLY CLSD CNT Other Precautions: STORE IN COOL DRY WELL-VENTI AREA AWAY FROM INCOMPATIBLE SUBSTANCES.KEEP AWAY FROM STRONG ACIDS. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: FOLLOW OSHA RESPIRATOR REGUALTIONS FOUND IN 29CFR1910.134.ALWAYS USE NIOSH-APPROVED RESPIRATOR WHEN NECESSARY. Ventilation: USE ADEQU GENERAL OR LOCAL EXHAUST VENTI TO KEEP AIRBORNE CONCENTRATIONS BELOW PERMISSIBLE EXPO LIMITS. Protective Gloves: APPROPRIATE GLOVES Eye Protection: EYEGLASSES, CHE SAF GOGG PER 29CFR1910.1. Other Prote ctive Equipment: APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN EXPO. Work Hygienic Practices: DISCARD CONTAM CLOTH IN MANNER WHICH LIMITS FURTHER EXPO. Supplemental Safety and Health PH FOR 0.1M SOLN. 1STAID:DIFFI GIVE OXY.NOTES TO DR:TREAT SYMPT/SUPPROTIVELY.ANTIDOTE:NONE REPORTED. FIREFIGHT:MAY GENERATE SUFFIC HEAT TO IGN NEARBY COMBUST MATLS. ========= Physical/Chemical Properties =========== HCC:B1 Boiling Pt:B.P. Text:271F,133C Melt/Freeze Pt:M.P/F.P Text :48.0F,8.9C Decomp Temp:Decomp Text:N/AVAI pH:12.0 Viscosity:3.7CP Evaporation Rate & Deference: N/AVAI

Vapor Pres:2.6 Vapor Density:0.62 Spec Gravity:1.51

Solubility in Water: COMPLETELY

Appearance and Odor:LIQUID, CLEAR TO SLIGHTLY TURBID, ODORLESS

Percent Volatiles by Volume:NP

Corrosion Rate:NP

======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES NOT AVIALABLE. HMIS:ACIDS,METALS. Stability Condition to Avoid: INCOMPATIBLE MATLS, AC

IDS, METALS.	
Hazardous Decomposition Products: OXIDES OF POTASSIUM	1

======= Disposal Considerations ===========

Waste Disposal Methods:DISPO OF IN MANNER CONSISTENT W/LOCAL, STATE AND FEDERAL REGULATIONS.RCRA-NOT LISTED.NOT LISTED AS MATL BANNED FROM LAND FISPO ACCORDING TO RCRA.POTASSIUM HYDROXIDE LISTED AS HAZ SUBST UNDER CWA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.