

RECKITT & COLMAN INC -- 09-D0073-000; PROFESSIONAL SCENE 2 (SUPDAT) -- 7930-01-388-9467

===== Product Identification =====

Product ID:09-D0073-000; PROFESSIONAL SCENE 2 (SUPDAT)

MSDS Date:04/21/1997

FSC:7930

NIIN:01-388-9467

Status Code:A

MSDS Number: CHVPB

==== Responsible Party ===

Company Name:RECKITT & COLMAN INC

Address:225 SUMMIT AVE

City:MONTVALE

State:NJ

ZIP:07645

Country:US

Info Phone Num:

201-573-5700

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:RECKI

==== Contractor Identification ===

Company Name:RECKITT & COLMAN HOUSEHOLD PRODUCTS

Box:941

City:WAYNE

State:NJ

ZIP:07474-0941

Country:US

Phone:201-633-6700

CAGE:RECKI

Company Name:RECKITT & COLMAN INC

Address:225 SUMMIT AVE

Box:City:MONTVALE

State:NJ

ZIP:07645

Country:US

Phone:201-573-5700

CAGE:73820

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6

300000

Fraction by Wt: 12.0%

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9495

Ingred Name:2-PROPANOL, 1-BUTOXY; (N-BUTOXYPROPANOL)

CAS:5131-66-8

RTECS #:UA7700000

Fraction by Wt: 3.0%

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:TETRASODIUM ETHYLENEDIAMINE TETRAACETATE

CAS:64-02-8

RTECS #:AH5075000

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:ALCOHOL ETHOXYSULFATE AMMONIUM SALT

CAS:67762-19-0

OSHA PEL:N/K

ACGIH TLV:N/K

=====

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: SKIN AND EYES: MAY CAUSE
IRRITATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER

===== First Aid Measures =====

First Aid:INHAL: NONE NORMALLY REQUIRED. REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O₂/ARTF RESP) . SKIN: FLUSH AREA WITH PLENTY OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. EYES: IMMEDIATE LY FLUSH EYES THOROUGHLY WITH WATER, REMOVE ANY CONTACT LENSES, AND CONTINUE TO FLUSH EYES W/PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INGEST: CONTACT M

D.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:107F,42C

Extinguishing Media:USE WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE, AS SUITABLE FOR THE SURROUNDING FIRE.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:COMBUSTIBLE. KEEP AWAY FROM HEAT, SPARK OR FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:SPI

LLS MAY BE FLUSHED TO SEWER WITH LARGE QUANTITIES OF WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:COMBUSTIBLE. KEEP AWAY FROM HEAT, SPARK OR FLAME. AVOID CONTACT WITH EYES AND SKIN. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED. N

IOSH APPROVED RESPIRATOR

APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NONE REQUIRED.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET
ANSI DESIGN CRITERIA .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

MFR'S TRADE NAME/PART #: CONCENTRATED GLASS. CLEANER 1 GAL.

===== Physical/Chemical Properties =====

B

oiling Pt:B.P. Text: