

ENGELHARD CORP., CHEMICAL CATALYSTS GROUP -- DESICCITE 25 -- 6850-00-935-9797
===== Product Identification =====

Product ID:DESICCITE 25
MSDS Date:06/08/1998
FSC:6850
NIIN:00-935-9797
Status Code:A
MSDS Number: CHVWN
=== Responsible Party ===
Company Name:ENGELHARD CORP., CHEMICAL CATALYSTS GROUP
Address:600 E. MCDOWELL ROAD
City:JACKSON
State:MS
ZIP:39204
Country:US
Info Phone Num:800-458-8650 OR
800-654-4039
Emergency Phone Num:800-458-8650/800-424-9300(CHEMTREC)
CAGE:0NH81
=== Contractor Identification ===
Company Name:ENGELHARD CORP
Address:600 E. MCDOWELL ROAD
Box:City:JACKSON
State:MS
ZIP:39204
Country:US
Phone:800-458-6850 / 601-948-3966
CAGE:0NH81

===== Composition/Information on Ingredients =====

Ingred Name:BENTONITE (INCLUDES INGREDIENTS 2 AND 3.)
CAS:1302-78-9
RTECS #:CT9450000
Fraction by Wt: SEE 2&3%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (DU

ST)
ACGIH TLV:5 MG/M3 (DUST)

Ingred Name:SILICA, CRYSTALLINE - QUARTZ
CAS:14808-60-7
RTECS #:VV7330000
Fraction by Wt: 1 - 3%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:SEE TABLE Z-3
ACGIH TLV:0.1 MG/M3 RDUST;9495

Ingred Name:ALUMINUM SILICATE,
CAS:12141-46-7
Fraction by Wt: 97%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports o
f Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY
TRACT. ACUTE- EYES:MAY CAUSE IRRITATION & DISCOMFORT. SKIN:MAY
CAUSE IRRITATION, REDNESS. INHALE:CAUSES RESPIRATORY TRACT
IRRITATION & MAY CAUSE DISABLING, PROGRES SIVE PULMONARY FIBROSIS
(SILICOSIS). ORAL:NO ADVERSE EFFECTS EXPECTED. CHRONIC- INHALATION
MAY CAUSE LUNG DAMAGE.
Explanation of Carcinogenicity:CONTAINS CRYSTALLINE SILICA (QUARTZ).
Effects of Over
exposure:IRRITATION, COUGH, DYSPNEA, WHEEZING, CHEST
DISCOMFORT
Medical Cond Aggravated by Exposure:BREATHING OF DUST MAY AGGRAVATE
EXISTING MEDICAL CONDITIONS SUCH AS RESPIRATORY AILMENTS.

===== First Aid Measures =====

First Aid:GET MEDICAL CARE IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH
WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: FLUSH WITH
PLENTY OF WATER. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF
NEED ED. SWAL

LOWED:IF LARGE QUANTITIES INGESTED, CONTACT PHYSICIAN.
NOTE TO PHYSICIAN:DESICCANT GENERATES HEAT AS IT ADSORBS WATER. USED
PRODUCT CAN CONTAIN HAZARDOUS CHEMICALS.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:UNUSED MATERIAL WILL NOT BURN. USE WATER, CARBON
DIOXIDE OR FOAM FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS. USED MATERIAL MAY PR
ODUCE
HAZARDOUS DECOMPOSITION PRODUCTS.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. CAREFULLY SWEEP OR
VACUUM THE SPILL AREA. COLLECT AND PLACE THE SPILLED MATERIAL IN A
WASTE DISPOSAL CONTAINER. AVOID DUSTING.
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY PLACE, IN TIGHTL
Y CLOSED
CONTAINER, AWAY FROM INCOMPATIBLE MATERIALS. KEEP OUT OF REACH OF
CHILDREN.
Other Precautions:WEAR GOGGLES IF DUST CAUSES EYE DISCOMFORT. WEAR A
PROPERLY FITTED NIOSH-APPROVED DUST RESPIRATOR FOR DUSTY
CONDITIONS. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER
HANDLING. AVOID CONTACT WIT H EYES. OPEN CONTAINER SLOWLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS ARE INADEQUATE TO
CONTRO
L DUST CONCENTRATIONS TO AN ACCEPTABLE LEVEL, A
NIOSH-APPROVED DUST RESPIRATOR SHOULD BE WORN IF NEEDED. IF
RESPIRATORS ARE USED, A PROGRAM SHOULD BE IN STITUTED TO COMPLY
WITH OSHA.
Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV
REQUIREMENTS.
Protective Gloves:COTTON/RUBBER/LATEX FOR REPEATED CONTACT
Eye Protection:SAFETY GOGGLES FOR DUSTY CONDITIONS
Other Protective Equipment:LONG SLEEVE WORK CLOTHING, EYE WASH FOUNTAIN
Work Hygienic Practices:WASH THOROUGHLY

BEFORE EATING, DRINKING OR
SMOKING. VACUUM UP ANY DUST. LAUNDRER CLOTHING BEFORE REUSE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
NRC/State Lic Num:NOT RELEVANT
Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN
Spec Gravity:2.4
Viscosity:NOT RELEVANT
Evaporation Rate & Reference:NOT RELEVANT
Solubility in Water:NEGLIGIBLE
Appearance and Odor:GREY TO OFF-WHITE GRANULES; ODORLESS

===== Stability and Reactivity Data =====
=====

Stability Indicator/Materials to Avoid:YES
STRONG ALKALI, STRONG OXIDIZING AGENTS
Stability Condition to Avoid:MOISTURE
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISCARD ANY PRODUCT (INCLUDING ANY RETAINED
MATERIALS OF USE), DISPOSABLE CONTAINERS OR LINER IN AN
ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with
this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.