

ECOLINK INC -- PREP RITE -- 6850-01-454-6489

===== Product Identification =====

Product ID:PREP RITE
MSDS Date:05/28/1998
FSC:6850
NIIN:01-454-6489
Status Code:A
MSDS Number: CHWCR
=== Responsible Party ===
Company Name:ECOLINK INC
Address:1481 ROCK MOUNTAIN BLVD
City:STONE MOUNTAIN
State:GA
ZIP:30083
Country:US
Info Phone Num:(800) 886-8240 OR 404-621-8240
Emergency Phone Num:(800) 886-8240 OR 40
4-621-8240
CAGE:0WU71
=== Contractor Identification ===
Company Name:ECOLINK INC
Address:1481 ROCK MOUNTAIN BLVD
Box:City:STONE MOUNTAIN
State:GA
ZIP:30083-1505
Country:US
Phone:800-886-8240/770-621-8240
CAGE:0WU71

===== Composition/Information on Ingredients =====

Ingred Name:N-METHYLPYRROLIDONE
CAS:872-50-4
RTECS #:UY5790000
Fraction by Wt: 91%
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE
CAS:102-71-6
RTECS #:KL9275000
Fraction by Wt: 5-8%
Other REC Limits

:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES-VAPORS SLIGHTLY UNCOMFORTABLE,
SPLASHING IRRITATING. SKIN-WILL CAUSE SEVERE DERMATITIS ON REPEATED
PROLONGED CONTACT.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:INHALATION-PALLOR, NAUSEA, L

ACK OF

COORDINATION, STUPOR. EYES-WILL CAUSE PAINFUL BURNING OR STINGING
OF EYES AND LIDS, WATERING EYES AND INFLAMMATION OF CONJUNCTIVIA.
SKIN-BLISTERS, CRACKING, EDEMA, REDNESS.

Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====

First Aid:EYE-FLUSH EYES WITH WATER FOR AT LEAST 15 MIN. CONSULT A
PHYSICIAN. SKIN CONTACT-WASH AFFECTED AREA WELL WITH SOAP AND
WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

INHALATION-REMOVE TO AN UNCONTAMINATED AREA, ADMINISTER OXYGEN IF
NECESSARY. IF VICTIM HAS STOPPED BREATHING, BEGIN CPR. GET MEDICAL
ATTENTION. INGESTED-IF CONSCIOUS, GIVE WATER BUT DO NOT INDUCE
VOMITING. GET IMMEDIATE MED. AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>200F,>93C

Extinguishing Media:WATER SPRAY, ALCOHOL FOAM, DRY CHEMICAL OR CARBON
DIOXIDE.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR POSITIVE
PRESSURE,

SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE. COOL FIRE
EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID. DANGEROUS FIRE HAZARD
WHEN EXPOSED TO HEAT OR FLAME.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION! ABSORB LIQUID
WITH EARTH, SAND OR SIMILAR INERT MATERIAL AND DISPOSE OF WITH
SOLID WASTE ACCORDING TO LOCAL, STATE AND FEDERAL REG

ULATIONS.

FLUSH SPILL AREA WITH WATER.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER AND VAPORS AWAY FROM
HEAT AND FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE CONDITIONS.

Ventilation:LOCAL EXHAUST/HOOD OR FAN MAY BE USED. SET TO MAINTAIN

BELOW TLV. MECHANICAL/NONE REQUIRED.

Protective Gloves:IMPERVIOUS GLOVES ARE RECOMMENDED.

Eye Protection:CHEMICAL GOGGLES ARE RECOMMENDED.

Other Protective Equipment:NONE NORMALLY REQUIRED. Y SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING
MIST OR VAPOR. USE WITH ADEQUATE VENTILATION.

Supplemental Safety and Health

WASH EQUIPMENT WITH STEAM OR WARM WATER UNTIL CLEAN.

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:200F,93C

Melt/Freeze Pt:M.P/F.P Text:-4F,-20C

Vapor Pres:3.0

Spec Gravity:1.03

Evaporation Rate & Reference: