

MAGNOLIA PLASTICS INC -- MAGNOBOND 6398, B -- 8040-01-407-9122

===== Product Identification =====

Product ID:MAGNOBOND 6398, B

MSDS Date:08/15/1996

FSC:8040

NIIN:01-407-9122

Status Code:A

Kit Part:Y

MSDS Number: CHYQX

=== Responsible Party ===

Company Name:MAGNOLIA PLASTICS INC

Address:5547 PEACHTREE INDUSTRIAL BLVD

City:CHAMBLEE

State:GA

ZIP:30341

Country:US

Info Phone Num:800-457-4280

Emergency

Phone Num:770-451-2777

CAGE:22121

=== Contractor Identification ===

Company Name:MAGNOLIA PLASTICS INC

Address:5547 PEACHTREE INDUSTRIAL BLVD

Box:City:CHAMBLEE

State:GA

ZIP:30341-2234

Country:US

Phone:(770) 451-2777/(800) 457-4280

CAGE:22121

===== Composition/Information on Ingredients =====

Ingred Name:AMINES

Fraction by Wt: 90-95%

OSHA PEL:N/K

ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACT

URER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION: VAPORS ARE

IRRITATING TO SKIN & EYES. INGESTION: MODERATE TOXICITY; MAY CAUSE BURNS OF MOUTH AND THROAT. SKIN ABSORPTION: REPEATED OR PROLONGED EXPOSURE MAY BE HARMFUL. SKIN CONTACT : MAY CAUSE CHEMICAL BURNS AND/OR DEVELOP ALLERGIC SKIN REACTION. EYE CONTACT: MODERATELY IRRITATING, (EFTS OF OVEREXP)

Explanatio

n of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:HLTH HAZ: PERMANENT DAMAGE POSSIBLE ON PROLONGED EXPOSURE.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING. WASH FROM SKIN WITH SOAP AND WATER. LAUNDRER CLOTHING PRIOR TO RE-USING. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTEN TION. INHALATION

: REMOVE VICTIM TO FRESHAIR.

ADMINISTER OXYGEN IF NECESSARY. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE DOSES OF WATER. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>200F,>93C

Extinguishing Media:WATER SPRAY, FOAM CO*2, DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . AVOID BREATHING SMOKE. COOL FIRE EXPOSED CONTAINER WITH WATER.

Unusual Fire/Explosi
on Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:AVOID CONTACT WITH LIQUIDS AND VAPORS. WIPE WITH A CLOTH OR COLLECT ANY ABSORBENT MATERIAL. FOR LARGE SPILLS, DIKE AND CONTAIN. PUMP OR SHOVEL INTO SALVAGE VESSELS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA IN TIGHTLY CLOSED CONTAINERS. AV

OID CONTACT WITH SKIN AND EYES. USE WITH
ADEQUATE VENTILATION.

Other Precautions:USE GOOD HYGIENE PRACTICES. FOR INDUSTRIAL USE ONLY.
CORROSIVE. MAY CAUSE SEVERE EYE BURNS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR EXCESSIVE VAPORS OR TO MAINTAIN BELOW TLV
LIMIT, NIOSH APPROVED RESPIRATOR IN COMPLIANCE TO 29-CFR 1910.134.

Ventilation:LOCAL EXHAUST & MECHANICAL.

Protective Gloves:IMPERVIOUS RUBBER GLOVES.

Eye Protection:ANSI APPRV
D CHEM WORKERS GOGGS (SUPDAT)

Other Protective Equipment:ANSI APPRVD EYE WASH & DELUGE SHOWER . FOR
PROLONGED EXPOSURE, IMPERVIOUS CLOTHING AND BOOTS TO (SUPDAT)

Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

EYE PROT: & FULL LENGTH FACESHIELD . OTHER PROT EQUIP: MINIMIZE
PERSONAL CONTACT.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>225F,>107C

Vapor Pres:NIL

Vapor Density:>1

Spec Gravity:1.20 (H

*20 =1)

Evaporation Rate & Reference: