

WESTERN WATER MANAGEMENT/WESTERN CHEMICAL CO -- CLOSED CIRCUIT TREATMENT
8696-A -- 6850-01-185-1187

===== Product Identification =====

Product ID:CLOSED CIRCUIT TREATMENT 8696-A

MSDS Date:04/10/1995

FSC:6850

NIIN:01-185-1187

Status Code:A

MSDS Number: CJGVH

=== Responsible Party ===

Company Name:WESTERN WATER MANAGEMENT/WESTERN CHEMICAL CO

Address:1345 TANEY

City:NORTH KANSAS CITY

State:MO

ZIP:641

16-4414

Country:US

Info Phone Num:816-842-0560

Emergency Phone Num:816-842-0560

Preparer's Name:FRED HOPKINS

Chemtec Ind/Phone:(800)424-9300

CAGE:08824

=== Contractor Identification ===

Company Name:WESTERN WATER MANAGEMENT/WESTERN CHEMICAL CO

Address:1345 TANEY

Box:City:NORTH KANSAS CITY

State:MO

ZIP:64116-4414

Country:US

Phone:816-842-0560

Contract Num:DLA400-90-M-A422

CAGE:08824

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM NITRITE

CAS:7632-00-0

RT

ECS #:RA1225000

Minumum % Wt:65.

Code:F

Maxumum % Wt:70.

Code:F

Other REC Limits:NONE RECOMMENDED

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:SODIUM TETRABORATE PENTAHYDRATE

CAS:1303-96-4

RTECS #:VZ2275000

Minumum % Wt:8.

Code:F

Maxumum % Wt:12.

Code:F

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 MG/M3 TWA

ACGIH TLV:1 MG/M3 8 HR TWA

Ingred Name:BENZISOTRIAZOLE

CAS:95-14-7

RTECS #:DM1225000

Minumum % Wt:4.

Code:F

Maxumum % Wt:5.

Code:F

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) = 121 MG/KG (TECH SUPP)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: EYES, SKIN, RESPIRATORY AND GI TRACTS (HMIS). ACUTE - INHALATION: DUST OR MIST MAY IRRITATE RESPIRATORY TRACT. EYES: MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION WITH DISCOMFORT OR RASH. SODIUM NITRITE CAN BE ABSORBED

INTO BODY THROUGH SKIN AND LEAD TO NONSPECIFIC DISCOMFORT, SUCH AS NAUSEA, HEADACHE, OR WEAKNESS; REDUCTION OF BLOOD'S OXYGEN CARRYING CAPACITY WITH CYANOSIS, WEAKNESS, OR SHORTNESS OF BREATH BY FORMATION OF METHEMOGLOBINE; ANEMIA OR LOW BLOOD PRESSURE WITH DIZZINESS. SODIUM TETRABORATE MAY AFFECT CNS. INGESTION: MAY CAUSE IRRITATION. LARGE DOSES ARE TOXIC AND MAY CAUSE DEATH. CHRONIC - UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRIT

ATION, HEADACHE, DIZZINESS, NAUSEA,
VOMITING, DROWSINESS, TEARNING, BLURRED VISION, UNCONSCIOUSNESS,
WEAKNESS, FATIGUE, DIARRHEA, BLUISH DISCOLORATION OF SKIN, RASH,
SHORTNESS OF BREATH, ANEMIA, LOW BLOOD PRESSURE, COLLAPSE, COMA,
DEATH

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PREEXISTING
DISEASES OF THE CARDIOVASCULAR SYSTM AND BONE MARROW MAY HAVE
SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

=====
===== First Aid Measures =====
=====

First Aid:EYES: IMMEDIATELY FLUSH WITH LARGE AMOUNT OF WATER FOR AT
LEAST 15 MINUTES. HOLD LIDS OPEN TO ENSURE FLUSHING ENTIRE EYE
SURFACE. GET EMERGENCY MEDICAL ATTENTION. SKN: REMOVE CONTAMINATED
CLOTHING. WA SH CONTAMINATED SKIN WITH SOAP AND WATER. INHALATION:
REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF
BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. GET EMERGENCY
MEDICAL ATTENTIO N. INGESTION: HAVE CONSCIOUS PATIENT DRINK SEVERA
L
GLASSES OF WATER, THEN INDUCE VOMITING BY HAVING PATIENT TICKLE
BACK OF THROAT WITH FINGER. GET IMMEDIATE MEDICAL ATTENTION. NEVER
GIVE FLUID OR IND UCE VOMITING IF PATIENT IS UNCONSCIOUS.

=====
===== Fire Fighting Measures =====
=====

Flash Point:NONE

Lower Limits:NONFLAMMABLE

Upper Limits:NONFLAMMABLE

Extinguishing Media:FLOODING AMOUNTS OF WATER IN EARLY STAGES. HEAVY
WATER JET IS ADVANTAGEOUS.

Fire Fighting Procedures:ATTEMPT TO KEEP OUT OF SEWER. F
IREFIGHTERS

SHOULD ALWAYS WEAR PROTECTIVE CLOTHING AND POSITIVE PRESSURE
SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES NEAR
CHEMICALS.

Unusual Fire/Explosion Hazard:SODIUM NITRITE IS AN OXIDIZING AGENT-IT
CAN SUPPLY OXYGEN TO STIMULATE OR ACCELERATE THE COMBUSTION OF
ORGANIC OR OTHER COMBUSTIBLE MATERIALS. THERMAL DECOMPOSITION (AS
MAY BE EXPERIENCED IN A FIRE) M AY PRODUCE TOXIC AND HAZARDOUS
NITROGEN OXIDES, AND LEAVE A CAUSTIC RESIDUE.

=====

Accidental Release Measures =====

Spill Release Procedures:KEEP UNAUTHORIZED PERSONS OUT OF AREA. IF FLAMMABLE MATERIALS ARE PRESENT, MONITOR OPERATION WITH A CARBON DIOXIDE FIRE EXTINGUISHER. CLEAN UP SPILLS IMMEDIATELY BY SWEEPING OR SHOVELING UP MATERIAL AND PLACING INTO CLEAN FIBER/STEEL DRUM, CLOSE, AND LABEL "OXIDIZER". FLUSH SPILL AREA TO SEWER. ANY RELEASE OF PRODUCT TO ENVIRONMENT MAY BE SUBJECT TO FEDERAL, STATE, OR LOCAL REPORTING REQUIREMENTS

Neutralizing Agent:REDUCING AGENT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL AREA AWAY FROM INCOMPATIBLE MATERIALS. KEEP DRUM TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINER FROM PHYSICAL DAMAGE. DO NOT MIX WITH ANY OTHER CONCENTRATED CHEMICALS.

Other Precautions:DO NOT GET IN EYE, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. USE WITH ADEQUATE VENTILATION. KEEP OUT OF REACH OF CHILDREN. A WATER SOURCE AND SHOWER SHOULD BE INSTALLED IN STORAGE AND WORK AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED PARTICULATE RESPIRATOR IF DUSTY CONDITIONS EXIST IN EXCESS OF TLV.

Ventilation:LOCAL MECHANICAL EXHAUST VENTILATION IS PREFERRED TO CONTROL DUSTY CONDITIONS.

Protective Gloves:SYNTHETIC RUBBER

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EMERGENCY EYE WASH STATION, SAFETY SHOWER, L

LONG-SLEEVED SHIRT, AND LONG PANTS WORKER SHOULD WEAR ADEQUATE PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:D2

Spec Gravity:1.282 (80LBS/CU FT)

pH:~9 (1% SOLN)

Solubility in Water:~1 LB/GAL H2O

Appearance and Odor:OFF WHITE POWDER WITH NO APPRECIABLE O

DOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

COMBUSTIBLE MATERIALS, ACIDS, AMMONIUM COMPOUNDS (POSSIBLY INCLUDING SOME DRY CHEMICAL FIRE EXTINGUISHING MATERIALS), AMINES, ACTIVATED CARBON, REDUCING AGENTS-PARTICULARLY CYANIDES, THIOCYANATES, THIOSULFATES, ORGANICS, AN

Stability Condition to Avoid:NONE KNOWN (UNSTABLE WITH HEAT, TEMPERATURES OVER 550 F)

Hazardous Decomposition Products:THERMAL DECOMPOSITION (AS MAY BE

EXPERIENCED IN A FIRE) MAY PRODUCE TOXIC AND HAZARDOUS NITROGEN OXIDES. NITRITE COMPOUNDS MAY REACT WITH SECONDARY AMINES TO FORM SUSPECTED CANCER-CAUSING NITROSAMINES.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS REGARDING HEALTH AND POLLUTION.

===== Regulatory Information =====

SARA Title III Information:NONE

Federal Regulatory Information:ALL OF THE INGREDIENTS PRESENT IN THIS PRODUCT ARE LISTED IN THE TOXIC SUBSTANCE CONTROL ACT (TSCA) INVENTORY. OSHA HAZARD CLASSIFICATION: IRRITANT; TOXIC; OXIDIZER. REPORTABLE QUANTITY: 140 LBS.

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.