View NSN Online: https://aerobasegroup.ae/nsn/6850-01-409-0947 **CANON INC** -- NP-4835 TONER BLACK ______ MSDS Safety Information _____

FSC: 6850

NIIN: 01-409-0947 MSDS Date: 09/01/1997

MSDS Num: CJKTG

Product ID: NP-4835 TONER BLACK

MFN: 01

Responsible Party Cage: EO274

Name: CANON INC

Address: 30-2 SHIRMOMARUKO 3 CHOME

City: TOKYO, JAPAN NK 00000

Emer

gency Phone Number: 516-328-5600

Resp. Party Other MSDS No.: CPY-0184-003

Item Description Information

Item Manager: S9G

Item Name: TONER, DIRECT ELECTROSTATIC PROCESS

Specification Number: NONE Type/Grade/Class: NONE

Unit of Issue: EA UI Container Qtv: 0

Ingredients

Name: *

** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: SKIN, INHALATION, INGESTION: LOW HAZARD FOR RECOMMENDED HANDLING. EYES; NO SPECIFIC HAZARDS KNOWN. MAY CAUSE TRANSIENT IRRITATION.

Explanation Of Carcinogenicity: CARCINOGENICITY CLASSIFICATION

(COMPONENTS

PRESENT AT 0.1% OR MORE): NONE.

Signs And Symptions Of Overexposure: NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: INHALATION: IF SYMPTOMATIC, REMOVE FROM EXPOSURE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: ANY MATERIAL THAT CONTACT THE EYES SHOULD BE WASHED OUT IMMEDIATELY. GET MEDICAL ATTENT ION IF SYMPTOMS PERSIST. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS PE

RSIST. INGESTION: DRINK SEVERAL GLASSES OF WATER. SEEK MEDICAL ATTENTION.

Handling and Disposal

Spill Release Procedures: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.

DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS OF POWDERED TONER. THE FINE PARTICLES CAN CAUSE A FIRE OR EXPLOSION.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINCERATE OR L ANDFILL. CAN BE INCINERATED WHEN IN

COMPLIANCE WITH LOCAL REGULATIONS. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN.AVOID BREATHING DUST. KEEP FROM CONTACT WITH OXIDIZING MATERIALS. MINIMIZE DUST GENERATION AND ACCUMULATION. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. WASH TH OROUGHLY AFTER HANDLING. KEEP CONTAINERCLOSED.

Other Precautions: REFER TO PAMPHLET NO. 654, "PREVENTIO

N OF FIRE AND DUST

EXPLOSIONS IN THE CHEMICAL, DYE, PHARMACEUTICAL AND PLASTICS INDUSTRIES."

Fire and Explosion Hazard Information

Flash Point Text: NON-FLAMMABLE

Extinguishing Media: WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICALS. PRODUCT IS NON-FLAMMABLE SOLID (ACCORDING TO TEST METHOD OF 16 CFR 1500.44).

Fire Fighting Procedures: NONE.

Unusual Fire/Explosion Hazard: TONER MAT ERIAL, LIKE MOST ORGANIC MATERIAL IN

POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

Control Measures

Respiratory Protection: NONE REQUIRED WHEN USED IN INTENDED FASHION.

Ventilation: GOOD VENTILATION (TYPICALLY 4-6 ROOM VOLUMES PER HR) SHOULD BE

USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves: IMPERVIOUS GLOVES SHOULD BE WORN.

Eve Protection: IT IS

GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE EYE CONTACT.

Other Protective Equipment: RECOMMENDED DECONTAMINATION FACILITIES: WASHING FACILITIES.

Work Hygienic Practices: GOOD INDUSTRIAL HYGIENE PRACTICES SHOULD BE FOLLOWED WHICH INCLUDES PREVENTING EYE CONTACT, MINIMIZING SKIN CONTACT, INHALATION. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

Physical/Chemical Properties

========

HCC: N1

M.P/F.P Text: 100 - 150C

Spec Gravity: 1.4~1.6 (WATER=1)

Evaporation Rate & Dr. Reference: N/A (N-BUTYL ACET)

Solubility in Water: NEGLIGIBLE

Appearance and Odor: SOLID FINE POWDER, BLACK, WITH SLIGHT PLASTIC ODOR.

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avo

id: STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: COMBUSTION WILL PRODUCE CARBON DIOXIDE AND

POSSIBLY TOXIC CHEMICALS SUCH AS CARBON MONOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

Toxicological Information

Toxicological Information: HEALTH HAZARDS OF LONG TERM EXPOSURE (CHRONIC):

BASED UPON AVAILABLE DATA, HUMAN E

XPOSURE TO TONER HAS BEEN SHOWN TO CAUSE

MINIMAL RESPIRATORY TRACT IRRITATION AS MAY OCCUR WITH LARGE AMOUNTS OF ANY N ONTOXIC DUSTS. THE RESULTS OF ONE ANIMAL STUDY WHERE RATS INHALED TONER THAT WAS TEN TIMES MORE RESPIRABLE THAN COMMERCIALLY AVAILABLE TONER WERE OBSERVED

TO HAVE NO LUNG CHANGES AT LOW EXPOSURES. AT HIGHER LEVELS A SLIGHT DEGREE OF LUNG FIBROSIS WAS OBSERVED DUE TO EXCESSIVE AMOUNTS OF DUST RETAINED IN THE LUNGS FOR A PROLONGED INTERVAL.

Ecological Information

Ecological: THIS MATERIAL HAS NOT BEEN TESTED FOR ENVIRONEMENTAL EFFECTS. IN A SPILL SITUATION THIS MATERIAL MAY BE VISUALLY UNPLEASANT; HOWEVER, IT IS NOT EXPECTED TO CAUSE ANY ADVERSE ENVIRONMENTAL EFFECTS.

MSDS Transport Information

Transport Information: SHIPPING NAME: N

OT REGULATED.

Regulatory Information

Sara Title III Information: CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR 372: NONE.

Federal Regulatory Information: RCRA STATUS: IF DISCARDED IN ITS PURCHASED FORM, THIS PRODUCT WOULD NOT BE A HAZARDOUS MATERIAL EITHER BY LISTING OR BY

CHARATERISTIC. HOWEVER, UNDER RCRA, IT IS THE RESPONSIBILITY OF THE END-USER TO DETERMINE AT THE TIME OF DISPOSAL, WHETHER A MATERIAL A MATERIAL CONTAINING THE PRODUCT OR DERIVED FROM THE PRODUCT SHOULD BE CLASSIFIED AS HAZARDOUS WASTE; 40 CFR 261.20-24. TSCA STATUS:ALL CHEMICAL INGREDIENTS FOUND ON TSCA INVENTORY.

State Regulatory Information: MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: NONE. MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE HARMFUL REPRODUCTI

VE EFFECTS: NONE.

Other Information

Other Information: TOXICOLOGICAL DATA CONTINUED: MUTAGENICITY: SALMONELLA TYPHIMURIUM ESSAY (AMES TEST): NEGATIVE.

Transportation Information

Responsible Party Cage: EO274

Trans ID NO: 147487

Product ID: NP-4835 TONER BLACK

MSDS Prepare

d Date: 09/01/1997

Review Date: 08/24/1999

MFN: 1

Multiple KIT Number: 0 Unit Of Issue: EA Container QTY: 0

Additional Data: NOT REGULATED FOR TRANSPORTATION PER MANUFACTURER'S MSDS.

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

=========

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AF

I PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: NP-4835 TONER BLACK

Cage: EO274 Assigned IND: Y

Company Name: CANON INC

Street: 30-2 SHIMOMARUKO 3-CHOME, OHTA-KU

City: TOKYO NK Zipcode: 00000 Country: JA

Health Emergency Phone: 516-328-5600

Label Required IND: Y

Date Of Label Review: 08/24/1999

Status Code: A Origination

Code: F

Eye Protection IND: NO Skin Protection IND: NO Signal Word: NONE

Respiratory Protection IND: NO

Health Hazard: None Contact Hazard: None Fire Hazard: None Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: NONE. SKIN, INHALATION, INGESTION: LOW HAZARD FOR RECOMMENDED HANDLING. EYES: NO SPECIFIC HAZARDS KNOWN. MAY CAUSE TRANSIENT IRRITATION. MINIMIZE DUST GENERATION AND ACCUMULATION. USE W ITH ADEQUATE VENTILATION. IN CASE OF FIRE, USE WATER SPRAY, CARBON DIOXIDE, OR

RY CHEMICAL. IN CASE OF SPILL, SWEEP UP AND REMOVE. FLUSH RESIDUAL SPILL FROM AREA WITH WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or pe

rsons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Depart ment

of Defense or other government situation.