

DEBUS INC -- SBS-46 PROTECTIVE CREAM, SOLVENT-RESISTANT -- 6850-00-870-8995

===== Product Identification =====

Product ID:SBS-46 PROTECTIVE CREAM, SOLVENT-RESISTANT

MSDS Date:10/01/1998

FSC:6850

NIIN:00-870-8995

Status Code:A

MSDS Number: CJVJW

=== Responsible Party ===

Company Name:DEBUS INC

Address:1100 HIGHWAY 27 SOUTH

City:STANLEY

State:NC

ZIP:28164

Country:US

Info Phone Num:704-263-4240

Emerg

ency Phone Num:704-263-4240

Resp. Party Other MSDS Num.:FORMULA 46131

CAGE:SBSDE

=== Contractor Identification ===

Company Name:DEBUS INC

Address:1100 HIGHWAY 27 SOUTH

Box:City:STANLEY

State:NC

ZIP:28164

Country:US

Phone:704-263-4240

CAGE:SBSDE

Company Name:SBS PRODUCTS INC

Address:302 WALLER ST

Box:City:SAGINAW

State:MI

ZIP:48602-5000

Country:US

Phone:800-248-7190/517-799-4941

CAGE:15733

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS

#:ZC0110000  
Minumum % Wt:50.  
Maxumum % Wt:100.  
Other REC Limits:N/K  
OSHA PEL:N/K  
OSHA STEL:N/K  
ACGIH TLV:N/K  
ACGIH STEL:N/K

Ingred Name:STEARIC ACID  
CAS:57-11-4  
RTECS #:WI2800000  
Minumum % Wt:1.  
Maxumum % Wt:5.  
Other REC Limits:N/K  
OSHA PEL:N/K  
OSHA STEL:N/K  
ACGIH TLV:N/K  
ACGIH STEL:N/K

Ingred Name:PROPYLENE GLYCOL  
CAS:57-55-6  
RTECS #:TY2000000  
Minumum % Wt:1.  
Maxumum % Wt:5.  
Other REC Limits:N/K  
OSHA PEL:N/K  
OSHA STEL:N/K  
ACGIH TLV:N/K  
ACGIH STEL:N/K

Ingred Name:TALC  
CAS:1480  
7-96-6  
RTECS #:WW2710000  
Minumum % Wt:1.  
Maxumum % Wt:5.  
Other REC Limits:N/K  
OSHA PEL:see Table Z-3  
OSHA STEL:N/K  
ACGIH TLV:2 MG/M3  
ACGIH STEL:N/K

Ingred Name:CETYL ALCOHOL  
CAS:36653-82-4  
RTECS #:MM0225000  
Minumum % Wt:1.  
Maxumum % Wt:5.  
Other REC Limits:N/K  
OSHA PEL:N/K  
OSHA STEL:N/K  
ACGIH TLV:N/K  
ACGIH STEL:N/K

Ingred Name:BENTONITE  
CAS:1302-78-9  
RTECS #:CT9450000  
Minumum % Wt:1.  
Maxumum % Wt:5.

d Name:TEA-STEARATE

CAS:4568-28-9

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits:N/K

OSHA PEL:N/K

OSHA STEL:N/K

ACGIH TLV:N/K

ACGIH STEL:N/K

Ingred Name:LANOLIN, ETHOXYLATED; (PEG-75 LANOLIN)

CAS:61790-81-6

RTECS #:OE3250000

Minumum % Wt:.1

Maxumum % Wt:1.

Other REC Limits:N/K

OSHA PEL:N/K

OSHA STEL:N/K

ACGIH TLV:N/K

ACGIH STEL:N/K

Ingred Name:METHYLCELLULOSE

CAS:9004-67-5

RTECS #:FJ5959000

Minumum % Wt:.1

Maxumum % Wt:1.

Other REC Limits:N/K

OSHA PEL:N/K

OSHA STEL:N/K

ACGIH TLV

:N/K

ACGIH STEL:N/K

Ingred Name:METHYLPARABEN

CAS:99-76-3

RTECS #:DH2450000

Minumum % Wt:.1

Maxumum % Wt:1.

Other REC Limits:N/K

OSHA PEL:N/K

OSHA STEL:N/K

ACGIH TLV:N/K

ACGIH STEL:N/K

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Minumum % Wt:.1

Maxumum % Wt:1.

Other REC Limits:N/K

OSHA PEL:15 MG/M3

OSHA STEL:N/K

ACGIH TLV:10 MG/M3

ACGIH STEL:N/K

Ingred Name:CHLOROXYLENOL

CAS:88-04-0

RTECS #:ZE6850000

Minumum % Wt:.1

K  
OSHA STEL:N/K  
ACGIH TLV:N/K  
ACGIH STEL:N/K

Ingred Name:PROPYLPARABEN  
CAS:94-13-3  
RTECS #:DH2800000  
Minumum % Wt.:1  
Maxumum % Wt.:1.  
Other REC Limits:N/K  
OSHA PEL:N/K  
OSHA STEL:N/K  
ACGIH TLV:N/K  
ACGIH STEL:N/K

Ingred Name:FRAGRANCE  
Minumum % Wt.:0.  
Maxumum % Wt.:1  
Other REC Limits:N/K  
OSHA PEL:N/K  
OSHA STEL:N/K  
ACGIH TLV:N/K  
ACGIH STEL:N/K

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcin  
ogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: TEMPORARY MODERATE IRRITATION.  
INGESTION: UNDETERMINED.  
Effects of Overexposure:SEE HEALTH HAZARDS.

=====  
===== First Aid Measures =====

First Aid:EYES: AVOID RUBBING EYES. IMMEDIATELY FLUSH EYES WITH CLEAN  
WATER WHILE HOLDING EYELIDS APART. CONTINUE FLUSHING FOR AT LEAST  
15 MINUTES OR UNTIL IRRITATION SUBSIDES. CONTACT DOCTOR. INGESTION:  
CONSUL T LOCAL POISON CONTROL CENT

ER. SKIN: FLUSH WITH COPIOUS AMOUNTS OF WATER. SEE MD . INHALATION: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE OXYGEN OR ARTIFICIAL RESPIRATION) .

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY (FOG), FOAM, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT . BLANKET FIRE WITH EXTINGUISHING MEDIUM. WATER OR FOAM MAY CAUSE FROTHING.

Unusual Fire/Explosion Hazard:UNDETERMINED.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP.

===== Handling and Storage =====

Handling and Storage Precautions:NONE REQUIRED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED. USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Protective Gloves:NONE REQUIRED. WEAR IMPERVIOUS GLOVES .

Eye Protection:NONE REQUIRED. ANSI APPROVED CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:EYEWASH AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA .

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=100.C, 212.F

Spec Gravity:1.0 (H\*2O=1)

pH:6.3 - 7.3

Solubility in Water:APPRECIABLE

Appearance and Odor:FRAGRANT OFF-WHITE TO GRAY CREAM.

===== Stability and Reactivity Data =====

Stability Indi

cator/Materials to Avoid: YES

OXIDIZING AGENTS.

Stability Condition to Avoid: NONE KNOWN.

Hazardous Decomposition Products: UNDETERMINED.

===== Disposal Considerations =====

Waste Disposal Methods: DISCARD WITH ORDINARY SOLID WASTES. COMPLY WITH ALL GOVERNMENT WASTE DISPOSAL REGULATIONS. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS .

===== Regulatory Information =====

Federal Regulatory Information: T

HIS PRODUCT IS MANUFACTURED AND LABELED

IN COMPLIANCE WITH THE FEDERAL FOOD, DRUG, AND COSMETIC ACT, AND IS EXEMPT FROM THE LABELING REQUIREMENTS OF THE OSHA HAZARD COMMUNICATION STANDARD.

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.