Product ID: INK ANTI-SKIN SPRAY MSDS Date:05/26/1995 FSC:6850 NIIN:01-036-4953 Status Code:A MSDS Number: CJVKP === Responsible Party === Company Name:SPRAYWAY INC Address:484 VISTA AVE **City:ADDISON** State:IL ZIP:60101-4421 Country:US Info Phone Num:708-628-3000 Emergency Phone Num:800-228-5635 Preparer's Nam e:PHILLIP T. MILLER CAGE:55772 === Contractor Identification === Company Name: MARTIN DICK PRESS SERVICE Address:8406 NEW ASHCAKE RD City:MECHANICSVILLE State:VA ZIP:23116-3002 Country:US Phone:804-746-0702 Contract Num:SPO450-00-M-D-175 CAGE:3S163 **Company Name: SPRAYWAY INC** Address:484 VISTA AVE Box:City:ADDISON State:IL ZIP:60101-4421 Country:US Phone:708-628-3000 CAGE:55772

Ingred Name: ISOPARAFFINIC HYDROCARBON CAS: 64742-48-

9 Code:F Minumum % Wt:50. Maxumum % Wt:60.

Ingred Name:BUTYLATED HYDROXY TOLUENE CAS:128-37-0 RTECS #:GO7875000 Minumum % Wt:3. Maxumum % Wt:5. ACGIH TLV:10 MG/M3

Ingred Name:MINERAL OIL CAS:8042-47-5 Code:F RTECS #:PY8047000 Minumum % Wt:20. Maxumum % Wt:25. ACGIH TLV:5 MG/M3

Ingred Name:METHYL ETHYL KETOXIME CAS:96-29-7 RTECS #:FL9275000 Minumum % Wt:2. Maxumum % Wt:5.

Ingred Name:LIQUEFIED PETROLEUM GAS CAS:68476-85-7 RTECS #:SE7545000 Minumum % Wt:15. Maxumum % Wt:20. OSHA PEL:1800 MG/M3 ;1000 PPM ACGIH TLV:1800 MG/M3;1000 PPM

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:HIGH VAPOR/AEROSOL CONCENTRATIONS CAN BE IRRITATING TO THE EYES AND RESPIRATORY TRACT. MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. IRRITATING TO SKIN & EYES. SMALL AMOUNTS ASPIRATED INTO THE RESPIRATORY SYSTEM DURING INGESTION MAY CAUSE MILD TO SEVERE PULMONARY INJURY. Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER. Effects of Overexposure:INHALATION: HEADACHES, DIZZINESS, DROWSINESS, OTHER CNS EFFECTS. EYES-IRRITATION. SKIN-IRRITATION. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN OR EYE DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

- First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR 15 MINUTES WHILE HOLDING EYELID
- S OPEN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN:REMOVE CONTAMINATED CLOTHES. FLUSH SKIN WITH WATER FOLOOWED BY WASHING WIT H SOAP 7 WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. DO NOT REUSE CLOTHES UNTIL CLEANED. INHALATION: REMOVE VICTIM TO FRESH AIR & PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET ARTIFICIAL RESPI RATION IF NOT BREATHING. GET MEDICAL ATTENTION. INGESTION: GET MEDICAL ATTENTION.

Lower Limits:1.8

Upper Limits:9.2

- Extinguishing Media:CARBON DIOXIDE, FOAM, AND/OR DRY CHEMICAL MAY BE USED.
- Fire Fighting Procedures:CONTAINERS SHOULD BE COOLED WITH WATER TO PREVENT VAPOR PRESSURE BUILD UP. USE EQUIPMENT OR SHEILDING, AS REQUIRED, TO PROTECT PERSONNEL FROM BURSTING, RUPTURING OR VENTING CONTAINERS.
- Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (OVER 54C-130F) CONTAINERS EXPOSED TO DIRECT FLAME OR HEAT CONTACT SHOULD BE COOLED WITH

WATER TO PREVENT WEAKENING OF CONTAINER STRUCTURE.

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION & VENTILATE AREA. SOAK UP WITH INERT ABSORBENT & PLACE IN A DESIGNATED DISPOSAL CONTAINER. CONSULT LOCAL REGULATORY AGENCY FROR PROPER DISPOSITION OF MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautio

 ns:AVOID BREATHING VAPOR. KEEP AWAY FROM HEAT & FLAME. USE WITH ADEQUATE VENTILATION. DO NOT PUNCTURE OR INCINERATE CONTAINERS. DO NOT EXPOSE TO DIRECT SUNLIGHT OR STORE AT TEMPERATURES ABOVE 130F(54C). STORE AS LEVEL 3 AEROSOL (NFPA 30B).
 Other Precautions:PLEASE READ AND FOLLOW THE DIRECTIONS ON THE MANUFACTURER'S PRODUCT LABEL. THEY ARE YOUR BEST GUIDE TO USING THIS PRODUCT IN THE MOST EFFECTIVE WAY AND GIVE THE NECESSARY SAFETY PRECAUTIONS TO PROTECT YOUR HEALTH.

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED.
IF EXPOSURE EXCEEDS OCCUPATIONAL EXPOSURE LIMITS (SEC.II), USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.
Ventilation:LOCAL EXHAUST IS ADEQUATE UNDER NORMAL CONDITIONS, MECHANICAL VENTILATION IS OPTIONAL.
Protective Gloves:CHEMICAL RESISTANT GLOVES.
Eye Protection:CHEMICAL SAFETY GLASSES ARE RECOMMENDED.
Other Protective Equipment:WEA
R IMPERVIOUS CLOTHING TO PREVENT SKIN CONTACT.
Work Hygienic Practices:ENSURE STRICT SANITARY CONDITIONS ARE CONFORMED TO WHEN WORKING AROUND CHEMICALS.
Supplemental Safety and Health
PROTECTIVE CLOTHING AND EQUIPMENT SHOULD BE IN ACCORDANCE WITH 29 CFR 1910.132 AND CFR 1910.33.

HCC:V3 Vapor Pres:65-70@130F (PSIG) Vapor Density:>1 Spec Gravity: