

DEFENSE SUPPLY CENTER RICHMOND -- MAGNETIC PIPE PLUG, MS4900-4 -- 4730-00-045-9767  
===== Product Identification =====

Product ID:MAGNETIC PIPE PLUG, MS4900-4  
MSDS Date:01/27/2000  
FSC:4730  
NIIN:00-045-9767  
Status Code:A  
MSDS Number: CJZMZ  
=== Responsible Party ===  
Company Name:DEFENSE SUPPLY CENTER RICHMOND  
Address:8000 JEFFERSON DAVIS HWY  
City:RICHMOND  
State:VA  
ZIP:23297-5607  
Country:US  
Info Phon  
e Num:804-279-4371  
Emergency Phone Num:516-678-4301  
Preparer's Name:HMSIS, DSCR,VBA TECHNICIAN  
CAGE:99998  
=== Contractor Identification ===  
Company Name:DEFENSE SUPPLY CENTER RICHMOND  
Address:8000 JEFFERSON DAVIS HWY  
Box:City:RICHMOND  
State:VA  
ZIP:23297-5607  
Country:US  
Phone:804-279-4371  
CAGE:99998  
Company Name:NESTOR SALES INC DBA ACE TOOL CO  
Address:7337 BRYAN DAIRY RD  
Box:City:LARGO  
State:FL  
ZIP:33777  
Country:US  
Phone:727-544-6114  
Contract Num:SPO760-99-V-4709  
CAGE:1X015

===== Compos

ition/Information on Ingredients =====

Ingred Name:MAGNETIC MATERIAL  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONHAZARDOUS  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:NONHAZARDOUS  
Medical Cond Aggravated by Exposure:NONE

===== Fir  
st Aid Measures =====

First Aid:NONE REQUIRED

===== Fire Fighting Measures =====

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP AND PLACE IN A CONTAINER FOR LATER  
DISPOSAL.  
Neutralizing Agent:NONE

===== Handling and Storage =====  
=====

Handling and Storage Precautions:STORE AWAY FROM ITEMS SENSITIVE TO  
MAGNETIC FIELDS SUCH AS INSTRUMENTS (INCLUDING NAVIGATIONAL  
INSTRUMENTS, SUCH AS COMPASSES, ETC.), COMPUTER FLOPPY DISKS,  
WATCHES, AND SIMILAR DEVICES.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.  
Ventilation:NONE REQUIRED.  
Protective Gloves:NONE REQUIRED.  
Eye Protection:NONE REQUIRED.  
Other Protective Equipment:NONE R

EQUIRED.

Work Hygienic Practices:NONE REQUIRED.

Supplemental Safety and Health

MSDS GENERATED BY VBA. VENDOR COULD NOT PROVIDE THE MAGNETIC FIELD STRENGTH NOR IS IT SPECIFIED IN SPEC A-A-59432. AN MSDS IS NOT REQUIRED FOR THIS ITEM. RECOMMEND CAUTION ON SHIPMENT BY AIRCRAFT UNLESS COMPLIANCE WITH 49 CFR 173.21(D) CAN BE ASCERTAINED BY ACTUAL MEASUREMENT (SEE IATA PACKING INSTRUCTION 902) .

===== Physical/Chemical Properties =====

HCC:M1

Appearance a

nd Odor:IRON OR STEEL MAGNETIC PIPE PLUG, 0.475 IN. LONG WITH 0.25 IN. DIA. THREAD SIZE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:NO SPECIAL REQUIREMENTS.

===== MSDS Transport Information =====

Transport Information:MAGNET

LIFT RATING: 4.0 OZ. VENDOR COULD NOT

PROVIDE MAGNETIC FIELD STRENGTH NOR IS IT SPECIFIED IN SPEC.

A-A-59432. RECOMMEND CAUTION ON SHIPMENT BY AIRCRAFT UNLESS

COMPLIANCE WITH 49 CFR 173.21(D) CAN BE ASCERTAINED BY ACTUAL

MEASUREMENT (SEE IATA PACKING INSTRUCTION 902). THERE ARE TWO

OPTIONS: THE PACKAGE CAN BE SHIPPED BY A MODE OTHER THAN AIR, IN

WHICH THIS PACKAGE IS NOT REGULATED OR IF SHIPPED BY AIR TWO TESTS

MUST BE PERFORMED USING EITHER A GAUSS METER OR A MAG

NETIC COMPASS.

ONE TEST IS TO DETERMINE IF PACKAGE IS CLASSIFIED MAGNETIC MATERIAL.

SECOND TEST IS TO ASCERTAIN IF PACKAGE IS AIR-ELIGIBLE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.