

CORTEC CORPORATION -- VCI-238 AEROSOL

=====

MSDS Safety Information

=====

FSC: 6850

NIIN: 01-413-9361

MSDS Date: 02/13/1998

MSDS Num: CJZTM

Product ID: VCI-238 AEROSOL

MFN: 10

Responsible Party

Cage: 44695

Name: CORTEC CORPORATION

Address: 4119 WHITE BEAR PARKWAY

City: ST PAUL MN 55110

Info P

Phone Number: 651-429-1100/800-4-CORTEC

Emergency Phone Number: 612-429-1100

=====

Item Description Information

=====

Item Manager: S9G

Item Name: INHIBITOR,CORROSION,VAPOR BARRIER

Specification Number: NONE

Type/Grade/Class: NONE

Unit of Issue: BX

Quantitative Expression: 00000000006EA

UI Container Qty: 0

Type of Container: AEROSOL CANS

=====

Ingr

redients

=====

Name: \*\*\* PROPRIETARY \*\*\*

-----

=====

Health Hazards Data

=====

LD50 LC50 Mixture: NOT ESTABLISHED

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: REPEATED OR PROLONGED SKIN CONTACT WITH THIS MATERIAL CAN  
CAUSE MODERATE IRR

ITATION AND DEFATTING OF SKIN LEADING TO POSSIBLE CHRONIC DERMATITIS. CONTACT OF EYE TISSUES WITH LIQUID AND/OR HIGH VAPOR CONCENTRATIONS WILL CAUSE EYE IRRITATION. EXCESSIVE INHALATION OF HIGH VAPOR CONCENTRATIONS AND/OR PARTICLE MISTS OF PRODUCT MAY CAUSE LIGHT HEADEDNESS, GIDDINESS, NAUSEA, VOMITING, SHORTNESS OF BREATH , IRRITATION OF MUCOUS MEMBRANES AND MAY LEAD TO NARCOSIS AND CARDIAC IRREGULARITIES. INGESTION OF PRODUCT IS EXPECTED TO CAUSE GASTROINTESTINAL IRRITATION. ABSORPTION THROUGH

THE GI TRACT MAY CAUSE SYMPTOMS SIMILAR TO INHALATION ROUTE.

Explanation Of Carcinogenicity: PER MSDS.

Signs And Symptoms Of Overexposure: EYES: IRRITATION. SKIN: MODERATE IRRITATION, DEFATTING, DERMATITIS. INHALATION: LIGHT HEADEDNESS, GIDDINESS, NAUSEA, VOMITING, SHORTNESS OF BREATH, IRRITATION OF MUCOUS MEMBRANES, NARCOSIS, CARDIAC IRREGULARITIES. INGESTION: GASTROINTESTINAL TRACT IRRITATION, SYMPTOMS SIMILAR TO INHALATION ROUTE.

Medical Cond Aggravated By Exposure : CARDIOPULMONARY DISEASE.

First Aid: EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN. SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN. INHALATION: REMOVE TO AN UNCONTAMINATED AREA, ADMINISTER OXYGEN IF NECESSARY. IF VICTIM HAS STOPPED BREATHING BEGIN CPR. GET MEDICAL ATTENTION. INGESTION: IF CONSCIOUS, GIVE WATER BUT DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION. CAUTION: EPINEPHRINE OR OTHER SIMILAR AGENTS MAY ADVERSELY AFFECT THE HEART.

=====

#### Handling and Disposal

=====

Spill Release Procedures: ABSORB ON SWEEPING COMPOUND OR OTHER ABSORBENT MATERIALS.

Waste Disposal Methods: INCINERATE OR DISPOSE OF IN ACCORDANCE WITH EXISTING FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: AVOID EYE AND SKIN CONTACT. AVOID EXCESSIVE INHALATION OF VAPORS AND/OR PARTICLE MIST. USE IN A WELL VENTILATED ENVIRONMENT. CAUTION: CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. KEEP CONTAINERS TIGHTLY CLOSED. STORE AWAY FROM HEAT AND OPEN FLAME.

=====

#### Fire and Explosion Hazard Information

=====

Flash Point Text: NOT ESTABLISHED

Lower Limits: N/E

Upper Limits: N/E

Extinguishing Media: CARBON DIOXIDE OR OTHER DRY CHEMICAL FIRE FIGHTING AGENTS.  
Fire

Fighting Procedures: FIREFIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: CONTENTS OF AEROSOL CANS ARE UNDER PRESSURE.

=====

Control Measures

=====

Respiratory Protection: A NIOSH APPROVED RESPIRATOR IS RECOMMENDED.

Ventilation: USE IN WELL VENTILATED ENVIRONMENT.

Protective Gloves: CHEMICAL RESISTANT RUBBER OR PLASTIC.

Eye Protection: SAFETY GLASSES/SPLASH GOGGLES.

Other Protective Equipment: EYE WASH STATION.

Supplemental Safety and Health: NOTE TO PHYSICIAN:CAUTION: EPINEPHRINE OR OTHER STIMULANTS MAY ADVERSELY AFFECT THE HEART.

=====

Physical/Chemical Properties

=====

HCC: V3

B.P. Text: N/E

Vapor Density: N/E

Spec Gravity: 0.779 TO 0.815

Evaporation Rate & Reference: N/E

Appearance and Odor: CLEAR, YELLOW LIQUID; SWEET ODOR. PACKAGED IN 12 OZ AEROSOL CAN.

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: CONTACT WITH INCOMPATIBLE MATERIALS.

Materials To Avoid: STRONG ACIDS, ALKALIS AND OXIDIZING AGENTS. CHEMICALLY ACTIVE METALS (SODIUM, POTASSIUM, ETC.).

Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

Transport Information: PER MSDS: DOT/ IMDG/ IATA SHIPPING NAME: AER

OSOLS,  
FLAMMABLE, N.O.S.; CLASS 2.1; UN 1950; LABELS, FLAMMABLE GAS. IMDG CODE PAGE  
(AMDT. 28-96): 210. FREIGHT CLASS BULK: LTL: 55, TL: 35, MW: 40.

=====  
Regulatory Information

=====  
Federal Regulatory Information: T.S.C.A. STATUS: LISTED.

=====  
Other Information

=====  
=====

=====  
Transportation Information

=====  
Responsible Party Cage: 44695  
Trans ID NO: 151238  
Product ID: VCI-238 AEROSOL  
MSDS Prepared Date: 02/13/1998  
Review Date: 01/29/2000  
MFN: 10  
Tech Entry NOS Shipping Nm: (MINERAL SPIRITS, CARBON DIOXIDE)  
Net Unit Weight: 6X12 OZ CAN  
Multiple KIT Number: 0  
Unit Of Issue: BX  
Container QTY: 0  
Type Of Container: AEROSOL CANS  
Additional Data: TRANSPORTATION INFORMATION PER MANUFACTURERS  
MSDS.

=====  
Detail DOT Information

=====  
DOT PSN Code: AGC  
DOT Proper Shipping Name: AEROSOLS, FLAMMABLE,  
DOT PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)  
Hazard Class: 2.1  
UN ID Num: UN1950  
Label: FLAMMABLE GAS  
Special Provision: N82  
Non Bulk Pack: NONE  
Bulk Pack: NONE  
Max Qty Pass: 75 KG  
Max Qty Cargo: 150 KG  
Vessel Stow Req: A  
Water/Ship/Other Req: 40,48,85  
=====

=====

Detail IMO Information

=====

IMO PSN Code: AKD  
IMO Proper Shipping Name: AEROSOLS o  
IMDG Page Number: 2102  
UN Number: 1950  
UN Hazard Class: 2(T)  
IMO Packaging Group: -  
Subsidiary Risk Label: T  
EMS Number: 2-13  
MED First Aid Guide NUM: 620

=====

Detail IATA Information

=====

IATA PSN Code: ALS  
IATA UN ID Num: 1950  
IATA Prop  
er Shipping Name: AEROSOLS, FLAMMABLE  
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)  
IATA UN Class: 2.1  
IATA Label: FLAMMABLE GAS  
Packing Note Passenger: 203  
Max Quant Pass: 75KG  
Max Quant Cargo: 150KG  
Packaging Note Cargo: 203

=====

Detail AFI Information

=====

AFI PSN Code: ALR  
AFI Symbols: \*  
AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S.  
AFI PSN Modifier: (EACH NOT EXCEEDING 1L CA  
PACITY)  
AFI Hazard Class: 2.1  
AFI UN ID NUM: UN1950  
Special Provisions: P4  
Back Pack Reference: A6.3

=====

HAZCOM Label

=====

Product ID: VCI-238 AEROSOL  
Cage: 44695  
Company Name: THE CORTEC CORPORATION  
Street: 4119 WHITE BEAR PKY  
City: SAINT PAUL MN  
Zipcode: 55110-7634  
Health Emergency Phone: 612-429-1100  
Label Required IND: Y  
Date Of Label Review: 01/29/2000  
Status Code: A  
Label Date: 01/29/200

0

Origination Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: DANGER  
Respiratory Protection IND: YES  
Health Hazard: Moderate  
Contact Hazard: Slight  
Fire Hazard: Severe  
Reactivity Hazard: None

Hazard And Precautions: REPEATED OR PROLONGED SKIN CONTACT WITH MATERIAL CAN CAUSE MODERATE IRRITATION AND DEFATTING OF SKIN LEADING TO CHRONIC DERMATITIS. CONTACT OF EYE TISSUES WITH LIQUID AND/OR HIGH VAPOR CONCENTRATIONS WILL CAUSE EYE IRRITATION. EXCESSIVE INHALATION OF HIGH VAPOR CONCENTRATIONS AND/OR PARTICLE MISTS OF PRODUCT MAY CAUSE LIGHT HEADEDNESS, GIDDINESS, NAUSEA, VOMITING, SHORTNESS OF BREATH, IRRITATION O F MUCOUS MEMBRANES AND MAY LEAD TO NARCOSIS AND CARDIAC IRREGULARITIES. INGESTION OF PRODUCT IS EXPECTED TO CAUSE GI TRACT IRRITATIION. ABSORPTION THROUGH GI TRACT MAY CAUSE SYMPTOMS SIMILAR TO INHAL ATION ROUTE.

=====

Disclaimer (provided with this information by the compiling agencies): Thi

s

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.