

GRIGGS PAINT -- TT-P-1952D TYPE II #31136 700R45 -- 8010-01-380-1776

=====  
Product Identification  
=====

Product ID:TT-P-1952D TYPE II #31136 700R45

MSDS Date:05/01/1995

FSC:8010

NIIN:01-380-1776

Status Code:A

MSDS Number: CKCXR

=== Responsible Party ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ

ZIP:85040

Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:80

0-424-9300 CHEMTREC

Preparer's Name:ROBERT COMMISSO

Chemtrek Ind/Phone:(800)424-9300

CAGE:DO312

=== Contractor Identification ===

Company Name:GRIGGS PAINT

Address:3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ

ZIP:85040

Country:US

Phone:602-243-3293

CAGE:58963

Company Name:GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319

Phone:602-243-3293

CAGE:DO312

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACRYLIC POLYMER PLUS PROPRIETARY ADDITIVES

Fraction by Wt: 30%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:METHANOL (SARA 313) (CERCLA) (VAPOR PRESSURE 5.9 MM HG @ 68F)

CAS:67-56-1  
RTECS #:PC1400000  
Fraction by Wt: 2%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:SILICON DIOXIDE-MICROCRYSTALLINE

CAS:7631-86-9  
Fraction by Wt: 15%  
ACGIH TLV:0.1 MG/M3

Ingred Name:MAGSIL 2628

CAS:14807-96-6  
RTECS #:WW2710000  
&lt; Wt:5.  
OSHA PEL:SEE TABLE Z-3  
ACGIH TLV:2 MG/M3

=====  
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: ADVERSE HEALTH EFFECTS FROM VAPORS OR SPRAY MISTS IN POORLY VENTILATED AREAS. IRRITATION OF NOSE. THROAT & RESPIRATORY TRACT IRRITATION. HEADACHES & NAUSEA. SKIN: PROLONGED/REPEATED CONTACT PRODUCT MAY CAUSE SKIN IRRITATION. EYE IRRITATION. INGESTION: MAY CAUSE IRRITATION AND DAMAGE TO MUCOUS MEMBRANES.

Effects of Overexposure:SKIN, NOSE, THROAT, AND RESPIRATORY IRRITATION MAY RESULT FROM OVEREXPOSURE. SKIN ABSORPTION IS NOT LIKELY. SEE SECTION HEALTH HAZARD EFFECTS ACUTE AND CHRONIC.

Medical Condition Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR AND GIVE ARTIFICIAL RESPIRATION OF OXYGEN IF NEEDED. CALL A PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN. EYE CONTACT: FLUSH EYES WITH W

ATER FOR 15 MI NUTES CALL A PHYSICIAN. SKIN CONTACT: WASH SKIN WITH SOAP AND WATER. CALL A PHYSICIAN IF IRRITATION PERSISTS.

=====  
===== Fire Fighting Measures =====

Lower Limits:7.3

Extinguishing Media:NONE KNOWN

\* 9.5

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:PRODUCT WILL NOT BURN BUT MAY SPATTER IF TEMPERATURE EXCEEDS BOILING POINT. POLYMER FILMS ARE CAPABLE OF BURNING GIVING OFF OXIDES OF CARBON/NITROGEN.

=====

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. DIKE AND CONTAIN SPILL WITH INERT MATERIAL. TRANSFER LIQUID TO CONTAINERS. KEEP SPILL AND RUNOFFS OUT OF MUNICIPAL SEWERS AND OPEN BODIES OF WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:AVOID FREEZING. AVOID CONTACT WITH MICROORGANISMS. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:CAUT

ION - MAY BE HARMFUL IF SWALLOWED. BREATHING

VAPOR OR MIST MAY BE HARMFUL. USE WITH ADEQUATE VENTILATION. AVOID EYE AND SKIN CONTACT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE EXCEEDS PERMISSIBLE EXPOSURE LIMITS, USE APPROPRIATE NIOSH APPROVED RESPIRATORY EQUIPMENT.

Ventilation:LOCAL EXHAUST RECOMMENDED. MECHANICAL VENTILATION RECOMMENDED.

Protective Gloves:IMPERMEABLE GLOVES-MINIMIZE SKIN CONTACT

Eye Protection:CHEM

SPLSH GOGGLES,SFTY GLASSES,FACESHLD

Other Protective Equipment:EYE WASH FOUNTAIN, SAFETY SHOWER

Work Hygienic Practices:WASH HANDS BEFORE EATING.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:147 TO 212F

Vapor Density:> AIR

Spec Gravity:1.6 (H2O=1)

VOC Pounds/Gallon:61

VOC Grams/Liter:.51

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:100%

Appearance and Odor:VISCOUS LIQUID WITH SLIGHT AMMONIA OD

OR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE KNOWN

Stability Condition to Avoid: FREEZING TEMPERATURES.

Hazardous Decomposition Products: NONE KNOWN

===== Ecological Information =====

Ecological: KEEP SPILLS AND RUN OFFS OUT OF MUNICIPAL SEWERS AND OPEN BODIES OF WATER. OBEY RELEVANT LOCAL/STATE/FEDERAL LAWS. DO NOT CONTAMINATE ANY LAKES, PONDS, OR UNDERGROUND WATER SUPPLIES. TRE

AT

AS HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE WITH FED/STATE/LOCAL REGULATIONS.

===== Disposal Considerations =====

Waste Disposal Methods: OBEY RELEVANT LOCAL, STATE, AND FEDERAL LAWS. DO NOT CONTAMINATE ANY LAKES, PONDS, STREAMS, OR UNDERGROUND WATER SUPPLIES. TREAT AS HAZARDOUS WASTE. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. INCINERATE OR BURY IN SUITABLE LANDFILL WHERE PERMITTED BY APPROPRIATE GOV. REGUL

A TIONS

===== Regulatory Information =====

SARA Title III Information: METHANOL

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.