View NSN Online: https://aerobasegroup.com/nsn/9150-01-035-5390

## COGNIS CORPORATION -- EMGARD 2984-D EP 75W-90 SYNTHETIC GEAR LUBRIC

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_

FSC: 9150

NIIN: 01-035-5390 MSDS Date: 01/02/2000 MSDS Num: CKDQD

Product ID: EMGARD 2984-D EP 75W-90 SYNTHETIC GEAR LUBRICANTS

MFN: 01

Responsible Party Cage: TO539

Name: COGNIS CORPORATION Address: 5051 ESTECREEK DRI

VΕ

City: CINCINNATI OH 45232

Info Phone Number: 800-643-7370/FAX 513-482-5515

Emergency Phone Number: 800-643-7370

\_\_\_\_\_\_

Item Description Information

\_\_\_\_\_

Item Manager: S9G

Item Name: LUBRICATING OIL,GEAR Specification Number: MIL-L-2105 Type/Grade/Class: GR 75W

Unit of Issue: QT UI Container Qty: G Type of Container: CAN

\_\_\_\_\_\_

Ingredients

====

\_\_\_\_\_\_

Name: \*\*\* PROPRIETARY \*\*\*

-----

\_\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_

LD50 LC50 Mixture: ORAL (RAT) IS NOT KNOWN.

Skin: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: SKIN CONTACT: SIMILAR MATERIALS ARE NOT CLASSIFIED AS SKIN IRRITANTS. THE SKIN IRRITATION SCORE FOR THIS SUBSTANCE HAS NOT BEEN

DE

TERMINED. EYE CONTACT: SIMILAR MATERIALS AE NOT CLASSIFIED AS EYE I RRITANTS. THE EYE IRRITATION SCORE FOR THIS SUBSTANCE HAS NOT BEEN DETERMINED. INHALATION: INHALATION OF MIST MAY CAUSE IRRITATION OF THE RESPIRATORY SYSTEM. INGESTION: MAY BE HARMFUL IF SWALLOWE D IN LARGE QUANTITIES. CHRONIC EFFECTS: NONE KNOWN. \*\*NO EFFECTS OF CHRONIC EXPOSURE OR TARGET ORGAN EFFECTS ARE KNOWN. NO EXPOSURE LIMITS HAVE BEEN ESTABLISHED FOR THIS PRODUCT.

Explanation Of Carcinogenicity: NO C ARCINOGENICITY, MUTAGENICITY, OR

TERATOGENICITY ARE KNOWN.

Signs And Symptions Of Overexposure: SKIN/EYE: IRRITATION. INHALATION: IRRITATION OF THE RESPIRATORY SYSTEM.

First Aid: SKIN-WASH AFFECTED AREA WITH SOAP & DATER. EYE-IMMEDIATELY FLUSH EYES WITH PLENTY OF COOL WATER FOR 15 MINS. DO NOT LET VICTIM RUB EYES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION-IMMEDI ATELY REMOVE VICTIM TO FRESH AIR. IF VICTIM HAS STOPPED BREATHING GIVE ARTIFICIAL RESPIRATION, PREFERAB

LY, MOUTH TO MOUTH. GET MEDICAL ATTENTION IMMEDIATELY.
INGESTION-DO NOT INDUCE VOMITING. IF VICT IM IS CONSCIOUS & DELATED SWALLOW, PROMPTLY DRINK WATER TO DILUTE. DO NOT GIVE SODIUM BICARBONATE, FRUIT JUICE, VINEGAR. NEVER GIVE ANYTHING BY MOUTH IF VICTIM IS UNCONSCIOUS OR HAVING CONVULSION. CA LL PHYSICIAN/POISON CONTROL IMMEDIATELY.

Handling and Disposal

\_\_\_\_\_

## Spill Release

Procedures: ADD DRY MATERIAL TO ABSORB SPILL (IF LARGE SPILL, DIKE TO CONTAIN). USING RECOMMENDED PROTECTIVE EQUIPMENT, PICK UP BULK OF SPILL AND CONTAINERIZE FOR RECOVERY OR DISPOSAL. FLUSH AREA WITH WATER TO REMOVE RESIDUES.

Waste Disposal Methods: ALL RECOVERED MATERIAL SHOULD BE PACKAGED, LABELED, TRANSPORTED, AND DISPOSED OR RECLAIMED IN CONFORMANCE WITH APPLICABLE LAWS AND REGULATIONS AND IN CONFORMANCE WITH GOOD ENGINEERING PRACTICES. AVOI D LANDFILLING OF LIQUIDS. RECLAI

M WHERE POSSIBLE.

Handling And Storage Precautions: SAFETY GLASSES WITH SIDE SHIELDS. RUBBER GLOVES. IF EXPOSED TO AEROSOL OR MIST, WEAR NIOSH APPROVE CATEGORY 23C RESPIRATOR, EXCLUDING SINGLE USE OR DISPOSABLE RESPIRATORS IN ACCORDANCE WITH 30 CFR 1 1(1).

Other Precautions: THE RESPIRATOR SHALL BE EQUIPPED WITH COMBINATION CARTRIDGES APPROVED FOR PAINTS, ENAMELS AND LACQUERS UNLESS AIR-SUPPLIED RESPIRATOR IS SELECTED. USE OF RESPIRATOR SHALL BE ACCORDING TO 29 CFR 1910. 134 AND 30

## CFR 11.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: PMCC Flash Point: =170.C, 338.F

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY. Fire Fighting Procedures: USE WATER SPRAY, DRY CHEMICAL, FOAM OR CARBON

DIOXIDE. WATER MAY BE INEFFECTIVE BUT SHOULD BE USED TO KEEP FIRE EXPOSED

CONTAINERS COOL. IF A SPILL OR LEAK HAS NOT IGNITED, USE WATER SP

**RAY TO** 

DISPER SE THE VAPORS. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM FIRES.

Unusual Fire/Explosion Hazard: PERFORM ONLY THOSE FIRE FIGHTING PROCEDURES FOR WHICH YOU HAVE BEEN TRAINED. FIREFIGHTERS SHOULD WEAR SELF CONTAINED BREATING APPARATUS IN THE POSITIVE PRESSURE MODE WITH A FULL FACEPIECE WHEN THERE IS A POSSIBILITY OF EXPSORUE TO SMOKE, FUMES OR HAZARDOUS DECOMPOSITION PRODUCTS.

\_\_\_\_\_\_

## Control Measures

\_\_\_\_\_

\_\_\_\_\_

Respiratory Protection: IF EXPOSED TO AEROSOL/MIST, WEAR NIOSH APPROVE CATEGORY 23C RESPIRATOR, EXCLUDING SINGLE USE OR DISPOSABLE RESPIRATORS IN ACCORDANCE WITH 30CFR11(I). THE RESPIRATOR SHALL BE EQUIPPED WITH COMBINATION CARTRIDGES APPROVED FOR PAINTS, ENAMELS, & DISPOSABLE RESPIRATOR SHALL BE ACCORDING TO 29CFR 1910.134/30CFR11.

Ventilation: LOCAL EXHAUST.
Protective Gloves: RUBBER GLOVE

S

Eve Protection: SAFETY GLASSES WITH SIDE SHIELDS.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: NONE SPECIFIED BY MANUFACTURER.

Physical/Chemical Properties

\_\_\_\_\_

HCC: V5
B.P. Text: N/D
M.P/F.P Text: N/D
Vapor Pres: N/D
Vapor Density: N/D
Spec Gravity: 0.885

PH: N/D

**Evaporation Rate & am** 

p; Reference: N/D Solubility in Water: INSOLUBLE Appearance and Odor: DARK COLORED LIQUID; PUNGENT ODOR Percent Volatiles by Volume: N/D @ 70F \_\_\_\_\_ Reactivity Data \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: AVOID CONTACT WITH HEAT, SPARKS, FLAMES AND ALL SOURCE OF IGNITION.

Materials To Avoid: STRONG ACIDE, BASES, AND OXIDIZING AGENTS.

Hazardous Decomposition Products: MAY PR ODDUCE OXIDES OF CARBON, NITROGEN,

SULFUR AND PHOSPHORUS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

\_\_\_\_\_

Toxicological Information

\_\_\_\_\_

Toxicological Information: NO TOXICITY INFORMATION AVAILABLE OR TESTING CONDUCTED ON THIS PRODUCT. NAY HEALTH OR TOXICOLOGICAL INFORMATION INCLUDED IN THE HEALTH SECTION WAS BASED ON DATA ASSOCIATED WITH TH

E COMPONENTS OR AN AN ALOGOUS PRODUCT.

\_\_\_\_\_

**Ecological Information** 

\_\_\_\_\_\_

Ecological: ECOLOGICAL TOXICITY: NOT DETERMINED. ENVIRONMENTAL FATE: NOT DETERMINED.

**MSDS** Transport Information

\_\_\_\_\_\_

Transport Information: PROPER SHIPPING NAME: NOT REGULATED FOR NONBULK HIGHWAY/TRANSPORTATION.

\_\_\_\_\_

Regulatory Information

\_\_\_\_\_

Sara Title III Information: SARA 311/312 HAZARD CATEGORIES: NONE. SARA 313

TOXIC CHEMICALS: NONE. SARA 302 EXTREMELY HAZARDOUS SUBSTANCES: NONE. Federal Regulatory Information: TSCA INVENTORY STATUS: THIS PRODUCT AND/OR ALL

OF ITS COMPONENTS ARE INCLUDED ON THE TSCA INVENTORY OR CHEMICAL SUBSTANCES.

TSCA 12(B) COMPONENTS: NONE. CERCLA HAZARDOUS SUBSTANCES

: BETA NAPHYTHYLAMIN E(91598) &It;0.0001%.

State Regulatory Information: WARNING: THIS PRODUCT CONTAINS A CHEMICAL (OR CHEMICALS) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS AND/OR OTHER REPRODUCTIVE HARM. BETAL NAPHTHYLAMINE(91598) &It;0.0001%.

\_\_\_\_\_

Other Information

\_\_\_\_\_\_

Other Information: RATINGS: HEALTH: 1; FLAMMABILITY: 1; REACTIVITY: 0. NFPA

RATINGS: HEALTH: 1;

FLAMMABILITY: 1; REACTIVITY: 0; OTHER: NONE.

\_\_\_\_\_

Transportation Information

\_\_\_\_\_

Responsible Party Cage: TO539

Trans ID NO: 151861

Product ID: EMGARD 2984-D EP 75W-90 SYNTHETIC GEAR LUBRICANTS

MSDS Prepared Date: 01/02/2000

Review Date: 03/10/2000

MFN: 1

Net Unit Weight: 2 LBS Multiple KIT Number: 0

Review IND: Y Unit Of Issue: QT Container QTY: G

Type Of Container: CAN

\_\_\_\_\_

**Detail DOT Information** 

\_\_\_\_\_

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_\_

**Detail IMO Information** 

\_\_\_\_\_

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

\_\_\_\_\_

Detail IATA Information

\_\_\_\_\_\_

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

**Detail AFI Information** 

\_\_\_\_\_\_

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

HAZCOM Label

\_\_\_\_\_\_

======

Product ID: EMGARD 2984-D EP 75W-90 SYNTHETIC GEAR LUBRICANTS

Cage: TO539 Assigned IND: Y

Company Name: COGNIC CORPORATION

Street: 5051 ESTECREEK DRIVE

City: CINCINNATI OH Zipcode: 45232

Health Emergency Phone: 800-643-7370

Label Required IND: Y

Date Of Label Review: 03/10/2000

Status Code: A
MFG Label NO: NO
Year Procured: 2000
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight Contact Hazard: S

light

Fire Hazard: Slight Reactivity Hazard: None

Hazard And Precautions: SKIN CONTACT: SIMILAR MATERIALS ARE NOT CLASSIFIED AS SKIN IRRITANTS. THE SKIN IRRITATION SCORE FOR THIS SUBSTANCE HAS NOT BEEN DETERMINED. EYE CONTACT: SIMILAR MATERIALS AE NOT CLASSIFIED AS EYE I RRITANTS. THE EYE IRRITATION SCORE FORTHIS SUBSTANCE HAS NOT BEEN DETERMINED. INHALATION: INHALATION OF MIST MAY CAUSE IRRITATION OF THE RESPIRATORY SYSTEM. INGESTION: MAY BE HARMFUL IF SWALLOWED IN LARGE

NTITIES. CHRONIC EFFECTS: NONE KNOWN. \*\*NO EFFECTS OF CHRONIC EXPOSURE OR TARGET ORGAN EFFECTS ARE KNOWN. NO EXPOSURE LIMITS HAVE BEEN ESTABLISHED FOR THIS PRODUCT.

\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said informa

tion to have any application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.