View NSN Online: https://aerobasegroup.ae/nsn/8010-00-515-2208

TRIANGLE COATINGS INC -- GSA ZINC CHR PRIMER YELLOW TT01757A001 -- 8010-00-515-2208

Product ID:GSA ZINC CHR PRIMER YELLOW TT01757A001 MSDS Date:10/15/1996 FSC:8010 NIIN:00-515-2208 Status Code:A MSDS Number: CKJNZ === Responsible Party === Company Name: TRIANGLE COATINGS INC Address:1930 FAIRWAY DR **City:SAN LEANDRO** State:CA ZIP:94577-5631 Country:US Info Phone Num :510-895-8000 Emergency Phone Num:8008958000 Chemtrec Ind/Phone:(800)424-9300 CAGE:0BG20 === Contractor Identification === Company Name: TRIANGLE COATINGS INC Address:1930 FAIRWAY DR Box:City:SAN LEANDRO State:CA ZIP:94577 Country:US Phone:510-895-8000 CAGE:0BG20

Ingred Name:VM&P NAPHTHA CAS:64742-48-9 Fraction by Wt: 20% OSHA PEL:400 TWA ACGIH TLV:300PPM TWA ACGIH STEL:400 PPM

Ingred Name:N-BUTYL ACETATE CAS:123-86-4 RTECS # :AF7350000 = Wt:15. OSHA PEL:150PPM TWA ACGIH TLV:150PPM TWA ACGIH STEL:200PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ISOBUTANOL CAS:78-83-1 RTECS #:NP9625000 = Wt:10. OSHA PEL:50PPM TWA ACGIH TLV:50PPM TWA EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:CHROMIUM CAS:7440-47-3 RTECS #:GB4200000 = Wt:5. OSHA PEL:1 MG/M3 TWA ACGIH TLV:0.5 MG/M3TWA EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:HYDROCARTBON MIXTURE CAS:64741-41-9 = Wt:5.

Ingred Name:XYLENE CAS:1330-20-7 RTEC S #:ZE2100000 = Wt:5. OSHA PEL:100PPM ACGIH TLV:100PPM TWA ACGIH STEL:150PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:N-HEPTANE CAS:142-82-5 RTECS #:MI7700000 = Wt:5. ACGIH TLV:400PPM TWA ACGIH STEL:500PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:CAN BE ABSORBED THROUGH THE SKIN. EMERGENCY OVERVIEW: HARMFUL IF SWOLLOWED OR INHALED. OVEREXPOSURE COULD CAUSE (TARGET ORGAN OR SYSTEM) DAMAGE. (E.G., LUNG, NERVOUS SYSTEM, BLOOD DISORDERS, LIVER, KI DNEY, IMUNE SYSTEM, CARDIOVASCULAR SYSTEM THYROID, TESTICULAR, OVARIAN, ETC.). CHRONIC HAZARDS: OVEREXPOSURE MAY CAUSE NERVOUS SYSTEM DAMAGE. REPORTS HAVE ASSOCIATED REPEATED OR PORLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. MUSUSE OF THIS PRODUCT MAY BE HARMFUL OR FATAL.

Effects of Overexposure:EYES: LIQUID, AEROSOLS AND VAPORS OF TH

PRODUCT ATE IRITATION AND CAN CAUSE PAIN, TEARING, REDDENING AND SWELLING ACCOMPANIED BY A STINGING SENSATION AND/OR A FEELING LIKE FINE DUST IN THE EYE. SKIN ; PROLONGED OR REPEATED CONTACT CAN RESULT IN DEFATTING OF THE SKIN WHICH MAY RESULT IN SKIN IRRITATION AND DERMATITUS (RASH). INHALATION: HEADACHES, DIZZINESS, NAUSEA, DECREASED BLOOD PRESSURE, CHANG ES IN HEART RATE AND CYANOSIS MAY RESULT FROM OVEREXPOSURE TO VAPOR OF SKIN EXPOSURE. PROLONGED INHALATIO

First Aid:EYES: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION IF IRRIRTATION PERSISTS. SKIN; WASH WITH SOAP AND WATER, GET MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS. REMOVE CONTAMINATED CLOTHING AND SHOES. DO NOT REUSE UNTIL CLEANED. INHALATION: REMOVE TO FRESH AIR. IF N OT

BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET IMMEDIATE MEDICAL ATTENTION. INGESTION; IF SWOLLOWED, INDUCE VOMITING IMMEDIATELY, AS DIRRECTED BY MEDICAL PERSONELLE. NEVER GIVE ANYTHING BY MOUGH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION IMMMEDIATELY.

Flash Point Method:SCC Flash Point:=12.2C, 54.F 54F Autoignition Temp:

N MAY BE HARMFUL. INGESTION: THIS PRODUCT MAY BE HARMFUL OR FATAL IF SWOLLOWED.