

BECKMAN COULTER, INC -- 60000 SERIES, HEMOCCULT DEVELOPER -- 6550-01-235-7513
===== Product Identification =====

Product ID:60000 SERIES, HEMOCCULT DEVELOPER

MSDS Date:09/01/1998

FSC:6550

NIIN:01-235-7513

Status Code:A

MSDS Number: CKMPR

=== Responsible Party ===

Company Name:BECKMAN COULTER, INC

Address:1050 PAGE MILL ROAD, BLDG 2B

City:PALO ALTO

State:CA

ZIP:94304

Country:US

Info Phone Num:650-8

57-1227 OR 800-877-6242

Emergency Phone Num:(800)424-9300

Chemtrec Ind/Phone:(800)424-9300

CAGE:TO695

=== Contractor Identification ===

Company Name:BECKMAN COULTER, INC

Address:1050 PAGE MILL ROAD, BLDG 2B

Box:City:PALO ALTO

State:CA

ZIP:94304

Country:US

Phone:650-857-1227 OR 800-877-6242

CAGE:TO695

===== Composition/Information on Ingredients =====

Ingred Name:ETHYL ALCOHOL

CAS:64-17-5

RTECS #:KQ6300000

= Wt:68.

OSHA PEL:1900 MG/M3;1000 PPM

ACGIH TLV:1880 MG/M3;1000 PPM

In

gred Name:METHYL ALCOHOL
CAS:67-56-1
RTECS #:PC1400000
= Wt:7.
OSHA PEL:260 MG/M3;200 PPM
ACGIH TLV:262 MG/M3;200 PPM
ACGIH STEL:328 MG/M3;250 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:HYDROGEN PEROXIDE
CAS:7722-84-1
RTECS #:MX0899000
= Wt:4.
OSHA PEL:1.4 MG/M3;1 PPM
ACGIH TLV:1.4 MG/M3;1 PPM

===== Hazards Identification =====

LD50 LC50 Mixture:RAT LD50 > 2000 MG/KG (ESTIMATED)

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazard

s Acute and Chronic:EYES: SEVERE IRRITATION OR INJURY

POSSIBLE FOLLOWING DIRECT CONTACT WITH LIQUID OR VAPOR. SKIN:
IRRITATION & TEMPORARY BLEACHING OF SKIN CAN OCCUR FOLLOWING DIRECT
CONTACT. INHAHALTION: SEVERE PULMONAR Y IRRITATION & GENERAL
TOXICITY. INGESTION: DIRECT CONTACT WITH MUCOUS MEMBRANES MAY
PRODUCE INJURY TO THE MOUTH, THROAT, NAUSEA, VOMITING, SWEATING OR
DIURESIS. CHRONIC EXPOSURE: EYES: PROLONGED EXPO SURE TO LIQUID OR
VAPORS CAN CAUSE CORNEAL DAMAGE.

SKIN: REPEATED EXPOSURE MAY CAUSE

DERMATITIS. INHALATION/INGESTION: PROLONGED OR REPEATED EXPOSURE
MAY CAUSE BLINDNESS, CNS/CVS/LIVER/GI TRACT/BLOOD DISORDERS.

Explanation of Carcinogenicity:NO COMPONENTS IN THIS MIXTURE ARE LISTED
AS CARCINOGENS BY IARC, NTP OR US OSHA.

Effects of Overexposure:EYES: REDNESS, SWELLING, TEARS, BLURRED VISION,
PAIN. SKIN: REDNESS, SWELLING, BURNING, PAIN, ULCERATION.
INHALATION: COUGHING, SORE THROAT, SHORTNESS OF BREATH, DIZZINESS,
VOMIT

ING, CONVULSIONS, IMPA IRED VISION OR BLINDNESS, SIGNS OF
ALCOHOL INTOXICATION. INGESTION: BURNING SENSATION, NAUSEA,
VOMITING, SWEATING, DIURESIS, CONVULSIONS, IMPAIRED VISION OR
BLINDNESS, SIGNS OF ALCOHOL INTOXICATION.

Medical Cond Aggravated by Exposure:INDIVIDUALS SUFFERING FROM ASTHMA,
HYPERTENSION, LIVER OR KIDNEY DISORDERS OR TAKING CENTRALLY ACTING
DRUGS OR ALCOHOLIC BEVERAGES COULD BE SENSITIVE TO THE TOXIC
EFFECTS OF THIS MIXTURE.

===== Firs

First Aid Measures =====

First Aid:EYES: WASH EYES WITH WATER FOR AT LEAST 15 MINUTES THEN OBTAIN IMMEDIATE MEDICAL ASSISTANCE. SKIN: WASH AFFECTED AREA WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHES. SEEK MEDICAL ATTENTION IF IRRITATION OCCURS. INHALATION: MOVE EXPOSED SUBJECT TO FRESH AIR. REFER TO A PHYSICIAN IF SUBJECT EXPERIENCES DIFFICULTY BREATHING. INGESTION: WASH OUT MOUTH WITH WATER. DO NOT INDUCE VOMITING. SEEK MEDICAL ASSISTANCE IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:15.C, 59.F

Lower Limits:3.3

Upper Limits:19

Extinguishing Media:WATER, CO2, DRY CHEMICAL, FOAM OR HALON., AS SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures:TOXIC GASES, INCLUDING CO, ACRID SMOKE AND IRRITATING FUMES ARE EXPECTED IN FIRES OF THIS MATERIAL.

SELF-CONTAINED BREATHING APPARATUS RECOMMENDED FOR FIREFIGHTERS.

Unusual Fire/Explosion Hazard:VAPOR HEAVIER THAN AIR

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON INERT MATERIAL AND/OR FLUSH WITH WATER.

Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT OR SOURCE OF IGNITION. STORE IN ORIGINAL CONTAINER AT CONTROLLED ROOM TEMPERATURE (1-30C, 59-86F).

Other Precautions:NO DATA PROVIDED BY RESPONSIBLE PARTY

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED.

Ventilation:USE IN A WELL-VENTILATED AREA.

Protective Gloves:BUTYL RUBBER OR OTHER ALCOHOL IMPERMEABLE GLOVES TO PROTECT SENSITIVE SKIN.

Eye Protection:CHEMICAL SPLASH GOGGLES OR GLASSES TO AVOID EYE CONTACT.

Other Protective Equipment:WEAR PROTECTIVE CLOTHING WITH LONG SLEEVES TO AVOID SKIN CONTACT. AN EYE WASH STATION SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS AND ARMS THOROUGHLY

ROUGHLY AFTER HANDLING

THIS MATERIAL. CLEAN UP SPILLS IMMEDIATELY.

Supplemental Safety and Health

NOTE: CAS # 8013-52-3, REPRESENTING A MIXTURE OF ETHYL ALCOHOL AND METHYL ALCOHOL, IS USED ON THE PRODUCT BOTTLE LABEL IN PLACE OF 64-17-5 AND 67-56-1.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:=80.C, 176.F

Vapor Pres:25 MM HG @ 20C

Vapor Density:1.6

Spec Gravity:0.9

Evaporation Rate & Reference:>1 (H2O=1)

Solubility in Water:SOLUBLE

App

pearance and Odor:CLEAR, COLORLESS LIQUID; PUNGENT ALCOHOLIC ODOR.

Percent Volatiles by Volume:>95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, ALUMINUM, CHLORINE, CHLOROFORM, CONCENTRATED NITRIC ACID, NITROGENOUS BASES, REDUCING AGENTS.

Stability Condition to Avoid:LIQUID OR VAPOR CAN BE IGNITED BY HEAT, SPARKS, FLAMES OR STRONG OXIDIZERS.

Hazardous Decomposition Products:NONE UNDER NORMAL TEMPERATURES AND PRESSURES.

===== Toxicological Information =====

Toxicological Information:NO DATA PROVIDED BY RESPONSIBLE PARTY

===== Ecological Information =====

Ecological:NO DATA PROVIDED BY RESPONSIBLE PARTY

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

===== MSDS Transport Information =====

====

Transport Information:DOT LABEL(S): FLAMMABLE LIQUID. PROPER SHIPPING
NAME: ETHANOL SOLUTIONS. UN NUMBER: UN1170.

==== Regulatory Information =====

SARA Title III Information:SARA 313 STATUS: METHYL ALCOHOL AND HYDROGEN
PEROXIDE ARE LISTED.
Federal Regulatory Information:NO DATA PROVIDED BY RESPONSIBLE PARTY
State Regulatory Information:NO DATA PROVIDED BY RESPONSIBLE PARTY

==== Other Information =====

D
isclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation

.