

NYE LUBRICANTS, INC -- NYE UNIFLOR 8991MT

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-472-7130
MSDS Date: 02/07/2001
MSDS Num: CKPBW
Product ID: NYE UNIFLOR 8991MT
MFN: 01
Responsible Party
Cage: TO369
Name: NYE LUBRICANTS, INC
Box: 8927
City: NEW BEDFORD MA 02742
Info Phone Number: 5
08-996-6721
Emergency Phone Number: 800-424-9300
Resp. Party Other MSDS No.: 8991MT

=====
Item Description Information
=====

Item Manager: S9G
Item Name: GREASE,AIRCRAFT
Unit of Issue: CA
Quantitative Expression: 20000000175LB
UI Container Qty: 1

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: EYE: IRRITATION. SKIN: REPEATED CONTACT MAY CAUSE
IRRITATION. THERMAL DECOMPOSITION (OVER 290C) WILL GENERATE HYDROGEN
FLUORIDE, WHICH IS CORROSIVE CAUSING BURNS ON CONTACT WITH SKIN & OTHER
TISSUE. I NHALATIO

N: OIL MIST/VAPORS AT HIGH TEMP MAY IRRITATE RESPIRATORY PASSAGES. INHALATION OF DECOMPOSITION OF PTFE (>290C) MAY CAUSE POLYMER FUME FEVER. REPEATED EPISODES OF POLYMER FUME FEVER MAY CAUSE LUNG DAMAGE. INHALATION OF FLUORINE COMPOUNDS RELEASED (>290C) MAY CAUSE LUNG IRRITATION & PULMONY EDEMA. INGESTION: MAY CAUSE GASTROINTESTINAL IRRITATION. TARGET ORGANS: RESPIRATORY PASSAGES AT HIGH TEMPERATURES, EYE & SKIN CONTACT.

Explanation Of Carcinogenicity: IARC, NTP, OSHA
DO NOT LIST NYE UNIFLOR 8991MT
OR ITS INGREDIENTS AS CARCINOGENS.

Signs And Symptoms Of Overexposure: EYES AND SKIN CONTACT: IRRITATION. POLYMER FUME FEVER AND FLU-LIKE SYMPTOMS AT TEMPERATURES ABOVE 290C.

Medical Cond Aggravated By Exposure: NONE KNOWN.

First Aid: EYE: FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MIN. GET IMMEDIATE MEDICAL ATTENTION. SKIN: REMOVE & WASH CONTAMINATED CLOTHING. WASH EXPOSED AREA WITH SOAP & WATER. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. INHA

LATION: IF SYMPTOMS DEVELOP, REMOVE AFFECTED PERSON TO FRESH AIR. GET IMMEDIATE MEDICAL ATTENTION. IF PERSON IS NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING DIFFICULT, GIVE OXYGEN. INGESTION: GET IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING UNLESS INSTRUCTED TO DO SO BY A PHYSICIAN.

=====
Handling and Disposal
=====

Spill Release Procedures: WIPE OR SCRAPE UP GREASE SPILLAGE AND PLACE IT IN CONTAINER FOR DISPOSAL. CONTAIN SPILLS. DO NOT RELEASE INTO SEWER OR WATERWAYS. WASH WALKING SURFACES THOROUGHLY WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD. FOLLOW APPLICABLE OSHA REGULATIONS (29 CFR 1910.120). CONSULT APPLICABLE STATE AND LOCAL REGULATIONS.

Waste Disposal Methods: CONTACT A LICENSED WASTE-DISPOSAL CONTRACTOR FOR DETAILED RECOMMENDATIONS. MANY STATES CLASSIFY WASTE LUBRICANTS AS "HAZARDOUS", WHICH MEANS DISPOSAL ONLY BY A LICENSED FIRM. FOLLOW APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: DO NOT STORE IN OPEN OR UNLABELED CONTAINERS. STORE AWAY FROM STRONG OXIDIZING AGENTS OR COMBUSTIBLE MATERIAL. EXERCISE ORDINARY CARE IN HANDLING INDUSTRIAL LUBRICANTS. NO SPECIAL HANDLING PRECAUTIONS ARE NECESSARY.

Other Precautions: AVOID CONTAMINATION OF CIGARETTES OR OTHER TOBACCO PRODUCTS. WASH HANDS THOROUGHLY BEFORE EATING OR SMOKING. USERS SHOULD BE ALERT TO THE POSSIBILITY THAT VERY SM

ALL PERCENTAGES OF THE POPULATION MAY DISPLAY
UNEXPECTED ALLERGIC REACTIONS TO OTHERWISE INNOCUOUS INDUSTRIAL LUBRICANTS
AND RAW MATERIALS .

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point Text: NONE

Extinguishing Media: CO2, FOAM, DRY CHEMICAL, WATER SPRAY.

Fire Fighting Procedures: AVOID SMOKE INHALATION. WATER OR FOAM MAY CAUSE
FROTHING. DO NOT RELE

ASE RUNOFF FROM FIRE CONTROL METHODS TO SEWERS OR

WATERWAYS. BECAUSE FIRE MAY PRODUCE TOXIC THERMAL DECOMPOSITION PRODUCTS,
WEAR A SELF-CONTAINED BREATHING APPARATUS (SCBA) WITH A FULL FACEPIECE
OPERATED IN PRESSURE-DEMAND OR POSITIVE MODE.

Unusual Fire/Explosion Hazard: NONE.

=====
Control Measures
=====

Respiratory Protection: NOT REQUIRED UNLESS OIL MIST, SMOKE OR VAPORS ARE
GENERATED

AT HIGH TEMPERATURES.

Ventilation: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE WITH
ADEQUATE VENTILATION.

Protective Gloves: WEAR CHEMICALLY PROTECTIVE GLOVES.

Eye Protection: WEAR PROTECTIVE EYEGLASSES OR CHEMICAL SAFETY GOGGLES.

Other Protective Equipment: WEAR CHEMICALLY PROTECTIVE GLOVES AND APRONS TO
PREVENT PROLONGED OR REPEATED SKIN CONTACT. APPROPRIATE EYE PROTECTION MUST
BE WORN INSTEAD OF CONTACT LENSES.

Work Hygienic Practices: PROVIDE EYEWASH STATION, SAFETY SHOWE

R, WASHING

FACILITY IN WORK AREA. SEPARATE CONTAMINATED WORK CLOTHES FROM STREET
CLOTHES. LAUNDER BEFORE REUSE. REMOVE PRODUCT FROM SHOES

Supplemental Safety and Health: CLEAN PERSONAL PROTECTIVE EQUIPMENT. NEVER EAT,
DRINK, OR SMOKE IN WORK AREA. PRACTICE GOOD PERSONAL HYGIENE AFTER USING
MATERIAL, ESPECIALLY BEFORE EATING, DRINKING, SMOKING, USING TOILET OR
APPLYING COSMETICS.

=====
Physical/Chemical Properties
=====

=====
HCC: V6

B.P. Text: NOT VOLATILE

Decomp Temp: >300.C, 572.F

Vapor Pres: NEGLIGIBLE

Vapor Density: >AIR

Spec Gravity: UNKNOWN

PH: NEUTRAL

Evaporation Rate & Reference: NOT DETERMINED

Solubility in Water: INSOLUBLE

Appearance and Odor: SMOOTH, BLACK GREASE WITH MILD ODOR.

Percent Volatiles by Volume: NONE
=====

Reactivity Data
=====

Stability Indicator:

YES

Stability Condition To Avoid: NYE UNIFLOR 8991MT IS STABLE AT ROOM TEMPERATURE
IN CLOSED CONTAINERS UNDER NORMAL STORAGE AND HANDLING CONDITIONS. AVOID :
PYROLYSIS.

Materials To Avoid: STRONG OXIDIZING MATERIALS.

Hazardous Decomposition Products: THERMAL OXIDATIVE DECOMPOSITION CAN PRODUCE
HYDROGEN FLUORIDE, CARBONYL FLUORIDE, SULFUR OXIDES, CARBON MONOXIDE AS WELL
AS SMALL AMOUNTS OF OTHER TOXIC FUMES.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: HAZAR
DOUS POLYMERIZATION CANNOT OCCUR.
=====

Toxicological Information
=====

Toxicological Information: NONE AVAILABLE.
=====

Ecological Information
=====

Ecological: NO DATA HAS BEEN ESTABLISHED FOR THIS PRODUCT.
=====

MSDS Transport Information
=====

Transport Information: DOT TRANSPORTATION DATA: NOT RESTRICTED.
=====

Regulatory Information
=====

Sara Title III Information: SARA 311/31 CODES: N/A. SARA TOXIC CHEMICAL (40 CFR
372.65): N/A. SARA EHS (EXTREMELY HAZARDOUS SUBSTANCE)(40 CFR 355): NOT
LISTED. THRESHOLD PLANNING QUANTITY (TPQ): N/A.

Federal Regulatory Information: TSCA: ALL COM

PONENTS COMPLY WITH TSCA. OSHA

REGULATIONS: AIR CONTAMINANT (29 CFR 1910.1000): OIL MIST IN AIR IF HEATED ABOVE 250C. LIMIT FOR AIRBORNE CONCENTRATION IS 5 MG/M3.

=====
Other Information
=====

Other Information:: H=1. F=0. R=0. PPE=-.
=====

=====
Transportation Information
=====

Responsible Party Ca

ge: TO369

Trans ID NO: 153644

Product ID: NYE UNIFLOR 8991MT

MSDS Prepared Date: 02/07/2001

Review Date: 06/06/2001

MFN: 1

Net Unit Weight: 1.75 LBS

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: CA

Container QTY: 1

Additional Data: TRANSPORTATION DATA PER MANUFACTURERS MSDS.
=====

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
HAZCOM Label

=====
Product ID: NYE UNIFLOR 8991MT
Cage: TO369
Assigned IND: Y
Company Name: NYE LUBRICANTS, INC.
PO Box: 8927
City: NEW BEDFORD MA
Zipcode: 02742-8927
Health Emergency Phone: 800-424-9300
Lab
el Required IND: Y
Date Of Label Review: 06/06/2001
Status Code: C
Label Date: 06/19/2000
Year Procured: 2001
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: NO
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: TARGET ORGANS: SKIN, EYES, RESPIRATORY PASSAGES AT HIGH
TEMPERATURES (OVER 250C). EMERGENCY OVERVIEW: SUMMARY OF RISKS: MAY IRRITATE
EYES. PROLONGED OR
REPEATED SKIN CONTACT MAY CAUSE IRRITATION.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any pe

person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.