

THE SHERWIN-WILLIAMS COMPANY -- C26316, LUBE COMP DIMETH SI -- 9150-00-823-7860

===== Product Identification =====

Product ID:C26316, LUBE COMP DIMETH SI
MSDS Date:07/25/2000
FSC:9150
NIIN:00-823-7860
Status Code:A
MSDS Number: CKRXB
=== Responsible Party ===
Company Name:THE SHERWIN-WILLIAMS COMPANY
Address:101 PROSPECT AVENUE N.W.
City:CLEVELAND
State:OH
ZIP:44115
Country:US
Info Phone Num:216-566-2902
Emergency Phone Num:216-566-2917
CAGE:86972
=== Contractor Identification ===
Company Name:RALRUBE INC.
Address:36977 FOX GLEN
Box:City:FARMINGTON HILLS
State:MI
ZIP:48331
Country:US
Phone:248-661-0260, FAX 248-661-3941
Contract Num:SP0450-00-D-5256-0001
CAGE:6X798
Company Name:THE SHERWIN-WILLIAMS COMPANY
Address:101 PROSPECT AVENUE N.W.
Box:City:CLEVELAND
State:OH
ZIP:44115
Country:US
Phone:216-566-2902/216-566-2917
CAGE:86972

===== Composition/Information on Ingredients ==

=====

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
= Wt:11.
OSHA PEL:1800 MG/M3;1000 PPM
ACGIH TLV:2500 PPM

Ingred Name:BUTANE
CAS:106-97-8
RTECS #:EJ4200000
= Wt:11.
OSHA PEL:800 PPM
ACGIH TLV:1900 MG/M3;800 PPM

Ingred Name:METHYLENE CHLORIDE
CAS:75-09-2
RTECS #:PA8050000
= Wt:71.
OSHA PEL:25 PPM
OSHA STEL:125 PPM
ACGIH TLV:174 MG/M3;50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:Y
ES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN AND

RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME
OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLY DEATH.

OVEREXPOSURE TO METHYLENE CHLORIDE CAN RAISE THE LEVEL OF CARBON
MONOXIDE IN THE BLOOD. CHRONIC: PROLONGED OVEREXPOSURE TO SOLVENT
INGREDIENTS MAY CAUSE ADVERSE EFFECTS TO THE LIVER, URINARY,
CARDIOVA

SCULAR AND NERVOUS SYSTEMS. REPORTS HAVE AS SOCIATED

REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH PERMANENT
BRAIN AND NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:METHYLENE CHLORIDE IS LISTED BY IARC,

NTP AND OSHA. LABORATORY ANIMALS EXPOSED TO HIGH LEVELS OF
METHYLENE CHLORIDE IN LIFETIME STUDIES HAVE DEVELOPED CANCER. THERE
IS NO EVIDENCE TO DATE THAT METHYLENE CHLORIDE CAUSES CANCER IN
HUMANS.

Effects of Overexposure:HEADACHE, DIZZINESS, NAUSEA, AND L

OSS OF

COORDINATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS. REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE.

Medical Cond Aggravated by Exposure: CARDIOVASCULAR PROBLEMS MAY BE AGGRAVATED BY OVEREXPOSURE TO METHYLENE CHLORIDE.

===== First Aid Measures =====

First Aid: INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING KEEP WARM AND QUIET. SKIN: WASH AREA THOROUGHLY WITH SOAP

AND WATER. REMOVE

CONTAMINATED CLOTHING AND LAUNDRY BEFORE RE-USE. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. IF SWALLOWED: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GIVE CONSCIOUS PATIENT SEVERAL GLASSES OF WATER. IF VOMITING IS NOT SPONTANEOUS, INDUCE VOMITING BY HAVING THE PATIENT GENTLY TOUCH THE BACK OF HIS THROAT WITH A FINGER. KEEP AIRWAY CLEAR. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point: