

3M GENERAL OFFICES -- SCOTCH-GRIP 847 RUBBER AND GASKET ADHESIVE

MSDS Safety Information

FSC: 5330

NIIN: 01-417-4848

MSDS Date: 11/20/1992

MSDS Num: CKSRJ

Product ID: SCOTCH-GRIP 847 RUBBER AND GASKET ADHESIVE

MFN: 01

Kit Part: Y

Responsible Party

Cage: 76381

Name: 3M GENERAL OFFICES

Address: 3M CENTER

City

: ST PAUL MN 55144-1000

Info Phone Number: 1-800-364-3577

Emergency Phone Number: 612-733-1110

Item Description Information

Item Manager: S9I

Item Name: PARTS KIT,SEAL REPLACEMENT,MECHANICAL EQUIPMENT

Unit of Issue: EA

UI Container Qty: Y

Ingredients

Cas: 67-64-1

RTECS #: A

L3150000

Name: ACETONE

% low Wt: 60.

% high Wt: 70.

OSHA PEL: 2400 MG/M3;1000 PPM

ACGIH TLV: 1780 MG/M3;750 PPM

ACGIH STEL: 2380 MG/M3;1000 PPM

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS

Cas: 9003-18-3

Name: ACRYLONITRILE-BUTADIENE POLYMER

% low Wt: 10.

% high Wt: 20.

Cas: 9003-35-4

Name: PHENOL-FORMALDEHYDE POLYMER

% low Wt: 7.

% high Wt: 13.

Cas: 8050-31-5

Name: GLYCEROL ESTERS OF ROSIN ACIDS

% low Wt

: 7.
% high Wt: 13.

Cas: 69-72-7
RTECS #: VO0525000
Name: SALICYLIC ACID
% low Wt: 1.
% high Wt: 5.

Cas: 1314-13-2
RTECS #: ZH4810000
Name: ZINC OXIDE
< Wt: 2.
OSHA PEL: 15 MG/M3

Cas: 68411-46-1
Name: ANTIOXIDANT
< Wt: 1.

=====

Health Hazards Data

=====

Effects of Exposure: EYE: MODERATE EYE IRRITATION. SKIN: MILD SKIN IRRITATION (AFTER PROLONGED OR REPEATED CONTACT). INHALATION: CENTRAL NERVOUS SYSTEM DEPRESSION; UPPER RESPIRATORY IRRITATION. INGESTION: IRRITATION OF GASTROINTESTINAL TISSUES, CENTRAL NERVOUS SYSTEM DEPRESSION; ASPIRATION PNEUMONITIS.

Signs And Symptoms Of Overexposure: EYE: REDNESS, SWELLING, PAIN, TEARING, HAZY VISION. SKIN: REDNESS, SWELLING, ITCHING. INHALATION: HEADACHE, DIZZINESS, DROWSINESS, INCOORDINATION, SLOWED REACTION TIME, SLURRED SPEECH, GIDDINESS AND UNCONSCIOUSNESS, SORENESS OF THE NOSE AND THROAT, COUGHING, SNEEZING. INGESTION: PAIN, VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS, AND BLOOD IN FECES. ALSO, DIZZINESS, HEADACHE, DROWSINESS, MUSCULAR WEAKNESS, INCOORDINATION, SLOWED REACTION TIME, FATIGUE, BLURRED VISION, SLURRED SPEECH, GIDDINESS, TREMORS AND CONVULSIONS. DIFFICULTY BREATHING, WHEEZING, COUGHING UP BLOOD AND PNEUMONIA CAN BE FATAL.

First Aid: EYE: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF WATER. GET IMMEDIATE MEDICAL ATTENTION. SKIN: FLUSH SKIN WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SWALLOWED: CALL A PHYSICIAN IMMEDIATELY. ONLY INDUCE VOMITING AT THE INSTRUCTION OF A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION: REMOVE PERSON TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING DIFFICULT, GET IMMEDIATE MEDICAL ATTENTION.

=====

Hand

ling and Disposal

=====

Spill Release Procedures: REFER TO OTHER SECTIONS OF THIS MSDS FOR INFORMATION REGARDING PHYSICAL & HEALTH HAZARDS RESPIRATORY PROTECTION, VENTILATION AND PERSONAL PROTECTIVE EQUIPMENT. CALL (612)733-1110 OR (612)733-6100 FOR 24-HOUR SPILL ASSISTANCE. VENTILATE AREA. EXTINGUISH ALL IGNITION SOURCES. COLLECT USING NON-SPARKING TOOLS. COVER WITH ABSORBENT MATERIAL. PLACE IN US DOT-APPROVED CONTAINER AND SEAL.

Waste Disposal Methods: INCINERATE IN A PERMITTED HAZARDOUS WASTE INCINERATOR IN THE PRESENCE OF A COMBUSTIBLE MATERIAL. DISPOSE OF WASTE PRODUCT IN A FACILITY PERMITTED TO ACCEPT CHEMICAL WASTE. SINCE REGULATIONS VARY, CONSULT APPLICABLE REGULATIONS OR AUTHORITIES BEFORE DISPOSAL. US EPA HAZARDOUS WASTE NUMBER = D001 (IGNITABLE)

Handling And Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: KEEP CONTAINER TIGHTLY CLOSED. FLAMMABLE LIQUID AND VAPOR.

KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME, AND OTHER SOURCES OF IGNITION. GROUND CONTAINERS SECURELY WHEN TRANSFERRING CONTENTS. WEAR LOW STATIC OR PROPERLY GROUNDED SHOES.

Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point: =-17.6C, 0.F

Flash Point Text: ACETONE

Autoignition Temp Text: N/D

Lower Limits: N/D

Upper Limits: N/D

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING, INCLUDING HELMET, SELF-CONTAINED, POSITIVE PRESSURE OR PRESSURE DEMAND BREATHING APPARATUS, INCLUDING BUNKER COAT AND PANTS, BANDS AROUND ARMS, WAIST/LEGS, FACE MASK AND PROTECTIVE COVERING FOR EXPOSED AREAS OF HEAD.

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS EXPOSED TO HEAT FROM FIRE MAY BUILD PRESSURE AND EXPLODE. VAPORS MAY TRAVEL LONG DISTANCES ALONG THE GROUND OR FLOOR TO AN IGNITION SOURCE AND FLASH BACK.

Control Measures

Respiratory Protection: AVOID PROLONGED BREATHING OF VAPORS. SELECT ONE OF THE FOLLOWING NIOSH APPROVED RESPIRATORS BASED ON AIRBORNE CONCENTRATION OF CONTAMINANTS AND IN ACCORDANCE WITH OSHA REGULATIONS; HALF-MASK ORGANIC VAPOR RESPIRATOR.

Ventilation: USE IN WELL VENTILATED AREA. IF EXHAUST VENTILATION IS NOT ADEQUATE

, USE APPROPRIATE RESPIRATORY PROTECTION.
Protective Gloves: BUTYL RUBBER, POLYETHYLENE/ETHYLENE VINYL ALCOHOL,
POLYTETRAFLUOROETHYLENE
Eye Protection: VENTED GOGGLES, SAFETY GLASSES WITH SIDE SHIELDS
Work Hygienic Practices: KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF
REACH OF CHILDREN.

=====

Physical/Chemical Properties

=====

HCC: F2
Boiling Point: =55.6C, 132.F
B.P. Text: ACETONE
Va
por Pres: 180MMHG
Vapor Density: 2.0
Spec Gravity: 0.91
PH: N/D
VOC Grams/Liter: 583
Viscosity: 2,750 CPS
Evaporation Rate & Reference: 1.9
Solubility in Water: SLIGHT
Appearance and Odor: DARK BROWN LIQUID; SHARP SOLVENT ODOR
Percent Volatiles by Volume: 64 (WEIGHT)

=====

Reactivity Data

=====

Stability Indicator: YES
Materials To Avoid: STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF
NITROGEN, HYDROGEN CYANIDE, ALDEHYDES, KETONES, HYDROCARBONS, OXIDES OF ZINC
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

Transportation Information

=====

=====

Responsible Party Cage: 76381
Trans ID NO: 154539
Product ID: SCOTCH-GRIP 847 RUBBER AND GASKET ADHESIVE
MSDS Prepared Date: 11/20/1992
Review Date: 08/28/2000
MFN: 1
Net Unit Weight: UNKNOWN
Multiple KIT Number: 0
Kit Part IND: Y
Unit Of Issue: EA
Container QTY: Y
Additional Data: PSN FOR DOT/IATA/AFI BASED ON LABELS ACCOMAPNYING MSDS. IMO IS
BEST GUESS BY DLA- STAFF.

=====

Detail DOT Information

=====

=====

DOT PSN Code: DTJ
Symbols: D
DOT Proper Shipping Name: CONSUMER COMMODITY
Hazard Class: ORM-D
Label: NONE
Non Bulk Pack: 156,306
Bulk Pack: NONE
Max Qty Pass: 30KGGROSS
Max Qty Cargo: 30KGGROSS
Vessel Stow Req: A

=====

Detail IMO Information

=====

IMO PSN Code: HIN
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
IMDG Page Number: 3230
UN Num

ber: 1993
UN Hazard Class: 3.2
IMO Packaging Group: I/II
Subsidiary Risk Label: -
EMS Number: 3-07
MED First Aid Guide NUM: T

=====

Detail IATA Information

=====

IATA PSN Code: HDW
IATA UN ID Num: 8000
IATA Proper Shipping Name: CONSUMER COMMODITY +
IATA UN Class: 9
IATA Label: MISCELLANEOUS
Packing Note Passenger: 910
Max Quant Pass: 25KG G
Max Quant Cargo: 25KG G
Packaging Note Cargo: 910
Excep
tions: A112

=====

Detail AFI Information

=====

AFI PSN Code: HEB
AFI Proper Shipping Name: CONSUMER COMMODITY
AFI Hazard Class: 9
AFI UN ID NUM: UN8000
Special Provisions: P5
Back Pack Reference: A13.13

=====

HAZCOM Label

=====

Product ID: SCOTCH-GRIP 847 RUBBER AND GASKET ADHESIVE
Cage: 76381
Com
pany Name: MINNESOTA MINING AND MFG CO, DBA 3M
Street: 3M CENTER BLDG 224-5S-04
City: SAINT PAUL MN
Zipcode: 55144-1000
Health Emergency Phone: 612-733-1110
Label Required IND: Y
Date Of Label Review: 08/28/2000
Status Code: A
Year Procured: 1999
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Severe
Reactivity Hazard: None
Hazard And Precautions: EYE: MODERATE EYE

IRRITATION. SKIN: MILD SKIN

IRRITATION (AFTER PROLONGED OR REPEATED CONTACT). INHALATION: CENTRAL NERVOUS SYSTEM DEPRESSION; UPPER RESPIRATORY IRRITATION. INGESTION: IRRITATION OF GASTROINTESTINAL TISSUES, CENTRAL NERVOUS SYSTEM DEPRESSION; ASPIRATION PNEUMONITIS. TARGET ORGANS: NO DATA. FIRST AID. EYES: FLUSH WITH WATER. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALED: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION.

INGESTED: DO NOT INDUCE VOMITING! GET MEDICAL ATTENTION IMMEDIATELY.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside

the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.